

Nigeria - National Survey on Drug Use and Health 2016-2017, First round

National Bureau of Statistics (NBS) - Federal Government of Nigeria(FGN), Centre for Research and Information on Substance Abuse (CRISA) - Centre for Research and Information on Substance Abuse (CR

Report generated on: March 19, 2021

Visit our data catalog at: <https://www.nigerianstat.gov.ng/nada/index.php>

Overview

Identification

ID NUMBER

NGA-NBS-NDUS-2016-2017-v01

Version

VERSION DESCRIPTION

Version 1.0: Edited, anonymised dataset for public distribution

Overview

ABSTRACT

The National Survey on Drug Use and Health was conducted by the National Bureau of Statistics (NBS) and the Centre for Research and Information on Substance Abuse (CRISA) with technical support from the United Nations Office on Drugs and Crime (UNODC). It was funded by the European Union (EU) under the 10th European Development Fund (EDF) as part of the UNODC implemented project, "Response to Drugs and Related Organised Crime in Nigeria". The project aims to support Nigeria in fighting drug production, trafficking and use and improved access to quality drug prevention, treatment and care services in Nigeria.

This is the first comprehensive nationwide national drug use survey to be conducted in Nigeria. The survey has three components; the first is the National Household Survey on Drug Use and Health (NHSDUH) conducted by NBS; the second aspect is the National Survey on Problem Drug Use (NSPDU) and the third aspect is the Key Informant Survey (KIS). The NSPDU and KIS were conducted by CRISA. The three aspects of the survey cover all 36 states of the Federation, as well as the Federal Capital Territory. During the National Household Survey, 38,850 households that spread across rural and urban areas were canvassed at respondents' residences. Additionally, the NSPDU involved interviews with a total of 9,344 problem drug users across all 36 states of the Federation, as well as the Federal Capital Territory. A total of 2,787 persons were interviewed for the KIS.

Objectives of the survey:

- The main objective of the project is to strengthen the evidence based on drug use and drug crime which would be used for policy planning and implementation.

- The survey provides statistically-sound and policy-relevant data on the extent and pattern of drug use in Nigeria (i.e., lifetime, past 12 months and 30 days prevalence of drug use bytypes of substances and gender), the socio-demographic characteristics of drug users, their living conditions and other information such as gender, age, marital status, education and employment status. It also provides information on age of onset of drug use, frequency and pattern of use, high risk drug use as well as extent of drugs use, drug dependency, and sexual behavior among drug users.

Information from this survey will also serve as baseline data for tracking the Sustainable Development Goals (SDGs) in Nigeria, specifically Goal 3 to "ensure healthy lives and promote well-being for all at all ages" and Target 3.5 to strengthen prevention and treatment of substance abuse, including narcotic drug abuse and harmful use of alcohol.

It is our sincere hope and expectation that the results and the dataset from this survey will be used by the public most especially the policy-makers, planners, researchers, development partners and Non-Governmental Organisations (NGOs) to formulate and monitor policies, programmes and strategies that help to develop targeted services for drug users and their families, with a focus on affordable easily accessible community-based approaches that will increase access to services for this under-served population and go a long way in addressing the issue of drug use in communities across the country.

KIND OF DATA

Sample survey data [ssd]

UNITS OF ANALYSIS

Individual level

Scope

NOTES

The scope of the National Survey on Drug Use and Health 2016-2017 includes: The Household; and Problem Drug Use Assessment and Key Informant modules.

HOUSEHOLD MODULE

The household questionnaire collected information on Household composition and demographic characteristics; Demographic information of the selected respondent; General health information; Size of personnel network; Prescription drug misuse; Tobacco use; Alcohol use; Knowledge and awareness of various substances; Information about substance use by people personally known and in the household; Self reported substance use and Information about drug dependence and drug use disorder.

PROBLEM DRUG USE ASSESSMENT MODULE

This module covered the following areas: Identification information; Demographic and financial support; Drug use history; Injecting drug use; Contact with drug users; Treatment history; Service utilization; Prison history; Sex lifestyle Severity of dependence score for main drug.

KEY INFORMANT MODULE

The Key Informant Questionnaire is a combination of structured and open-ended interview in which the interviewer seeks the knowledge and opinion of the respondent on different aspects of the drug problem in the community. Respondents were selected from the following categories of key informants: Local community level police Other law enforcement (e.g., NDLEA) officers, Service providers for drug treatment, Health officials (including pharmacists), Local religious leaders, Village elders (village heads, clan heads), Civil society organizations, Teachers.

TOPICS

Topic	Vocabulary	URI
Education	World Bank	
Community Driven Development	World Bank	
Health	World Bank	

Coverage

GEOGRAPHIC COVERAGE

National coverage

UNIVERSE

The survey covered all household members (usual residents) for the household composition and demographic characteristics; an individual respondent within the age of 15-64 years in the household; and problem drug users outside the households that were selected using the respondent driven sampling techniques.

Producers and Sponsors

PRIMARY INVESTIGATOR(S)

Name	Affiliation
National Bureau of Statistics (NBS)	Federal Government of Nigeria(FGN)
Centre for Research and Information on Substance Abuse (CRISA)	Centre for Research and Information on Substance Abuse (CRISA)

OTHER PRODUCER(S)

Name	Affiliation	Role
------	-------------	------

Name	Affiliation	Role
United Nations Office on Drugs and Crime Country Office, Nigeria	United Nations Secretariat	Technical support
UNODC Research and Trend Analysis Branch, Vienna Austria	United Nations Secretariat	Data Analysis

FUNDING

Name	Abbreviation	Role
European Union	EU	Funding

OTHER ACKNOWLEDGEMENTS

Name	Affiliation	Role
Federal Ministry of Health (FMoH)	Federal Government of Nigeria (FGN)	National Steering Committee and the Technical Working Group
National Drug Law Enforcement Agency (NDLEA)	Federal Government of Nigeria (FGN)	National Steering Committee and the Technical Working Group
National Agency for Food and Drug Administration and Control (NAFDAC)	Federal Government of Nigeria (FGN)	National Steering Committee and the Technical Working Group
National Agency for the Control of AIDS (NACA)	Federal Government of Nigeria (FGN)	National Steering Committee and the Technical Working Group
Ministry of Budget and National Planning	Federal Government of Nigeria (FGN)	National Steering Committee and the Technical Working Group
Population Council		National Steering Committee and the Technical Working Group
The Market Research Consultancy Ltd. (MRC)		National Steering Committee and the Technical Working Group
World Health Organization (WHO)	World Health Organization (WHO)	National Steering Committee and the Technical Working Group

Metadata Production

METADATA PRODUCED BY

Name	Abbreviation	Affiliation	Role
National Bureau of Statistics	NBS	Ministry of Budget and National Planning	Metadata Producer
Centre for Research and Information on Substance Abuse	CRISA		Metadata Producer
United Nations Office on Drugs and Crime	UNODC	United Nations Secretariat	Metadata Coordinator

DATE OF METADATA PRODUCTION

2021-01-29

DDI DOCUMENT VERSION

Version 1.0 (January, 2021). This is the first documented version of the Drug Use Survey that was conducted in 2016 and 2017 in Nigeria.

DDI DOCUMENT ID

DDI-NGA-NBS-NDUS-2017-v01

Sampling

Sampling Procedure

A two-stage cluster sample design was adopted for the survey.

First stage selection (Selection of EAs) The first stage involves selection of primary sampling units. In each State 10 EAs were canvassed, Six (6) Urban and three (4) Rural EAs. This gives a total of 60 EAs to be covered in all the six (6) states. The second stage selection (selection of households) Eight (8) households (HHs) will be selected in each EA. A total of 80 HHs will be covered in each state and subsequently, a total of 480 HHs will be studied in all the six states. Conditions and procedures for replacement of EA In order to address some extreme cases of non coverage of the selected EAs, the following procedures will be adopted: 1) Extra five EAs will be provided for each state in case of any replacement 2) The supervisor and State officer must be contacted before any replacement is made 3) Replacement can be made if the EA is not accessible or if it is located in a conflict or crisis area, i.e. areas classified as high risk areas

The main survey of the National Health and Drug Use also had two (2) sampling procedures

First Stage Selection was the selection of EAs. In each State 70 EAs were canvassed giving a total of 2,590 EAs covered in all the States including FCT.

The Second Stage Selection involved selection of Housing Units (HUs). 15HUs were selected in each EA and 1 Household was interviewed per HU.

In a HU with more than one (1) household, the Kish grid method of selection was applied to determine the household to be interviewed. A total of 1050 household interviews were conducted in each state. A total of 38,850 HHs were covered nationwide.

The Sampling strategy for the problem drug users constituted a hidden and hard-to-reach population and the absence of a census-based sampling frame made it difficult to estimate the parameters of this population in Nigeria. In view of this and other constraints, the snowball method (also known as chain referral sampling) was used to select the respondents for this study. Snowball sampling is particularly suited for a study of this nature because, among other things, it helps in tracing the diffusion of information within social networks and in delineating patterns of association.

Using the drug user questionnaire, data was collected from a sample of 200-250 high-risk drug users in each state, yielding a national sample of between 7400 and 9250 respondents.

For the key informant survey, a minimum of 50 -75 Key informants in each State were interviewed, yielding a national sample of between 1850 and 2775 key informants. On average, for each category of key informants, 9-10 interviews were conducted.

Deviations from Sample Design

No deviation for the Household survey on drug use and health in Nigeria. In the problem drug users data collection process, It is important to note that the report from Ogun state indicates that in some instances venue-based sampling (VBS) was used instead of RDS and in Northeast Zone A. Some cannabis users were interviewed contrary to the mandate.

Response Rate

86% response rate was recorded for the Key Informant Survey while 98.1% was reported for the Problem Drug Use Assessment Survey.

Weighting

Population and Sample weights were calculated for the Household data files.

Questionnaires

Overview

THE HOUSEHOLD QUESTIONNAIRE

A household questionnaire was administered in each selected household to collect data on household and demographic characteristics and thereafter an individual respondent randomly selected using the KISH GRID method responded to the questions in the remaining sections of the questionnaire. The various sections of the household questionnaires are:

Part A: Identification

Part B Section 1: Household composition and demographic characteristics

Section 2: Demographic information of the respondent

Section 3: General health information

Section 4: Size of personal network

Section 5: Prescription of drug misuse

Section 6: Tobacco use

Section 7: Alcohol Use

Section 8: Knowledge and awareness of various substances

Section 9: Information about substance use by people known and in the household

Section 10: Self-reported substance use

Section 11: Information about drug dependence and drug use disorder

Section 12: Arrest and treatment history

Section 13: Brief assessment of harms from other's drug use

Section 14: Interviewer's comment/evaluation

Section 15: Interviewers check (To be completed by the supervisor)

The Problem Drug Use Assessment in Nigeria developed questionnaires and data extraction forms for each aspect of this project, as follows: 1) Drug user questionnaire, 2) Key informant questionnaire, 3) Drug treatment reporting form, and 4) drug related arrests data form.

DRUG USERS' QUESTIONNAIRE

The Drug users' questionnaire was administered to problematic drug users. The questionnaire consists of the following sections:

Part A: Identification information

Part A Section A: Demographics and financial support

Section B: Drug use history

Section C: Injecting drug use

Section D: Contact with drug users

Section E: Treatment history

Section F: Service utilization

Section G: Prison history

Section H: Sex lifestyle

Section I: Severity of dependence score for main drug.

KEY INFORMANT QUESTIONNAIRE

The Key Informant Questionnaire is a combination of structured and open-ended interview in which the interviewer seeks the knowledge and opinion of the respondent on different aspects of the drug problem in the community. Respondents will be selected from the following categories of key informants: Local community level police Other law enforcement (e.g., NDLEA) officers, Service providers for drug treatment, Health officials (including pharmacists), Local religious leaders, Village elders (village heads, clan heads), Civil society organizations, Teachers.

Section A: Background Information

Section B: Patterns of drug use

Section C: Changing patterns and trends

Section D: Socio-demographics and drug use

Section E: Primary information

Section F: Need for services

Two forms were developed to collect secondary/existing data from the following sources:

- Reports of the Nigerian Epidemiology Network of Drug Use (NENDU),
- National Drug Law Enforcement Agency (NDLEA),
- Civil society organization reports,
- Information from hospitals, drop-in centres and other treatment facilities.

Data Collection

Data Collection Dates

Start	End	Cycle
2016-11-07	2016-11-28	21 days
2017-03-06	2017-04-06	30 days

Data Collection Mode

Face-to-face [f2f]

DATA COLLECTION NOTES

Supervisory activities for the National Survey on Drug use and Health (Household) include two levels of training, fieldwork arrangement, monitoring exercise and coordination.

The pilot testing adopted two levels of training which were the Training of Trainers (TOT) and the Training of Field Staff/ENumerators (TOE).

The field work arrangement for data collection consisted of two (2) teams per state. A team comprised of (1) supervisor and two (2) interviewers. Each state had six (6) field personnel. Fieldwork last for seven (7) days.

The interview was conducted in 5 different languages (English, Hausa, Igbo, Yoruba and Pidgin) based on the preferred language of the respondent.

The pre-test exercise for the Problem Drug Use Assessment in Nigeria took place from 12th-16th December, 2016. The training of coordinators and interviewers was a key component of the preparatory stage of the project. Twelve (12) zonal coordinators were trained twice in Abuja on the use of the instruments developed for the project and on the administration of the protocol as a whole. Following these the coordinators recruited interviewers in each state assigned to them and participated in the training of the interviewers in Kaduna (for northern states) and Uyo (for southern states).

Data Collectors

Name	Abbreviation	Affiliation
National Bureau of Statistics	NBS	Ministry of Budget and National Planning
Centre for Research and Information on Substance Abuse	CRISA	

SUPERVISION

Carefully selected interviewers in each state conducted the two surveys.

Some of the responsibilities of the supervisors include contacting the local authority officials, locate the clusters/EAs (Urban and Rural) assigned to his/her team, assign works to enumerators and provide working materials, etc.

Three (3) teams were constituted in each state for the main HH survey. A team comprised of five (5) interviewers and one (1) supervisor. Fieldwork lasted for twenty (20) days and 18 field personnel were involved in each state which comprised 15 interviewers and 3 supervisors. A total of 666 field personnel were involved Nation wide.

During the data collection for the household survey, monitoring exercise was mounted to ensure that data to be collected were of high quality. Monitoring was done by: 1) NBS state and Headquarters staff 2) Independent monitors from MRC and 3) UNODC officials. Senior officers of NBS coordinated the training and fieldwork activities.

In selecting the interviewers for the problem drug use data collection exercise, emphasis was placed on familiarity with drug use and experience working with problem drug users, in which case the research team will seek collaboration with drug NGOs where they exist in each state.

Twelve (12) Zonal Coordinators were appointed to supervise data collection in each zone made up of half of the states in each of the six geo-political zones. In other words each zone has been divided into two for ease of operation and a coordinator was responsible for each project zone.

Independent monitoring teams from various government agencies helped to enhance the quality of data collection, and prepare a report on their work.

A team of people who represented key stakeholders – ministries, departments and agencies – monitored the data collection in all zones and were overwhelmingly satisfied with the conduct of the work. (Monitoring reports were submitted to and are available at the implementing organization – UNODC).

Data Processing

Data Editing

Computer Assisted Personal Interviewing (CAPI) method was used for the data collection for the household component, while paper questionnaires were used for both Drug users' and Key Informant components.

Data Processing for the household survey was done at the ICT Department, NBS Headquarters. Activities carried out include:

- 1) Electronic editing
- 2) Data Validation
- 3) Data cleaning
- 4) Data Analysis
- 5) Data Anonymization
- 6) Table Generation

All data from the drug user and key informant surveys in the files submitted by the zonal coordinators were subjected to verification and validation by a data company in Uyo (Corporate Business Research Services, CBRS) that served as a data management consultant for the project.

Other Processing

Further processing of the data was carried out by a private firm (Corporate Business Research Services). CBRS submitted a 16-page report to CRISA detailing every action taken in cleaning and merging the data sets before handing over to CRISA. Much of this work was done in collaboration with CRISA staff members assigned to oversee this aspect of the project. Most of the issues addressed by CBRS were because of inconsistencies in data entry at the various centres. In a few cases where such inconsistencies were serious enough data from affected states had to be re-entered at CRISA. (These states are specified in the CBRS report). We believe that though the decision to decentralize data entry was taken after careful consideration of data safety, that decision contributed to the delay in completing the overall work on this project.

Data Appraisal

Other forms of Data Appraisal

A series of data quality tables and graphs are available in the reports.

File Description

Variable List

DRUG USERS' DATA

Content	The file contains data from the Problem Drug Users' Assessment questionnaire that was administered to problem drug users' in 2017 across the 36 states in Nigeria including FCT. Respondents' were aged from 16 to 65 years. The questionnaire had 9 sections which contained information on drug use history, contact with drug users, treatment history etc. The file was generated using SPSS program.
Cases	9352
Variable(s)	614
Structure	Type: Keys: ()
Version	Version 1.0 (January 2021, anonymised data)
Producer	Centre for Research and Information on Substance Abuse (CRISA)
Missing Data	Asterisks(*) have been used to replace the missing variables.

Variables

ID	Name	Label	Type	Format	Question
V1	PROCESSING_CODE	PROCESSING CODE	discrete	character	Processing code
V2	STATECODE	STATE CODE	contin	numeric	State Code
V3	STATENAME	STATE NAME	discrete	character	State Name
V4	A1GENDER	GENDER	discrete	numeric	Gender of respondent
V5	A2DATE_OF_BIRTH	RESPONDENT DATE OF BIRTH	discrete	character	What is your date of birth
V6	A3AGE	RESPONDENT AGE	discrete	character	How old would you be (then)?
V7	A4EDUCATION	RESPONDENT YEARS OF EDUCATION	contin	numeric	How many years of education have you completed?
V8	A5.MARITAL_STATUS	RESPONDENT MARITAL STATUS	discrete	numeric	What is your current marital status?
V9	A6.MOSTSLEEP	RESPONDENT MOSTLY SLEPT	discrete	character	Where did you most often sleep in the last 6 months?
V10	A7.WHOMSLEEP	PERSON WHOM MOSTLY LIVED WITH	discrete	character	With whom did you (mostly) live in the last 6 months?
V11	A8.LAST6MONTH	RESPONDENT NATURE OF WORK	discrete	character	In the last 6 months, were you mostly
V12	A9.1WAGES	RESPONDENT FINANCIAL SURPORT	discrete	numeric	Wages / salary
V13	A9.2CASUAL	RESPONDENT FINANCIAL SURPORT	discrete	numeric	Casual work
V14	A9.3FAMILY	RESPONDENT FINANCIAL SURPORT	discrete	numeric	Family
V15	A9.4FRIENDS	RESPONDENT FINANCIAL SURPORT	discrete	numeric	Friends
V16	A9.5PENSION	RESPONDENT FINANCIAL SURPORT	discrete	numeric	Pension
V17	A9.6BEGGING	RESPONDENT FINANCIAL SURPORT	discrete	numeric	Begging
V18	A9.7SELLING	RESPONDENT FINANCIAL SURPORT	discrete	numeric	Selling drugs
V19	A9.8THEFTS	RESPONDENT FINANCIAL SURPORT	discrete	numeric	Thefts

ID	Name	Label	Type	Format	Question
V20	A9.9PICKPOCKET	RESPONDENT FINANCIAL SURPORT	discrete	numeric	Pick pocketing
V21	A9.10SEXWORK	RESPONDENT FINANCIAL SURPORT	discrete	numeric	Sex work / sex for money
V22	A9.11OTHERS	RESPONDENT FINANCIAL SURPORT	discrete	character	Others
V23	B1IEVER_USED	EVER USED	discrete	numeric	Have you ever used cannabis (herb or resin)?
V24	B1IIAGEATFIRST	RESPONDENT AGE AT FIRST USE	contin	numeric	What was your age at first use?
V25	B11III12MONTHS	USED IN THE LAST 12 MONTH	discrete	numeric	Did you use it in the last 12 months?
V26	B11IV30DAYS	DAYS USED IN THE LAST 30 DAYS	contin	numeric	In the past-30 days, how many days did you use it?*
V27	B11VUSUALMETHOD	USUAL METHOD USED BY THE RESPONDENT	discrete	numeric	What is the usual method of use?
V28	B11VIAMOUNT	AVERAGE AMOUNT SPENT PER DAY	contin	numeric	What is the average amount you spent per day during the last 30 days on this substance? (Naira)
V29	B12IEVERUSED	EVER USED	discrete	numeric	Have you ever used Heroin?
V30	B12IIAGEOFUSE	RESPONDENT AGE AT FIRST USE	contin	numeric	What was your age at first use?
V31	B12III12MONTHS	USED IN THE LAST 12 MONTH	discrete	numeric	Did you use it in the last 12 months?
V32	B12IV30DAYS	DAYS USED IN THE LAST 30 DAYS	contin	numeric	In the past-30 days, how many days did you use it?*
V33	B12VUSUALMETHOD	USUAL METHOD USED BY THE RESPONDENT	discrete	character	What is the usual method of use?
V34	B12VIAMOUNT	AVERAGE AMOUNT SPENT PER DAY	contin	numeric	What is the average amount you spent per day during the last 30 days on this substance? (Naira)
V35	B13IEVERUSED	EVER USED	discrete	numeric	Have you ever used Painkillers or analgesics (such as Tramadol, Morphine, Pethidine, Buprenorphine)?
V36	B13IIAGEOFUSE	RESPONDENT AGE AT FIRST USE	contin	numeric	What was your age at first use?
V37	B13III12MONTHS	USED IN THE LAST 12 MONTH	discrete	numeric	Did you use it in the last 12 months?
V38	B13IV30DAYS	DAYS USED IN THE LAST 30 DAYS	contin	numeric	In the past-30 days, how many days did you use it?*
V39	B13VUSUALMETHOD	USUAL METHOD USED BY THE RESPONDENT	discrete	numeric	What is the usual method of use?
V40	B13VIAMOUNT	AVERAGE AMOUNT SPENT PER DAY	contin	numeric	What is the average amount you spent per day during the last 30 days on this substance? (Naira)
V41	B14IEVERUSED	EVER USED	discrete	numeric	Have you ever used Tranquilizers (such as Bromazepam, valium, tropium, calmpose)?
V42	B14IIAGEOFUSE	RESPONDENT AGE AT FIRST USE	contin	numeric	What was your age at first use?
V43	B14III12MONTHS	USED IN THE LAST 12 MONTH	discrete	numeric	Did you use it in the last 12 months?
V44	B14IV30DAYS	DAYS USED IN THE LAST 30 DAYS	contin	numeric	In the past-30 days, how many days did you use it?
V45	B14VUSUALMETHOD	USUAL METHOD USED BY THE RESPONDENT	discrete	numeric	What is the usual method of use?

ID	Name	Label	Type	Format	Question
V46	B14VIAMOUNT	AVERAGE AMOUNT SPENT PER DAY	contin	numeric	What is the average amount you spent per day during the last 30 days on this substance? (Naira)
V47	B15IEVERUSED	EVER USED	discrete	numeric	Have you ever used Methamphetamine (crystal or powder)?
V48	B15IAGEOFUSE	RESPONDENT AGE AT FIRST USE	contin	numeric	What was your age at first use?
V49	B15III12MONTHS	USED IN THE LAST 12 MONTH	discrete	numeric	Did you use it in the last 12 months?
V50	B15IV30DAYS	DAYS USED IN THE LAST 30 DAYS	discrete	numeric	In the past-30 days, how many days did you use it?
V51	B15VUSUALMETHOD	USUAL METHOD USED BY THE RESPONDENT	discrete	numeric	What is the usual method of use?
V52	B15VIAMOUNT	AVERAGE AMOUNT SPENT PER DAY	contin	numeric	What is the average amount you spent per day during the last 30 days on this substance? (Naira)
V53	B16IEVERUSED	EVER USED	discrete	numeric	Have you ever used Methamphetamine tablets such as Pervitin, Methedrine, or Desoxyn?
V54	B16IAGEOFUSE	RESPONDENT AGE AT FIRST USE	contin	numeric	What was your age at first use?
V55	B16III12MONTHS	USED IN THE LAST 12 MONTH	discrete	numeric	Did you use it in the last 12 months?
V56	B16IV30DAYS	DAYS USED IN THE LAST 30 DAYS	contin	numeric	In the past-30 days, how many days did you use it?
V57	B16VUSUALMETHOD	USUAL METHOD USED BY THE RESPONDENT	discrete	numeric	What is the usual method of use?
V58	B16VIAMOUNT	AVERAGE AMOUNT SPENT PER DAY	contin	numeric	What is the average amount you spent per day during the last 30 days on this substance? (Naira)
V59	B17IEVERUSED	EVER USED	discrete	numeric	Have you ever used Cocaine?
V60	B17IAGEOFUSE	RESPONDENT AGE AT FIRST USE	contin	numeric	What was your age at first use?
V61	B17III12MONTHS	USED IN THE LAST 12 MONTH	discrete	numeric	Did you use it in the last 12 months?
V62	B17IV30DAYS	DAYS USED IN THE LAST 30 DAYS	contin	numeric	In the past-30 days, how many days did you use it?
V63	B17VUSUALMETHOD	USUAL METHOD USED BY THE RESPONDENT	discrete	numeric	What is the usual method of use?
V64	B17VIAMOUNT	AVERAGE AMOUNT SPENT PER DAY	contin	numeric	What is the average amount you spent per day during the last 30 days on this substance? (Naira)
V65	B18IEVERUSED	EVER USED	discrete	numeric	Have you ever used Crack cocaine?
V66	B18IAGEOFUSE	RESPONDENT AGE AT FIRST USE	contin	numeric	What was your age at first use?
V67	B18III12MONTHS	USED IN THE LAST 12 MONTH	discrete	numeric	Did you use it in the last 12 months?
V68	B18IV30DAYS	DAYS USED IN THE LAST 30 DAYS	contin	numeric	In the past-30 days, how many days did you use it?
V69	B18VUSUALMETHOD	USUAL METHOD USED BY THE RESPONDENT	discrete	numeric	What is the usual method of use?
V70	B18VIAMOUNT	AVERAGE AMOUNT SPENT PER DAY	contin	numeric	What is the average amount you spent per day during the last 30 days on this substance? (Naira)

ID	Name	Label	Type	Format	Question
V71	B19IEVERUSED	EVER USED	discrete	numeric	Have you ever used Amphetamines such as Dexedrine or Adderall?
V72	B19IAGEOFUSE	RESPONDENT AGE AT FIRST USE	contin	numeric	What was your age at first use?
V73	B19III12MONTHS	USED IN THE LAST 12 MONTH	discrete	numeric	Did you use it in the last 12 months?
V74	B19IV30DAYS	DAYS USED IN THE LAST 30 DAYS	contin	numeric	In the past-30 days, how many days did you use it?
V75	B19VUSUALMETHOD	USUAL METHOD USED BY THE RESPONDENT	discrete	numeric	What is the usual method of use?
V76	B19VIAMOUNT	AVERAGE AMOUNT SPENT PER DAY	contin	numeric	What is the average amount you spent per day during the last 30 days on this substance? (Naira)
V77	B110IEVERUSED	EVER USED	discrete	numeric	Have you ever used Ecstasy?
V78	B110IAGEOFUSE	RESPONDENT AGE AT FIRST USE	contin	numeric	What was your age at first use?
V79	B110III12MONTHS	USED IN THE LAST 12 MONTH	discrete	numeric	Did you use it in the last 12 months?
V80	B110IV30DAYS	DAYS USED IN THE LAST 30 DAYS	contin	numeric	In the past-30 days, how many days did you use it?
V81	B110VUSUALMETHOD	USUAL METHOD USED BY THE RESPONDENT	discrete	numeric	What is the usual method of use?
V82	B110VIAMOUNT	AVERAGE AMOUNT SPENT PER DAY	contin	numeric	What is the average amount you spent per day during the last 30 days on this substance? (Naira)
V83	B111IEVERUSED	EVER USED	discrete	numeric	Have you ever used LSD (Lysergic Acid Diethylamide)?
V84	B111IAGEOFUSE	RESPONDENT AGE AT FIRST USE	contin	numeric	What was your age at first use?
V85	B111III12MONTHS	USED IN THE LAST 12 MONTH	discrete	numeric	Did you use it in the last 12 months?
V86	B111IV30DAYS	DAYS USED IN THE LAST 30 DAYS	contin	numeric	In the past-30 days, how many days did you use it?
V87	B111VUSUALMETHOD	USUAL METHOD USED BY THE RESPONDENT	discrete	numeric	What is the usual method of use?
V88	B111VIAMOUNT	AVERAGE AMOUNT SPENT PER DAY	contin	numeric	What is the average amount you spent per day during the last 30 days on this substance? (Naira)
V89	B112IEVERUSED	EVER USED	discrete	numeric	Have you ever used PCP (Phencyclidine)?
V90	B112IAGEOFUSE	RESPONDENT AGE AT FIRST USE	discrete	numeric	What was your age at first use?
V91	B112III12MONTHS	USED IN THE LAST 12 MONTH	discrete	numeric	Did you use it in the last 12 months?
V92	B112IV30DAYS	DAYS USED IN THE LAST 30 DAYS	discrete	numeric	In the past-30 days, how many days did you use it?
V93	B112VUSUALMETHOD	USUAL METHOD USED BY THE RESPONDENT	discrete	numeric	What is the usual method of use?
V94	B112VIAMOUNT	AVERAGE AMOUNT SPENT PER DAY	contin	numeric	What is the average amount you spent per day during the last 30 days on this substance? (Naira)
V95	B113IEVERUSED	EVER USED	discrete	numeric	Have you ever used Solvents/Inhalants (such as glue)?
V96	B113IAGEOFUSE	RESPONDENT AGE AT FIRST USE	contin	numeric	What was your age at first use?

ID	Name	Label	Type	Format	Question
V97	B113III12MONTHS	USED IN THE LAST 12 MONTH	discrete	numeric	Did you use it in the last 12 months?
V98	B113IV30DAYS	DAYS USED IN THE LAST 30 DAYS	contin	numeric	In the past-30 days, how many days did you use it?
V99	B113VUSUALMETHOD	USUAL METHOD USED BY THE RESPONDENT	discrete	numeric	What is the usual method of use?
V100	B113VIAMOUNT	AVERAGE AMOUNT SPENT PER DAY	contin	numeric	What is the average amount you spent per day during the last 30 days on this substance? (Naira)
V101	B114IEVERUSED	EVER USED	discrete	numeric	Have you ever used Cough syrup (e.g. Coldex)?
V102	B114IAGEOFUSE	RESPONDENT AGE AT FIRST USE	contin	numeric	What was your age at first use?
V103	B114III12MONTHS	USED IN THE LAST 12 MONTH	discrete	numeric	Did you use it in the last 12 months?
V104	B114IV30DAYS	DAYS USED IN THE LAST 30 DAYS	contin	numeric	In the past-30 days, how many days did you use it?*
V105	B114VUSUALMETHOD	USUAL METHOD USED BY THE RESPONDENT	discrete	numeric	What is the usual method of use?
V106	B114VIAMOUNT	AVERAGE AMOUNT SPENT PER DAY	contin	numeric	What is the average amount you spent per day during the last 30 days on this substance? (Naira)
V107	B115IEVERUSED	EVER USED	discrete	numeric	Have you ever used Alcohol?
V108	B115IAGEOFUSE	RESPONDENT AGE AT FIRST USE	contin	numeric	What was your age at first use?
V109	B115III12MONTHS	USED IN THE LAST 12 MONTH	discrete	numeric	Did you use it in the last 12 months?
V110	B115IV30DAYS	DAYS USED IN THE LAST 30 DAYS	contin	numeric	In the past-30 days, how many days did you use it?
V111	B115VUSUALMETHOD	USUAL METHOD USED BY THE RESPONDENT	discrete	numeric	What is the usual method of use?
V112	B115VIAMOUNT	AVERAGE AMOUNT SPENT PER DAY	contin	numeric	What is the average amount you spent per day during the last 30 days on this substance? (Naira)
V113	B116IEVERUSED	EVER USED	discrete	numeric	Have you ever used Maltranal?
V114	B116IAGEOFUSE	RESPONDENT AGE AT FIRST USE	discrete	numeric	What was your age at first use?
V115	B116III12MONTHS	USED IN THE LAST 12 MONTH	discrete	numeric	Did you use it in the last 12 months?
V116	B116IV30DAYS	DAYS USED IN THE LAST 30 DAYS	contin	numeric	In the past-30 days, how many days did you use it?
V117	B116VUSUALMETHOD	USUAL METHOD USED BY THE RESPONDENT	discrete	numeric	What is the usual method of use?*
V118	B116VIAMOUNT	AVERAGE AMOUNT SPENT PER DAY	contin	numeric	What is the average amount you spent per day during the last 30 days on this substance? (Naira)
V119	B117IEVERUSED	EVER USED	discrete	character	Have you ever used Others (specify)?
V120	B117IAGEOFUSE	RESPONDENT AGE AT FIRST USE	contin	numeric	What was your age at first use?
V121	B117III12MONTHS	USED IN THE LAST 12 MONTH	discrete	numeric	Did you use it in the last 12 months?
V122	B117IV30DAYS	DAYS USED IN THE LAST 30 DAYS	contin	numeric	In the past-30 days, how many days did you use it?

ID	Name	Label	Type	Format	Question
V123	B117VUSUALMETHOD	USUAL METHOD USED BY THE RESPONDENT	discrete	numeric	What is the usual method of use?
V124	B117VIAMOUNT	AVERAGE AMOUNT SPENT PER DAY	contin	numeric	What is the average amount you spent per day during the last 30 days on this substance? (Naira)
V125	B2FIRST_USE	DRUG FIRST USED	discrete	character	What was the drug you first used?
V126	B3CONTINUE	DID YOU CONTINUE AFTER USING IT FOR THE FIRST TIME	discrete	numeric	After using for the first time, did you continue to use that drug?
V127	B4.WHYCONTINUE	WHY CONTINUE	discrete	character	If you continued to use the drug, why?
V128	B5.MOST_HARM	DRUGS THAT CAUSE MORE HARM	discrete	numeric	Of the drugs you have used recently, which has caused you the most harm or problems?
V129	B6.HOW	PROBLEMS CAUSED BY THESE DRUGS	discrete	character	How did the drug cause problems?
V130	B7DONATEDBLOOD	EVER DONATED OR SOLD BLOOD?	discrete	character	Have you ever donated or sold your blood?
V131	B8EVERINJECT	EVER INJECTED DRUGS?	discrete	numeric	Have you ever injected drugs (not for medical purposes)?
V132	B9.1HIV	WHY DONT INJECT DRUGS	discrete	numeric	Is it To avoid getting infected with HIV, Hepatitis ?
V133	B9.2SCARED	WHY DONT INJECT DRUGS	discrete	numeric	Is it Scared of injecting?
V134	B9.3DONTKNOW	WHY DONT INJECT DRUGS	discrete	numeric	Is it Don't know how to inject?
V135	B9.4PARTNERNOTINJECTING	WHY DONT INJECT DRUGS	discrete	numeric	Friend or partner not injecting?
V136	B9.5OTHER	WHY DONT INJECT DRUGS	discrete	character	Other reasons (specify)
V137	B10AGEOF_INJECT	AGE AT FIRST INJECTED DRUGS	contin	numeric	How old were you when you first injected any drug?
V138	B10AIN12MONTH	INJECTED IN LAST 12 MONTH?	discrete	numeric	Have you injected drugs in the last 12 months?
V139	B10BIN6MONTH	INJECTED IN THE LAST 6 MONTH?	discrete	numeric	Have you injected drugs in the last 6 months?
V140	B11.1AVOIDHIV	WHY HAVEN`T INJECTED DRUGS IN THE LAST 6 MONTH	discrete	numeric	To avoid getting infected with HIV, Hepatitis?
V141	B11.2NOVIENS11.3INFECTED	WHY HAVEN`T INJECTED DRUGS IN THE LAST 6 MONTH	discrete	numeric	Don't have any veins or places left to inject?
V142	B11.3INFECTED	WHY HAVEN`T INJECTED DRUGS IN THE LAST 6 MONTH	discrete	numeric	I am already infected with HIV or Hepatitis and want to protect myself or others?
V143	B11.4PARTNER	WHY HAVEN`T INJECTED DRUGS IN THE LAST 6 MONTH	discrete	numeric	Friend or partner not injecting?
V144	B11.5OTHER	WHY HAVEN`T INJECTED DRUGS IN THE LAST 6 MONTH	discrete	character	Other reasons (specify)?
V145	C1FREQINJECT	OFTEN INJECT DRUGS	discrete	numeric	In the last six months, on the average, how often did you inject drugs?
V146	C2PAST6MNTHS	TIMES INJECTED DRUGS IN A DAY	discrete	numeric	On a typical day when you injected in the past 6 months, how many times did you inject drugs?
V147	C3AHEROIN	DRUG INJECTED IN THE PAST 6 MONTH	discrete	numeric	Heroin
V148	C3BMETHAMPHETAMINE	DRUG INJECTED IN THE PAST 6 MONTH	discrete	numeric	Methamphetamine (crystal or powder)

ID	Name	Label	Type	Format	Question
V149	C3CCOCAINE	DRUG INJECTED IN THE PAST 6 MONTH	discrete	numeric	Cocaine
V150	C3DTRANQUILIZER	DRUG INJECTED IN THE PAST 6 MONTH	discrete	numeric	Tranquilizer (such as Bromazepam, valium, tropium, calmpose)
V151	C3EPAINKILLER	DRUG INJECTED IN THE PAST 6 MONTH	discrete	numeric	PainKillers or analgesics (such as Tramadaol, Morphine, Pethidine, Pentazocine)
V152	C3FAMPHETAMINE	DRUG INJECTED IN THE PAST 6 MONTH	discrete	numeric	Amphetamine such as Dexedrine or Adderall
V153	C3GMETHAMPHETAMINETAB	DRUG INJECTED IN THE PAST 6 MONTH	discrete	numeric	Methamphetamine tablets such as Pervitin, Methedrine, or Desoxyn
V154	C3HOTHERSPECIFY	DRUG INJECTED IN THE PAST 6 MONTH	discrete	character	Others (specify)
V155	C4.1WHERELIVE	PLACE INJECTED DRUGS	discrete	numeric	Place where you live
V156	C4.2SEXPARTNER	PLACE INJECTED DRUGS	discrete	numeric	At the home of your sex partner
V157	C4.3SOMEONEELSE	PLACE INJECTED DRUGS	discrete	numeric	Someone else's house or apartment where you don't live (friend / relative)
V158	C4.4DRUGDEALER	PLACE INJECTED DRUGS	discrete	numeric	Drug Dealers house or apartment
V159	C4.5ABANDBUILD	PLACE INJECTED DRUGS	discrete	numeric	Abandoned building
V160	C4.6BAR_ENTER	PLACE INJECTED DRUGS	discrete	numeric	Bar/Entertainment venue
V161	C4.7STREET_TOIL	PLACE INJECTED DRUGS	discrete	numeric	On the street, in a park, alley or public toilets
V162	C4.8JAIL_PRIS	PLACE INJECTED DRUGS	discrete	numeric	Jail/prison
V163	C4.9OTHERS	PLACE INJECTED DRUGS	discrete	character	Other specify
V164	C5.WHERE	PLACE MOSTLY INJECTED DRUGS	discrete	character	Of these places, where do you inject most often?
V165	C6FREQINJECT	FREQUENCY OF INJECTING DRUGS WITH OTHER PEOPLE	discrete	numeric	In the last six months, how often did you inject with other people who were also injecting drugs at the same time you were?
V166	C7.1SPOUSE	PEOPLE EVER INJECTED DRUGS WITH	discrete	numeric	Spouse/Partner
V167	C7.2FRIENDS	PEOPLE EVER INJECTED DRUGS WITH	discrete	numeric	With friends or acquaintances
V168	C7.3UNKNOWN	PEOPLE EVER INJECTED DRUGS WITH	discrete	numeric	With people you don't know
V169	C7.4FAMILY	PEOPLE EVER INJECTED DRUGS WITH	discrete	numeric	Family member
V170	C7.5OTHER	PEOPLE EVER INJECTED DRUGS WITH	discrete	character	Other specify
V171	C8INJECTWITHMOST	WHO MOST OFTEN DID YOU INJECT DRUGS	discrete	numeric	In the last 6 months, who did you inject drugs with MOST OFTEN
V172	C9.1DRAWNDRUGS	ITEM USED WHEN INJECTING DRUGS	discrete	character	Drawn drugs from the same cooker (bottle cap, spoon, etc)
V173	C9.2COTTONSWAB	ITEM USED WHEN INJECTING DRUGS	discrete	numeric	Used the same cotton swab
V174	C9.3RINSEWATER	ITEM USED WHEN INJECTING DRUGS	discrete	numeric	Used the same rinse water (water to clean injections, needles)

ID	Name	Label	Type	Format	Question
V175	C10INJECTAFTER	TIMES INJECTED DRUGS WITH NEEDLE OR SYRINGE USED BY SOMEONE ELSE	discrete	numeric	In the last six months, how often did you inject with a needle or syringe after someone else had used it?
V176	C11AFTERYOU	HOW OFTEN IS YOUR SYRINGE USED BY SOMEONEELSE	discrete	numeric	In the last six months, how often did someone else use a syringe or a needle after you had already used it?
V177	C12AONENEEDLE	REASONS FOR SHARING SYRINGE	discrete	numeric	Did you use the same needle because: There was only one needle available
V178	C12BNEEDED	REASONS FOR SHARING SYRINGE	discrete	numeric	Did you use the same needle because: You needed help injecting
V179	C12CHELPINGOTHER	REASONS FOR SHARING SYRINGE	discrete	numeric	Did you use the same needle because: Someone else needed help injecting
V180	C12DTRUSTEDFRIEND	REASONS FOR SHARING SYRINGE	discrete	numeric	Did you use the same needle because: You were injecting with people you trust (sex partner, lover, or friend)
V181	C12EUPSET	REASONS FOR SHARING SYRINGE	discrete	numeric	Did you use the same needle because: People get upset if you don't use the same needle or syringe
V182	C12FCLOGGED_NEEDLE	REASONS FOR SHARING SYRINGE	discrete	numeric	Did you use the same needle because: The needle had been clogged
V183	C12GBROKE	REASONS FOR SHARING SYRINGE	discrete	numeric	Did you use the same needle because: The needle you had was broke or dull
V184	C12HCLEANED	REASONS FOR SHARING SYRINGE	discrete	numeric	Did you use the same needle because: The needle had been cleaned
V185	C12IURGENTNEED	REASONS FOR SHARING SYRINGE	discrete	numeric	Did you use the same needle because: You had an urgent need to take the drug
V186	C12JOTHER	REASONS FOR SHARING SYRINGE	discrete	character	Did you use the same needle because: Other (specify)
V187	C13AWATER	HOW OFTEN IS NEEDLE CLEANED AFTER USED BTY SOMEONE ELSE	discrete	numeric	only cold water
V188	C13BBLEACH	HOW OFTEN IS NEEDLE CLEANED AFTER USED BTY SOMEONE ELSE	discrete	numeric	Bleach(chlorine)
V189	C13CSPIRIT	HOW OFTEN IS NEEDLE CLEANED AFTER USED BTY SOMEONE ELSE	discrete	numeric	Spirit/ Rubbing alcohol
V190	C13DBOILINGWATER	HOW OFTEN IS NEEDLE CLEANED AFTER USED BTY SOMEONE ELSE	discrete	numeric	Boiling water
V191	C13EPAPER	HOW OFTEN IS NEEDLE CLEANED AFTER USED BTY SOMEONE ELSE	discrete	numeric	Paper/Tissue paper/ cloth
V192	C13FOTHERSPECIFY	HOW OFTEN IS NEEDLE CLEANED AFTER USED BTY SOMEONE ELSE	discrete	character	Other (specify)

ID	Name	Label	Type	Format	Question
V193	C14NEWNEEDLE	FREQUENCY OF GETTING NEW3 SYRINGE FOR INJECTION IN A MONTH	discrete	character	During the last 6 months, when you injected drugs, how often did you get new needles/syringes in a month?
V194	C15FREQ	FREQUENCY OF USING ONE BRAND OF NEEDLE IN A MONTH	discrete	character	In the last six months, once you started using a brand new needle, how many times did you use it for:(times)
V195	C16EASE	EASE OF GETTING NEW NEEDLE IN THE LAST 6 MONTH	discrete	character	In the last 6 months when you wanted to inject drugs, how easy was it for you to get new sterile needles when you needed them, would you say.
V196	C17MOSTNEW	WAYS OF GETTING NEW NEEDLE	discrete	character	During the last 6 months where have you gotten MOST of your new or unused syringes or needles
V197	C18.1SPOUSE	PERSONS C OLLECTED NEEDLE FROM	discrete	numeric	Wife/ husband or sex partner
V198	C18.2FAMILY	PERSONS C OLLECTED NEEDLE FROM	discrete	numeric	From a family member or a relative
V199	C18.3FRIEND	PERSONS C OLLECTED NEEDLE FROM	discrete	numeric	From a friend or an acquaintance
V200	C18.4PHARMACY	PERSONS C OLLECTED NEEDLE FROM	discrete	numeric	From a pharmacy
V201	C18.5OUTREAACH	PERSONS C OLLECTED NEEDLE FROM	discrete	numeric	From a outreach worker
V202	C18.6DIC	PERSONS C OLLECTED NEEDLE FROM	discrete	numeric	From a drop-in centre
V203	C18.7ANOTHER	PERSONS C OLLECTED NEEDLE FROM	discrete	numeric	From another injector (needle dealer)
V204	C18.8DEALER	PERSONS C OLLECTED NEEDLE FROM	discrete	numeric	From a drug dealer
V205	C18.9OTHERSSPECIFY	PERSONS C OLLECTED NEEDLE FROM	discrete	character	Other (specify)
V206	D1ACANNABIS	TOTAL PEOPLE HAD PERSONAL CONTACT WITH	contin	numeric	How many drug users have you had personal contact with uses cannabis
V207	D1APERCENTAGE	PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH	contin	numeric	Percentage of people you had personal contact with who use cannabis
V208	D1BWOMEN	NO. OF WOMEN	contin	numeric	How many of these drug users were women?
V209	D1BPERCENTAGE	PERCENTAGE OF WOMEN	discrete	character	What Percentage were women
V210	D1CINJECTOR	NO. OF INJECTORS	contin	numeric	How many of these drug users were injectors
V211	D1CPERCENTAGE	PERCENTAGE OF INJECTORS	discrete	character	Percentage of the injectors.
V212	D1DTREATED	NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES	contin	numeric	How many of these drug users have been for treatment in Govt. run treatment facility?
V213	D1DPERCENTAGE	PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES	discrete	character	Percentage of those treated in Govt. run facility.

ID	Name	Label	Type	Format	Question
V214	D1ENGO	NO. OF PEOPLE REGISTERED BY NGO	contin	numeric	How many of these drug users may have been registered by NGOs or private clinic?
V215	D1EPERCENTAGE	PERCENTAGE OF PEOPLE REGISTERD BY NGO	discrete	character	Percentage of those registered by NGO or clinic.
V216	D1FNDLEA	NO. OF UTERLIZED SERVICE OF NELDEA	contin	numeric	How many of these drug users may have utilized the services of a NDLEA Counselling Centre?
V217	D1FPERC	PERCENTAGE OF UTERLIZED OF NELDEA	discrete	character	Percentage of utilized services in Nigeria.
V218	D2AMETH	TOTAL PEOPLE HAD PERSONAL CONTACT WITH	contin	numeric	How many drug users have you had personal contact with uses methamphetamine (crystal or powder)
V219	D2APERCENTAGE	PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH	discrete	character	Percentage of people you had personal contact with who use methamphetamine (crystal or powder)
V220	D2BWOMEN	NO. OF WOMEN	contin	numeric	How many of these drug users were women?
V221	D2PERCENTAGE	PERCENTAGE OF WOMEN	discrete	character	Percentage of the number above.
V222	D2CINJECTOR	NO. OF INJECTORS	contin	numeric	How many of these drug users were injectors
V223	D2CPERCENTAGE	PERCENTAGE OF INJECTORS	discrete	character	Percentage of the number above.
V224	D2DTREATED	NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES	contin	numeric	How many of these drug users have been for treatment in Govt. run treatment facility?
V225	D2DPERCENTAGE	PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES	discrete	character	Percentage of the number above.
V226	D2ENGO	NO. OF PEOPLE REGISTERED BY NGO	contin	numeric	How many of these drug users may have been registered by NGOs or private clinic?
V227	D2EPERCENTAGE	PERCENTAGE OF PEOPLE REGISTERD BY NGO	discrete	character	Percentage of the number above.
V228	D2FNDLEA	NO. OF UTERLIZED SERVICE OF NELDEA	discrete	numeric	How many of these drug users may have utilized the services of a NDLEA Counselling Centre?
V229	D2FPERCENTAGE	PERCENTAGE OF UTERLIZED OF NELDEA	discrete	character	Percentage of the number above.
V230	D3ACOCAINE	TOTAL PEOPLE HAD PERSONAL CONTACT WITH	contin	numeric	How many drug users have you had personal contact with uses Cocaine
V231	D3APERCENTAGE	PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH	discrete	character	Percentage of people you had personal contact with who use cocaine
V232	D3BWOMEN	NO. OF WOMEN	contin	numeric	How many of these drug users were women?
V233	D3BPERCENTAGE	PERCENTAGE OF WOMEN	discrete	character	Percentage of the number above.
V234	D3CINJECTOR	NO. OF INJECTORS	contin	numeric	How many of these drug users were injectors
V235	D3CPERCENTAGE	PERCENTAGE OF INJECTORS	discrete	character	Percentage of the number above.

ID	Name	Label	Type	Format	Question
V236	D3DTREATED	NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES	contin	numeric	How many of these drug users have been for treatment in Govt. run treatment facility?
V237	D3DPERCENTAGE	PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES	discrete	character	Percentage of the number above.
V238	D3ENGO	NO. OF PEOPLE REGISTERED BY NGO	contin	numeric	How many of these drug users may have been registered by NGOs or private clinic?
V239	D3EPERCENTAGE	PERCENTAGE OF PEOPLE REGISTERD BY NGO	discrete	character	Percentage of the number above.
V240	D3FNDLEA	NO. OF UTERLIZED SERVICE OF NELDEA	contin	numeric	How many of these drug users may have utilized the services of a NDLEA Counselling Centre?
V241	D3FPERCENTAGE	PERCENTAGE OF UTERLIZED OF NELDEA	discrete	character	Percentage of the number above.
V242	D4ACRACKCOCAINE	TOTAL PEOPLE HAD PERSONAL CONTACT WITH	contin	numeric	How many drug users have you had personal contact with uses Crack Cocaine
V243	D4APERCENTAGE	PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH	discrete	character	Percentage of people you had personal contact with who use crack cocaine
V244	D4BWOMEN	NO. OF WOMEN	contin	numeric	How many of these drug users were women?
V245	D4BPERCENTAGE	PERCENTAGE OF WOMEN	discrete	character	Percentage of the number above.
V246	D4CINJECTOR	NO. OF INJECTORS	contin	numeric	How many of these drug users were injectors
V247	D4CPERCENTAGE	PERCENTAGE OF INJECTORS	discrete	character	Percentage of the number above.
V248	D4DTREATED	NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES	contin	numeric	How many of these drug users have been for treatment in Govt. run treatment facility?
V249	D4DPERCENTAGE	PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES	discrete	character	Percentage of the number above.
V250	D4ENGO	NO. OF PEOPLE REGISTERED BY NGO	contin	numeric	How many of these drug users may have been registered by NGOs or private clinic?
V251	D4EPERCENTAGE	PERCENTAGE OF PEOPLE REGISTERD BY NGO	discrete	character	Percentage of the number above.
V252	D4FNDLEA	NO. OF UTERLIZED SERVICE OF NELDEA	contin	numeric	How many of these drug users may have utilized the services of a NDLEA Counselling Centre?
V253	D4FPERCENTAGE	PERCENTAGE OF UTERLIZED OF NELDEA	discrete	character	Percentage of the number above.
V254	D5AESCTASY	TOTAL PEOPLE HAD PERSONAL CONTACT WITH	contin	numeric	How many drug users have you had personal contact with uses Ecstasy
V255	D5APERCENTAGE	PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH	discrete	character	Percentage of people you had personal contact with who use ecstasy
V256	D5BWOMEN	NO. OF WOMEN	contin	numeric	How many of these drug users were women?
V257	D5BPERCENTAGE	PERCENTAGE OF WOMEN	discrete	character	Percentage of the number above.

ID	Name	Label	Type	Format	Question
V258	D5CINJECTOR	NO. OF INJECTORS	contin	numeric	How many of these drug users were injectors
V259	D5CPERCENTAGE	PERCENTAGE OF INJECTORS	discrete	character	Percentage of the number above.
V260	D5DTREATED	NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES	contin	numeric	How many of these drug users have been for treatment in Govt. run treatment facility?
V261	D5DPERC	PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES	discrete	character	Percentage of the number above.
V262	D5ENGO	NO. OF PEOPLE REGISTERED BY NGO	contin	numeric	How many of these drug users may have been registered by NGOs or private clinic?
V263	D5EPERC	PERCENTAGE OF PEOPLE REGISTERD BY NGO	discrete	character	Percentage of the number above.
V264	D5FNDLEA	NO. OF UTERLIZED SERVICE OF NELDEA	contin	numeric	How many of these drug users may have utilized the services of a NDLEA Counselling Centre?
V265	D5FPERC	PERCENTAGE OF UTERLIZED OF NELDEA	discrete	character	Percentage of the number above.
V266	D6ATRANQUILIZERS	TOTAL PEOPLE HAD PERSONAL CONTACT WITH	contin	numeric	How many drug users have you had personal contact with uses Tranquilizers (such as Bromazepam, valium, tropium, calmpose)
V267	D6APERC	PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH	discrete	character	Percentage of people you had personal contact with who use Tranquilizers (such as Bromazepam, valium, tropium, calmpose)
V268	D6BWOMEN	NO. OF WOMEN	contin	numeric	How many of these drug users were women?
V269	D6BPERC	PERCENTAGE OF WOMEN	discrete	character	Percentage of the number above.
V270	D6CINJECTOR	NO. OF INJECTORS	contin	numeric	How many of these drug users were injectors
V271	D6CPERC	PERCENTAGE OF INJECTORS	discrete	character	Percentage of the number above.
V272	D6DTREATED	NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES	contin	numeric	How many of these drug users have been for treatment in Govt. run treatment facility?
V273	D6DPERC	PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES	discrete	character	Percentage of the number above.
V274	D6ENGO	NO. OF PEOPLE REGISTERED BY NGO	contin	numeric	How many of these drug users may have been registered by NGOs or private clinic?
V275	D6EPERC	PERCENTAGE OF PEOPLE REGISTERD BY NGO	discrete	character	Percentage of the number above.
V276	D6FNDLEA	NO. OF UTERLIZED SERVICE OF NELDEA	contin	numeric	How many of these drug users may have utilized the services of a NDLEA Counselling Centre?
V277	D6FPERC	PERCENTAGE OF UTERLIZED OF NELDEA	discrete	character	Percentage of the number above.
V278	D7AMALTRANAL	TOTAL PEOPLE HAD PERSONAL CONTACT WITH	contin	numeric	How many drug users have you had personal contact with uses Maltranal

ID	Name	Label	Type	Format	Question
V279	D7APER	PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH	discrete	character	Percentage of people you had personal contact with who use maltranal
V280	D7BWOMEN	NO. OF WOMEN	contin	numeric	How many of these drug users were women?
V281	D7BPERC	PERCENTAGE OF WOMEN	discrete	character	Percentage of the number above.
V282	D7CINJECTOR	NO. OF INJECTORS	contin	numeric	How many of these drug users were injectors
V283	D7CPERC	PERCENTAGE OF INJECTORS	discrete	character	Percentage of the number above.
V284	D7DTREATED	NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES	contin	numeric	How many of these drug users have been for treatment in Govt. run treatment facility?
V285	D7DPERC	PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES	discrete	character	Percentage of the number above.
V286	D7ENGO	NO. OF PEOPLE REGISTERED BY NGO	contin	numeric	How many of these drug users may have been registered by NGOs or private clinic?
V287	D7EPERC	PERCENTAGE OF PEOPLE REGISTERD BY NGO	discrete	character	Percentage of the number above.
V288	D7FNDLEA	NO. OF UTERLIZED SERVICE OF NELDEA	discrete	numeric	How many of these drug users may have utilized the services of a NDLEA Counselling Centre?
V289	D7FPERC	PERCENTAGE OF UTERLIZED OF NELDEA	discrete	character	Percentage of the number above.
V290	D8AALCOHOL	TOTAL PEOPLE HAD PERSONAL CONTACT WITH	contin	numeric	How many drug users have you had personal contact with uses Alcohol
V291	D8APER	PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH	discrete	character	Percentage of people you had personal contact with who use alcohol
V292	D8BWOMEN	NO. OF WOMEN	contin	numeric	How many of these drug users were women?
V293	D1BPERC	PERCENTAGE OF WOMEN	discrete	character	Percentage of the number above.
V294	D8CINJECTOR	NO. OF INJECTORS	contin	numeric	How many of these drug users were injectors
V295	D8CPERC	PERCENTAGE OF INJECTORS	discrete	character	Percentage of the number above.
V296	D8DTREATED	NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES	contin	numeric	How many of these drug users have been for treatment in Govt. run treatment facility?
V297	D8DPERC	PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES	discrete	character	Percentage of the number above.
V298	D8ENGO	NO. OF PEOPLE REGISTERED BY NGO	contin	numeric	How many of these drug users may have been registered by NGOs or private clinic?
V299	D8EPERC	PERCENTAGE OF PEOPLE REGISTERD BY NGO	discrete	character	Percentage of the number above.
V300	D8FNDLEA	NO. OF UTERLIZED SERVICE OF NELDEA	contin	numeric	How many of these drug users may have utilized the services of a NDLEA Counselling Centre?
V301	D8FPERC	PERCENTAGE OF UTERLIZED OF NELDEA	discrete	character	Percentage of the number above.

ID	Name	Label	Type	Format	Question
V302	D9APAINKILLERS	TOTAL PEOPLE HAD PERSONAL CONTACT WITH	contin	numeric	How many drug users have you had personal contact with uses Painkillers or analgesics (such as Tramadol, Morphine, Pethidine, Pentazocine)
V303	D9APER	PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH	discrete	character	Percentage of people you had personal contact with who use) painkillers or analgesics (such as Tramadol, Morphine, Pethidine, Pentazocine)
V304	D9BWOMEN	NO. OF WOMEN	contin	numeric	How many of these drug users were women?
V305	D9BPERC	PERCENTAGE OF WOMEN	discrete	character	Percentage of the number above.
V306	D9CINJECTOR	NO. OF INJECTORS	contin	numeric	How many of these drug users were injectors
V307	D9CPERC	PERCENTAGE OF INJECTORS	discrete	character	Percentage of the number above.
V308	D9DTREATED	NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES	contin	numeric	How many of these drug users have been for treatment in Govt. run treatment facility?
V309	D9DPERC	PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES	discrete	character	Percentage of the number above.
V310	D9ENGO	NO. OF PEOPLE REGISTERED BY NGO	contin	numeric	How many of these drug users may have been registered by NGOs or private clinic?
V311	D9EPERC	PERCENTAGE OF PEOPLE REGISTERED BY NGO	discrete	character	Percentage of the number above.
V312	D9FNDLEA	NO. OF UTERLIZED SERVICE OF NELDEA	contin	numeric	How many of these drug users may have utilized the services of a NDLEA Counselling Centre?
V313	D9FPERC	PERCENTAGE OF UTERLIZED OF NELDEA	discrete	character	Percentage of the number above.
V314	D10AAMPHETAMINE	TOTAL PEOPLE HAD PERSONAL CONTACT WITH	contin	numeric	How many drug users have you had personal contact with uses Amphetamines such as Dexedrine or Adderall
V315	D10APER	PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH	discrete	character	Percentage of people you had personal contact with who use amphetamines such as Dexedrine or Adderall
V316	D10BWOMEN	NO. OF WOMEN	contin	numeric	How many of these drug users were women?
V317	D10BPERC	PERCENTAGE OF WOMEN	discrete	character	Percentage of the number above.
V318	D10CINJECTOR	NO. OF INJECTORS	contin	numeric	How many of these drug users were injectors
V319	D10CPERC	PERCENTAGE OF INJECTORS	discrete	character	Percentage of the number above.
V320	D10DTREATED	NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES	contin	numeric	How many of these drug users have been for treatment in Govt. run treatment facility?
V321	D10DPERC	PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES	discrete	character	Percentage of the number above.
V322	D10ENGO	NO. OF PEOPLE REGISTERED BY NGO	contin	numeric	How many of these drug users may have been registered by NGOs or private clinic?

ID	Name	Label	Type	Format	Question
V323	D10EPERC	PERCENTAGE OF PEOPLE REGISTERD BY NGO	discrete	character	Percentage of the number above.
V324	D10FNDLEA	NO. OF UTERLIZED SERVICE OF NELDEA	discrete	numeric	How many of these drug users may have utilized the services of a NDLEA Counselling Centre?
V325	D10FPERC	PERCENTAGE OF UTERLIZED OF NELDEA	discrete	character	Percentage of the number above.
V326	D11AMETAMPHETAMINE	TOTAL PEOPLE HAD PERSONAL CONTACT WITH	contin	numeric	How many drug users have you had personal contact with uses Methamphetamine tablets such as Pervitin, Methedrine, or Desoxyn
V327	D11APERC	PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH	discrete	character	Percentage of people you had personal contact with who use methamphetamine tablets such as Pervitin, Methedrine, or Desoxyn
V328	D11BWOMEN	NO. OF WOMEN	contin	numeric	How many of these drug users were women?
V329	D11BPERC	PERCENTAGE OF WOMEN	discrete	character	Percentage of the number above.
V330	D11CINJECTOR	NO. OF INJECTORS	contin	numeric	How many of these drug users were injectors
V331	D11CPERC	PERCENTAGE OF INJECTORS	discrete	character	Percentage of the number above.
V332	D11DTREATED	NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES	contin	numeric	How many of these drug users have been for treatment in Govt. run treatment facility?
V333	D11DPERC	PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES	discrete	character	Percentage of the number above.
V334	D11ENGO	NO. OF PEOPLE REGISTERED BY NGO	contin	numeric	How many of these drug users may have been registered by NGOs or private clinic?
V335	D11EPERC	PERCENTAGE OF PEOPLE REGISTERD BY NGO	discrete	character	Percentage of the number above.
V336	D11FNDLEA	NO. OF UTERLIZED SERVICE OF NELDEA	contin	numeric	How many of these drug users may have utilized the services of a NDLEA Counselling Centre?
V337	D11FPERC	PERCENTAGE OF UTERLIZED OF NELDEA	discrete	character	Percentage of the number above.
V338	D12AHEROIN	TOTAL PEOPLE HAD PERSONAL CONTACT WITH	contin	numeric	How many drug users have you had personal contact with uses Heroin
V339	D12APERC	PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH	discrete	character	Percentage of people you had personal contact with who use heroin
V340	D12BWOMEN	NO. OF WOMEN	contin	numeric	How many of these drug users were women?
V341	D12BPERC	PERCENTAGE OF WOMEN	discrete	character	Percentage of the number above.
V342	D12CINJECTOR	NO. OF INJECTORS	contin	numeric	How many of these drug users were injectors
V343	D12CPERC	PERCENTAGE OF INJECTORS	discrete	character	Percentage of the number above.
V344	D12DTREATED	NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES	contin	numeric	How many of these drug users have been for treatment in Govt. run treatment facility?

ID	Name	Label	Type	Format	Question
V345	D12DPERC	PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES	discrete	character	Percentage of the number above.
V346	D12ENGO	NO. OF PEOPLE REGISTERED BY NGO	contin	numeric	How many of these drug users may have been registered by NGOs or private clinic?
V347	D12EPERC	PERCENTAGE OF PEOPLE REGISTERD BY NGO	discrete	character	Percentage of the number above.
V348	D12FNDEA	NO. OF UTERLIZED SERVICE OF NELDEA	contin	numeric	How many of these drug users may have utilized the services of a NDLEA Counselling Centre?
V349	D12FPERC	PERCENTAGE OF UTERLIZED OF NELDEA	discrete	character	Percentage of the number above.
V350	D13ALSD	TOTAL PEOPLE HAD PERSONAL CONTACT WITH	contin	numeric	How many drug users have you had personal contact with uses LSD (Lysergic Acid Diethylamide)
V351	D13APERC	PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH	discrete	character	Percentage of people you had personal contact with who use lsd (Lysergic Acid Diethylamide)
V352	D13BWOMEN	NO. OF WOMEN	contin	numeric	How many of these drug users were women?
V353	D13BPERC	PERCENTAGE OF WOMEN	discrete	character	Percentage of the number above.
V354	D13CINJECTOR	NO. OF INJECTORS	discrete	numeric	How many of these drug users were injectors
V355	D13CPERC	PERCENTAGE OF INJECTORS	discrete	character	Percentage of the number above.
V356	D13DTREATED	NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES	discrete	numeric	How many of these drug users have been for treatment in Govt. run treatment facility?
V357	D13DPERC	PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES	discrete	character	Percentage of the number above.
V358	D13ENGO	NO. OF PEOPLE REGISTERED BY NGO	discrete	numeric	How many of these drug users may have been registered by NGOs or private clinic?
V359	D13EPERC	PERCENTAGE OF PEOPLE REGISTERD BY NGO	discrete	character	Percentage of the number above.
V360	D13FNDEA	NO. OF UTERLIZED SERVICE OF NELDEA	contin	numeric	How many of these drug users may have utilized the services of a NDLEA Counselling Centre?
V361	D13FPERC	PERCENTAGE OF UTERLIZED OF NELDEA	discrete	character	Percentage of the number above.
V362	D14APCP	TOTAL PEOPLE HAD PERSONAL CONTACT WITH	contin	numeric	How many drug users have you had personal contact with uses PCP (Phencyclidine)
V363	D14APERC	PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH	discrete	character	Percentage of people you had personal contact with who use pcp (Phencyclidine)
V364	D14BWOMEN	NO. OF WOMEN	contin	numeric	How many of these drug users were women?
V365	D14BPERC	PERCENTAGE OF WOMEN	discrete	character	Percentage of the number above.
V366	D14CINJECTOR	NO. OF INJECTORS	contin	numeric	How many of these drug users were injectors
V367	D1CPERC	PERCENTAGE OF INJECTORS	discrete	character	Percentage of the number above.

ID	Name	Label	Type	Format	Question
V368	D14DTREATED	NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES	contin	numeric	How many of these drug users have been for treatment in Govt. run treatment facility?
V369	D14DPERC	PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES	discrete	character	Percentage of the number above.
V370	D14ENGO	NO. OF PEOPLE REGISTERED BY NGO	contin	numeric	How many of these drug users may have been registered by NGOs or private clinic?
V371	D14EPC	PERCENTAGE OF PEOPLE REGISTERED BY NGO	discrete	character	Percentage of the number above.
V372	D14FNDLEA	NO. OF UTERLIZED SERVICE OF NELDEA	contin	numeric	How many of these drug users may have utilized the services of a NDLEA Counselling Centre?
V373	D14FPC	PERCENTAGE OF UTERLIZED OF NELDEA	discrete	character	Percentage of the number above.
V374	D15ASOLVENTS	TOTAL PEOPLE HAD PERSONAL CONTACT WITH	contin	numeric	How many drug users have you had personal contact with uses Solvents/Inhalants (such as glue)
V375	D15APPC	PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH	discrete	character	Percentage of people you had personal contact with who use solvents/Inhalants (such as glue)
V376	D15BWOMEN	NO. OF WOMEN	contin	numeric	How many of these drug users were women?
V377	D15BPC	PERCENTAGE OF WOMEN	discrete	character	Percentage of the number above.
V378	D15CINJECTOR	NO. OF INJECTORS	contin	numeric	How many of these drug users were injectors
V379	D15CPC	PERCENTAGE OF INJECTORS	discrete	character	Percentage of the number above.
V380	D15DTREATED	NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES	contin	numeric	How many of these drug users have been for treatment in Govt. run treatment facility?
V381	D15DPC	PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES	discrete	character	Percentage of the number above.
V382	D15ENGO	NO. OF PEOPLE REGISTERED BY NGO	contin	numeric	How many of these drug users may have been registered by NGOs or private clinic?
V383	D15EPC	PERCENTAGE OF PEOPLE REGISTERED BY NGO	discrete	character	Percentage of the number above.
V384	D15FNDLEA	NO. OF UTERLIZED SERVICE OF NELDEA	contin	numeric	How many of these drug users may have utilized the services of a NDLEA Counselling Centre?
V385	D15FPC	PERCENTAGE OF UTERLIZED OF NELDEA	discrete	character	Percentage of the number above.
V386	D16ACOUGHSYRUP	TOTAL PEOPLE HAD PERSONAL CONTACT WITH	discrete	character	How many drug users have you had personal contact with uses Cough syrup (e.g. Coldex)
V387	D16APPC	PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH	discrete	character	Percentage of people you had personal contact with who use cough syrup (e.g. Coldex)
V388	D16BWOMEN	NO. OF WOMEN	discrete	character	How many of these drug users were women?
V389	D16BPC	PERCENTAGE OF WOMEN	discrete	character	Percentage of the number above.

ID	Name	Label	Type	Format	Question
V390	D16CINJECTOR	NO. OF INJECTORS	discrete	character	How many of these drug users were injectors
V391	D16CPERC	PERCENTAGE OF INJECTORS	discrete	character	Percentage of the number above.
V392	D16DTREATED	NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES	discrete	character	How many of these drug users have been for treatment in Govt. run treatment facility?
V393	D16DPERC	PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES	discrete	character	Percentage of the number above.
V394	D16ENGO	NO. OF PEOPLE REGISTERED BY NGO	discrete	character	How many of these drug users may have been registered by NGOs or private clinic?
V395	D16EPERC	PERCENTAGE OF PEOPLE REGISTERD BY NGO	discrete	character	Percentage of the number above.
V396	D16FNDLEA	NO. OF UTERLIZED SERVICE OF NELDEA	discrete	character	How many of these drug users may have utilized the services of a NDLEA Counselling Centre?
V397	D16FPERC	PERCENTAGE OF UTERLIZED OF NELDEA	discrete	character	Percentage of the number above.
V398	D17AOTHERSPECIFY	OTHER DRUGS	discrete	character	How many drug users have you had personal contact with uses Others (specify)
V399	D17APERC	TOTAL PEOPLE HAD PERSONAL CONTACT WITH	discrete	character	Percentage of people you had personal contact with who use others (specify)
V400	D17BWOMEN	PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH	discrete	character	Percentage of the number above.
V401	D17BPERC	NO. OF WOMEN	discrete	character	How many of these drug users were women?
V402	D17CINJECTOR	PERCENTAGE OF WOMEN	discrete	character	Percentage of the number above.
V403	D17CPERC	NO. OF INJECTORS	discrete	character	How many of these drug users were injectors
V404	D17DTREATED	PERCENTAGE OF INJECTORS	discrete	character	Percentage of the number above.
V405	D17DPERC	NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES	discrete	character	How many of these drug users have been for treatment in Govt. run treatment facility?
V406	D17ENGO	PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES	discrete	character	Percentage of the number above.
V407	D17FNDLEA	NO. OF PEOPLE REGISTERED BY NGO	discrete	character	How many of these drug users may have utilized the services of a NDLEA Counselling Centre?
V408	D17FPERC	PERCENTAGE OF PEOPLE REGISTERD BY NGO	discrete	character	Percentage of the number above.
V409	E1EVER_RECEIVED	EVER RECIEVED TREATMENT	discrete	numeric	Have you ever received treatment for a drug problem?
V410	E2.1CANNABIS	DRUGS RECIEVED TREATMENT	discrete	numeric	If yes, have you ever received treatment for Cannabis (herb or resin)
V411	E2.1.6CANNABIS	IN THE LAST SIX MONTH	discrete	numeric	In the past 6 mos?
V412	E2.2METAMPHETAMINE	DRUGS RECIEVED TREATMENT	discrete	numeric	If yes, have you ever received treatment for Methamphetamine (crystal or powder)

ID	Name	Label	Type	Format	Question
V413	E2.2.6MONTHS	IN THE LAST SIX MONTH	discrete	numeric	In the past 6 mos?
V414	E2.3COCAINE	DRUGS RECIEVED TREATMENT	discrete	numeric	If yes, have you ever received treatment for Cocaine
V415	E2.3.6MONTHS	IN THE LAST SIX MONTH	discrete	numeric	In the past 6 mos?
V416	E2.4CRACK_COCAIN	DRUGS RECIEVED TREATMENT	discrete	numeric	If yes, have you ever received treatment for Crack cocaine
V417	E2.4.6MONTHS	IN THE LAST SIX MONTH	discrete	numeric	In the past 6 mos?
V418	E2.5ECSTACY	DRUGS RECIEVED TREATMENT	discrete	numeric	If yes, have you ever received treatment for Ecstasy
V419	E2.5.6MONTH	IN THE LAST SIX MONTH	discrete	numeric	In the past 6 mos?
V420	E2.6TRANQUILLIZERS	DRUGS RECIEVED TREATMENT	discrete	numeric	If yes, have you ever received treatment for Tranquilizers (such as Bromazepam, valium, tropium, calmpose)
V421	E2.6.6MONTHS	IN THE LAST SIX MONTH	discrete	numeric	In the past 6 mos?
V422	E2.7MALTRANAL	DRUGS RECIEVED TREATMENT	discrete	numeric	If yes, have you ever received treatment for Maltranal
V423	E2.7.6MONTHS	IN THE LAST SIX MONTH	discrete	numeric	In the past 6 mos?
V424	E2.8ALCHOL	DRUGS RECIEVED TREATMENT	discrete	numeric	If yes, have you ever received treatment for Alcohol
V425	E2.8.6MONTHS	IN THE LAST SIX MONTH	discrete	numeric	In the past 6 mos?
V426	E2.9PAINKILLER	DRUGS RECIEVED TREATMENT	discrete	numeric	If yes, have you ever received treatment for Painkillers or analgesics (such as Tramadol, Morphine, Pethidine, Pentazocine)
V427	E2.9.6MONTH	IN THE LAST SIX MONTH	discrete	numeric	In the past 6 mos?
V428	E2.10AMPHEATAMINE	DRUGS RECIEVED TREATMENT	discrete	numeric	If yes, have you ever received treatment for Amphetamines such as Dexedrine or Adderall
V429	E2.10.6MONTHS	IN THE LAST SIX MONTH	discrete	numeric	In the past 6 mos?
V430	E2.11METHAMPHETAMINE	DRUGS RECIEVED TREATMENT	discrete	numeric	If yes, have you ever received treatment for Methamphetamine tablets such as Pervitin, Methedrine, or Desoxyn
V431	E2.11.6MONTHS	IN THE LAST SIX MONTH	discrete	numeric	In the past 6 mos?
V432	E2.12HEOIN	DRUGS RECIEVED TREATMENT	discrete	numeric	If yes, have you ever received treatment for Heroin
V433	E2.12.6MONTHS	IN THE LAST SIX MONTH	discrete	numeric	In the past 6 mos?
V434	E2.13LSD	DRUGS RECIEVED TREATMENT	discrete	numeric	If yes, have you ever received treatment for LSD (Lysergic Acid Diethylamide)
V435	E2.13.6MONTH	IN THE LAST SIX MONTH	discrete	numeric	In the past 6 mos?
V436	E2.14PCP	DRUGS RECIEVED TREATMENT	discrete	numeric	If yes, have you ever received treatment for PCP (Phencyclidine)
V437	E2.14.6MONTH	IN THE LAST SIX MONTH	discrete	numeric	In the past 6 mos?
V438	E2.15SOLVENT	DRUGS RECIEVED TREATMENT	discrete	numeric	If yes, have you ever received treatment for Solvents/Inhalants (such as glue)
V439	E2.15.6MONTH	IN THE LAST SIX MONTH	discrete	numeric	In the past 6 mos?

ID	Name	Label	Type	Format	Question
V440	E2.16COUGH	DRUGS RECIEVED TREATMENT	discrete	numeric	If yes, have you ever received treatment for Cough syrup (e.g. Coldex)
V441	E2.16.6MONTH	IN THE LAST SIX MONTH	discrete	numeric	In the past 6 mos?
V442	E2.17OTHERS	OTHER DRUGS	discrete	numeric	Name of the other drug
V443	E2.17OTHERSPECIFY	DRUGS RECIEVED TREATMENT	discrete	numeric	If yes, have you ever received treatment for Others (specify)
V444	E2.17.6MONTH	IN THE LAST SIX MONTH	discrete	numeric	In the past 6 mos?
V445	E3AGEAT1TREATMENT	AGE AT FIRST TREATMENT	contin	numeric	How old were you when you first had treatment for any drug problem?
V446	E4TOTALTIMES	FREQUENCY OF TREATMENT	contin	numeric	In total, how many times in your life have you been treated for drug problems?
V447	E5.1GOVT	PLACED OF TREATMENT	discrete	numeric	Of the times you have been treated, were you treated at Govt. hospital?
V448	E5.1GOVTTIMES	PLACED OF TREATMENT	discrete	numeric	Times
V449	E5.2PRIVATE	PLACED OF TREATMENT	discrete	numeric	Of the times you have been treated, were you treated at NGO run treatment facility?
V450	E5.2TIMES	PLACED OF TREATMENT	contin	numeric	Times
V451	E5.3NGO	PLACED OF TREATMENT	discrete	numeric	Of the times you have been treated, were you treated at NGO run treatment facility?
V452	E5.3TIMES	PLACED OF TREATMENT	discrete	numeric	Times
V453	E5.4AT_HOME	PLACED OF TREATMENT	discrete	numeric	Of the times you have been treated, were you treated at home?
V454	E5.4TIMES	PLACED OF TREATMENT	discrete	numeric	Times
V455	E5.5OTHERS	PLACED OF TREATMENT	discrete	character	Of the times you have been treated, were you treated at others (Specify)
V456	E5.5TIMES	PLACED OF TREATMENT	discrete	numeric	Times
V457	E6HOWLONG	MONTH GONE FOR TREATMENT AFTER USING DRUGS	contin	numeric	How long after you had first started using drug did you go for treatment?
V458	E7HOWLONGID	MONTH GONE FOR TREATMENT AFTER INJECTING DRUGS	discrete	character	And how long after you had first started injecting drugs, did you go for treatment?
V459	E8TX_DU	GONE FOR TREATMENT IN THE LAST 12 MONTH	discrete	numeric	During the last 12 months, have you received treatment for drug use problems?
V460	E9_1CANNABIS	PRIMARY DRUG ABUSE	discrete	numeric	Cannabis (herb or resin)
V461	E9_2METH.CRYSTALOR_POWDER	PRIMARY DRUG ABUSE	discrete	numeric	Methamphetamine (crystal or powder)
V462	E9_3COCAINE	PRIMARY DRUG ABUSE	discrete	numeric	Cocaine
V463	E9_4CRACKCOCAINE	PRIMARY DRUG ABUSE	discrete	numeric	Crack cocaine
V464	E9_5ECSTACY	PRIMARY DRUG ABUSE	discrete	numeric	Ecstasy
V465	E9_6TRANQUILIZERS	PRIMARY DRUG ABUSE	discrete	numeric	Tranquilizers (such as Bromazepam, valium, tropium, calmpose)

ID	Name	Label	Type	Format	Question
V466	E9_7PAINKILLERS	PRIMARY DRUG ABUSE	discrete	numeric	Painkillers or analgesics (such as Tramadol, Morphine, Pethidine, Pentazocine)
V467	E9_8ALCOHOL	PRIMARY DRUG ABUSE	discrete	numeric	Alcohol
V468	E9_9AMPHETAMINES	PRIMARY DRUG ABUSE	discrete	numeric	Amphetamines such as Dexedrine or Adderall
V469	E9_10METH.TABS	PRIMARY DRUG ABUSE	discrete	numeric	Methamphetamine tablets such as Pervitin, Methedrine, or Desoxyn
V470	E9_11HEROIN	PRIMARY DRUG ABUSE	discrete	numeric	Heroin
V471	E9_12COUGHSYRUP	PRIMARY DRUG ABUSE	discrete	numeric	Cough syrup (e.g. Coldex)
V472	E9_13OTHERS	PRIMARY DRUG ABUSE	discrete	character	Others (specify)
V473	E10APRIVATEHOSP	NO. OF TIMES RECIEVED TREATMENT	discrete	numeric	No. of times received treatment in Private Hospital/Clinic
V474	E11APRIV	NO. OF DAYS SPENT FOR TREATMENT	contin	numeric	Time spent in treatment for last episode (in days) in Private Hospital/Clinic
V475	E10BPSYCHIATRIC	NO. OF TIMES RECIEVED TREATMENT	discrete	numeric	No. of times received treatment in Psychiatric hospital
V476	E11BPSY	NO. OF DAYS SPENT FOR TREATMENT	contin	numeric	Time spent in treatment for last episode (in days) in Psychiatric hospital
V477	E10CGOVERNMET	NO. OF TIMES RECIEVED TREATMENT	discrete	numeric	No. of times received treatment in Other Government Hospitals
V478	E11CGOVERNMENT	NO. OF DAYS SPENT FOR TREATMENT	contin	numeric	Time spent in treatment for last episode (in days) in Other Government Hospitals
V479	E10DNGO	NO. OF TIMES RECIEVED TREATMENT	contin	numeric	No. of times received treatment in NGO/Treatment Centre
V480	E11DNGO	NO. OF DAYS SPENT FOR TREATMENT	contin	numeric	Time spent in treatment for last episode (in days) in NGO/Treatment Centre
V481	E10EHOME	NO. OF TIMES RECIEVED TREATMENT	discrete	numeric	No. of times received treatment in Home treatment
V482	E11EHOME	NO. OF DAYS SPENT FOR TREATMENT	discrete	numeric	Time spent in treatment for last episode (in days) in Home treatment
V483	E10FFAITH	NO. OF TIMES RECIEVED TREATMENT	contin	numeric	No. of times received treatment in Faith Based Treatment Centre
V484	E11FFAITH	NO. OF DAYS SPENT FOR TREATMENT	discrete	numeric	Time spent in treatment for last episode (in days) in Faith Based Treatment Centre
V485	E10GOTHERS	NO. OF TIMES RECIEVED TREATMENT	discrete	numeric	No. of times received treatment in Other (specify)
V486	E11GOTHERS	NO. OF DAYS SPENT FOR TREATMENT	contin	numeric	Time spent in treatment for last episode (in days) in Other (specify)
V487	E12.1DETOXIFICATIN	TREATMENT SERVICES RECIEVED AT RECENT	discrete	numeric	Detoxification
V488	E12.1TIMES	TIMES OF TREATMENT RECIEVED	discrete	numeric	How many times
V489	E12.2COUNSELLING	TREATMENT SERVICES RECIEVED AT RECENT	discrete	numeric	Counselling (including psychotherapy)
V490	E12.2TIMES	TIMES OF TREATMENT RECIEVED	discrete	numeric	How many times

ID	Name	Label	Type	Format	Question
V491	E12.3RELAPSE	TREATMENT SERVICES RECIEVED AT RECENT	discrete	numeric	Relapse prevention training
V492	E12.3TIMES	TIMES OF TREATMENT RECIEVED	discrete	numeric	How many times
V493	E12.4SELF_HELP	TREATMENT SERVICES RECIEVED AT RECENT	discrete	numeric	Self-help groups
V494	E12.4TIMES	TIMES OF TREATMENT RECIEVED	discrete	numeric	How many times
V495	E12.5REHAB	TREATMENT SERVICES RECIEVED AT RECENT	discrete	numeric	Social rehabilitation
V496	E12.5TIMES	TIMES OF TREATMENT RECIEVED	contin	numeric	How many times
V497	E12.6HIV	TREATMENT SERVICES RECIEVED AT RECENT	discrete	numeric	HIV testing and counselling
V498	E12.6TIMES	TIMES OF TREATMENT RECIEVED	discrete	numeric	How many times
V499	E12.7ART	TREATMENT SERVICES RECIEVED AT RECENT	discrete	numeric	Referral to ART
V500	E12.7TIMES	TIMES OF TREATMENT RECIEVED	discrete	character	How many times
V501	E12.8OTHERSPECIFY	TREATMENT SERVICES RECIEVED AT RECENT	discrete	character	Other specify
V502	E12.8OTHERSTIMES	TIMES OF TREATMENT RECIEVED	discrete	numeric	How many times
V503	E13TREATMENTNEED	EXTENT OF NEED FOR TREATMENT	discrete	numeric	To what extent would you say that you are currently in need of treatment for your drug use problem?
V504	F1WANTEDTREATMENT	EVER WANT HELP HEPL FOR TREATMENT	discrete	numeric	Have you ever wanted to get help/treatment for your drug problems but was unable to?
V505	F2AFEAR	REASON THAT PREVENT FROM TREATMENT	discrete	numeric	Fear of registration
V506	F2BTRUST	REASON THAT PREVENT FROM TREATMENT	discrete	numeric	Don't trust government facilities
V507	F2C_AFFORD	REASON THAT PREVENT FROM TREATMENT	discrete	numeric	Can't afford to pay for treatment / too expensive
V508	F2D_SLOTS	REASON THAT PREVENT FROM TREATMENT	discrete	numeric	No treatment slots available
V509	F2E_REGIME	REASON THAT PREVENT FROM TREATMENT	discrete	numeric	Dislike treatment regime
V510	F2F_FACILITY_STAFF	REASON THAT PREVENT FROM TREATMENT	discrete	numeric	Dislike treatment facility staff
V511	F2G_LACK_INPATIENT_TX	REASON THAT PREVENT FROM TREATMENT	discrete	numeric	Local specialized treatment services do not have inpatient treatment
V512	F2H_LACK_INFORMATION	REASON THAT PREVENT FROM TREATMENT	discrete	numeric	Didn't have information about local treatment services
V513	F2ISTIGMA	REASON THAT PREVENT FROM TREATMENT	discrete	numeric	Fear of stigma
V514	F2J_NOT_AVAILABLE	REASON THAT PREVENT FROM TREATMENT	discrete	numeric	Treatment services not available in my area
V515	F2KOTHER_SPECIFY	REASON THAT PREVENT FROM TREATMENT	discrete	character	Other specify
V516	F3EASE	EXTENT OF GETTING TREATMENT	discrete	numeric	How easy or difficult would you say it is for drug users in your area to get treatment for drug problems?

ID	Name	Label	Type	Format	Question
V517	F4OUTREACH	WORKER SPOKEN ABOUT DRUGS	discrete	character	Is there any outreach worker in your area who has spoken to you about drugs?
V518	G1EVER_ARRESTED	EVER ARRESTED	discrete	numeric	Have you ever been arrested for a drug-related offence?
V519	G2ARRESTAGE	AGE OF FIRST ARREST	contin	numeric	How old were you when you were first arrested for a drug-related offence?
V520	G3MONTHFIRSTDRUGARREST	DURATION OF FIRST ARREST AFTER FIRST USED DRUGS (MONTHS)	discrete	character	How long after you first started using drugs were you first arrested for a drug related offence? in MONTHS
V521	G3YEARFIRSTDRUGARREST	DURATION OF FIRST ARREST AFTER FIRST USED DRUGS (YEARS)	discrete	character	How long after you first started using drugs were you first arrested for a drug related offence? in YEARS
V522	G4MONTHFIRSTINJECTING	DURATION OF FIRST ARREST AFTER FIRST INJECTING DRUGS (MONTH)	discrete	character	How long after you first started injecting were you first arrested for a drug related offence? in MONTHS
V523	G4YEARFIRSTINJECTING	DURATION OF FIRST ARREST AFTER FIRST INJECTING DRUGS (YEARS)	discrete	character	How long after you first started injecting were you first arrested for a drug related offence? in YEARS
V524	G5TIMESARRESTED	TIMES ARRESTED IN LIFE	discrete	character	How many times in your life have you been arrested for a drug-related offence?
V525	G6DAYSPRISONTIME	TIME IN LIFE SPENT IN PRISON (DAYS)	discrete	character	Approximately how many days have you spent in prison during your lifetime while arrested for a drug-related offence?
V526	G6MONTHPRISONTIME	TIME IN LIFE SPENT IN PRISON (MONTHS)	discrete	character	Approximately how many months have you spent in prison during your lifetime while arrested for a drug-related offence?
V527	G6YEARPRISONTIME	TIME IN LIFE SPENT IN PRISON (YEARS)	discrete	character	Approximately how many years have you spent in prison during your lifetime while arrested for a drug-related offence?
V528	G7DAYSTOTAL	TIMES SPENT IN CUSTODY IF LAW ENFORCEMENT (DAYS)	discrete	character	In total, approximately how many days have you spent in custody of law enforcement agencies during your lifetime for drug related offences (e.g., lockup)?
V529	G7MONTHSTOTAL	TIMES SPENT IN CUSTODY IF LAW ENFORCEMENT (MONTHS)	discrete	character	In total, approximately how many months have you spent in custody of law enforcement agencies during your lifetime for drug related offences (e.g., lockup)?
V530	G7YEARSTOTAL	TIMES SPENT IN CUSTODY IF LAW ENFORCEMENT (YEARS)	discrete	character	In total, approximately how many years have you spent in custody of law enforcement agencies during your lifetime for drug related offences (e.g., lockup)?
V531	G8.APOSSESSION	OFFENCE ARRESTED FOR	discrete	numeric	Possession of illegal drugs
V532	G8.BSELLING	OFFENCE ARRESTED FOR	discrete	numeric	Selling illegal drugs
V533	G8.CTRAFFICKING	OFFENCE ARRESTED FOR	discrete	numeric	Trafficking illegal drugs
V534	G8.DUSING	OFFENCE ARRESTED FOR	discrete	numeric	Using drugs

ID	Name	Label	Type	Format	Question
V535	G8.EBURGLARY	OFENCE ARRESTED FOR	discrete	numeric	Burglary
V536	G.8.FSEXWORK	OFENCE ARRESTED FOR	discrete	numeric	Sex work
V537	G8.GSHOP	OFENCE ARRESTED FOR	discrete	numeric	Shop lifting
V538	G.8HTHEFT	OFENCE ARRESTED FOR	discrete	numeric	Theft
V539	G8.IOTHER_SPECIFY	OFENCE ARRESTED FOR	discrete	numeric	Other (specify)
V540	G8A1CANNABIS	DRUGS ARRESTED FOR USING	discrete	numeric	Cannabis (herb or resin)
V541	G8A2METHAMPHETAMINE	DRUGS ARRESTED FOR USING	discrete	numeric	Methamphetamine (crystal or powder)
V542	G8A3COCAINE	DRUGS ARRESTED FOR USING	discrete	numeric	Cocaine
V543	G8A4CRACKCOCAINE	DRUGS ARRESTED FOR USING	discrete	numeric	Crack cocaine
V544	G8A5ECSTACY	DRUGS ARRESTED FOR USING	discrete	numeric	Ecstasy
V545	G8A6TRANQUILIZER	DRUGS ARRESTED FOR USING	discrete	numeric	Tranquilizers (such as Bromazepam, valium, tropium, calmpose)
V546	G8A7TRANQUILIZER	DRUGS ARRESTED FOR USING	discrete	numeric	Maltranal
V547	G8A8ALCOHOL	DRUGS ARRESTED FOR USING	discrete	numeric	Alcohol
V548	G8A9PAINKILLERS	DRUGS ARRESTED FOR USING	discrete	numeric	Painkillers or analgesics (such as Tramadol, Morphine, Pethidine, Pentazocine)
V549	G8A10AMPHETAMINE	DRUGS ARRESTED FOR USING	discrete	numeric	Amphetamines such as Dexedrine or Adderall
V550	G8A11METH	DRUGS ARRESTED FOR USING	discrete	numeric	Methamphetamine tablets such as Pervitin, Methedrine, or Desoxyn
V551	G8A12HEROIN	DRUGS ARRESTED FOR USING	discrete	numeric	Heroin
V552	G8A13LSD	DRUGS ARRESTED FOR USING	discrete	numeric	LSD (Lysergic Acid Diethylamide)
V553	G8A14PCP	DRUGS ARRESTED FOR USING	discrete	numeric	PCP (Phencyclidine)
V554	G8A15SOLVENTS	DRUGS ARRESTED FOR USING	discrete	numeric	Solvents/Inhalants (such as glue)
V555	G8A16COUGHSYRUP	DRUGS ARRESTED FOR USING	discrete	numeric	Cough syrup (e.g. Coldex)
V556	G8A17OTHERSPECIFY	DRUGS ARRESTED FOR USING	discrete	character	Others (specify)
V557	G8BABURGLARY	OFENCE ARRESTED FOR	discrete	numeric	Burglary
V558	G8BBPROSTITUTION	OFENCE ARRESTED FOR	discrete	numeric	Prostitution
V559	G8BCSHOPIFTING	OFENCE ARRESTED FOR	discrete	numeric	Shop lifting
V560	G8BDTHEFT	OFENCE ARRESTED FOR	discrete	numeric	Theft
V561	G8BOTHERS	OFENCE ARRESTED FOR	discrete	character	Others (specify)
V562	G9ARRESTING12	ARRESTED IN LAST 12 MONTH	discrete	numeric	Have you been arrested in the last 12 months for a drug-related offence?
V563	G9ATIMESARRESTEDIN12	TIMES ARRESTED IN LAST 12 MONTH	contin	numeric	In all, how many times have you been arrested in the last 12 months for such a drug-related offence?
V564	G9BDAYSTOTALPRISON	DURATION SPENT IN PRISON (DAYS)	discrete	character	In total, how many days have you spent in prison while arrested for such a drug-related offence in the last 12 months?

ID	Name	Label	Type	Format	Question
V565	G9BMONTHSTOTAL	DURATION SPENT IN PRISON (MONTH)	contin	numeric	In total, how many months have you spent in prison while arrested for such a drug-related offence in the last 12 months?
V566	G9BYEARTOTAL	DURATION SPENT IN PRISON (YEARS)	contin	numeric	In total, how many years have you spent in prison while arrested for such a drug-related offence in the last 12 months?
V567	G9CTOTALCUSTODY	DAYS SPENT IN CUSTODY FOR DRUG RELATED OFFENCE	contin	numeric	In total, how many days have you spent in custody after being arrested for a drug-related offence in the last 12 months?
V568	G10CUSTODYSEX	SEX IN CUSTODY	discrete	numeric	Have you ever had sex while held in custody, jail, or prison?
V569	G11CUSTODYCONDOM	CONDOM USE IN JAIL/PRISON/CUSTODY	discrete	numeric	When you had sex while you were in these jail/prison/custody, did you ever use condoms?
V570	H1AGEFIRSTSEX	AGE AT FIRST USE	discrete	character	How old were you the first time you had sex?
V571	NEVERSEX	NEVER SEX	discrete	numeric	NEVER HAD SEX
V572	H2WHOWITH	WITH WHOM FIRST SEX	discrete	character	Was this person your?
V573	H3SEXPARTNERS	INCREASE OR DECREASE IN PARTNERS WHEN USING DRUGS	discrete	numeric	When you began to use drugs did the number of partners you had sex with increase or decrease?
V574	H4HADSEX	SEX WITH DRUG USERS	discrete	numeric	Have you ever had sex with other people who use drugs or inject drugs?
V575	H5SEXFREQ	FREQUENCY OF SEX IN LAST 6 MONTH	discrete	numeric	In the last six months, how often have you had sex?
V576	H6WOMEN	FREQUENCY OF SEX WITH WOMEN	contin	numeric	In the last six months, how many women have you had sex with?
V577	H6AMEN	FREQUENCY OF SEX WITH MEN	contin	numeric	In the last six months, how many men have you had sex with?
V578	H7NOREGULARSEX	FREQUENCY OF REGULAR SEX PARTNERS	contin	numeric	In the last six months, how many regular, steady sex partners have you had?
V579	H8CONDOMUSE	FREQUENCY OF CONDOM USE	discrete	numeric	In the last six months, how often did you or your steady partner(s) use a condom while you were having penetrative sex?
V580	H9.1USED DRUGS	ATTRIBUTE OF STEADY SEX PARTNERS	discrete	numeric	Used drug in the last 12 months
V581	H9.2INJECTED	ATTRIBUTE OF STEADY SEX PARTNERS	discrete	numeric	Injected drugs in the last twelve months
V582	H9.3EVERINJECT	ATTRIBUTE OF STEADY SEX PARTNERS	discrete	numeric	Ever injected drugs
V583	H9.4EVERSEX	ATTRIBUTE OF STEADY SEX PARTNERS	discrete	numeric	Ever had sex with other men/women
V584	H9.5HIVPOSITIVE	ATTRIBUTE OF STEADY SEX PARTNERS	discrete	numeric	Ever been told that they were HIV positive
V585	H10OTHERSEX	FREQUENCY OF OTHER SEX PARTNERS	discrete	numeric	In the last six months, how many other sex partner(s), i.e., other than your regular or steady partner/s have you had?

ID	Name	Label	Type	Format	Question
V586	H11CONDOMWITH_OTHER	FREQUENCY OF CONDOM USE BY OTHER SEX PARTNERS	discrete	numeric	In the last six months, how often did you or your other partner(s) use a condom while you were having penetrative sex?
V587	H12.1USED_DRUGS	ATTRIBUTE OF OTHER SEX PARTNERS	discrete	numeric	Used drug in the last 12 months
V588	H12.2INJECTED	ATTRIBUTE OF OTHER SEX PARTNERS	discrete	numeric	Injected drugs in the last twelve months
V589	H12.3EVERINJECT	ATTRIBUTE OF OTHER SEX PARTNERS	discrete	numeric	Ever injected drugs
V590	H12.4EVERSEX	ATTRIBUTE OF OTHER SEX PARTNERS	discrete	numeric	Ever had sex with other men/women
V591	H12.5HIVPOSITIVE	ATTRIBUTE OF OTHER SEX PARTNERS	discrete	numeric	Ever been told that they were HIV positive
V592	H13ADRGs	GIVE OR RECIEVE DRUGS FOR SEX	discrete	numeric	During the last six months Did you give drugs to have sex?
V593	H13AHOW_MANY	TIMES OF RECIEVE OR GIVE	discrete	numeric	If yes, how many partners did you have?
V594	H13BMONEY	GIVE OR RECIEVE DRUGS FOR SEX	discrete	numeric	During the last six months Did you give money to have sex?
V595	H13BHOWMANY	TIMES OF RECIEVE OR GIVE	contin	numeric	If yes, how many partners did you have?
V596	H13CRECEIVEDRUGS	GIVE OR RECIEVE DRUGS FOR SEX	discrete	numeric	During the last six months Did you receive drugs to have sex?
V597	H13CHOWMANY	TIMES OF RECIEVE OR GIVE	contin	numeric	If yes, how many partners did you have?
V598	H13DRECEIVEDRUGS	GIVE OR RECIEVE DRUGS FOR SEX	discrete	numeric	During the last six months Did you receive money to have sex?
V599	H13DHOWMANY	TIMES OF RECIEVE OR GIVE	contin	numeric	If yes, how many partners did you have?
V600	H14CONDOMUSE	FREQUENCY OF CONDOM USE WITH OTHER SEX PARTNERS	discrete	numeric	On these occasions, how often did you or these partners use condoms while you were having penetrative sex?
V601	H15RELATIONSHIP	RELATIONSHIP WITH LAST SEX PARTNER	discrete	numeric	How would you describe your relationship with the last person you had sex with?
V602	H16LASTTIME	CONDOM USE BY LAST SEX PARTNERS	discrete	numeric	The last time you had sex, did you or the person you were with use a condom?
V603	H17AHEPB	EVER DIAGNOSE FOR ANY DISEASE	discrete	numeric	Have you ever been diagnosed or told by a health professional that you have Hepatitis B
V604	H17BHEPC	EVER DIAGNOSE FOR ANY DISEASE	discrete	numeric	Have you ever been diagnosed or told by a health professional that you have Hepatitis C
V605	H17CHIV	EVER DIAGNOSE FOR ANY DISEASE	discrete	numeric	Have you ever been diagnosed or told by a health professional that you have HIV/AIDS
V606	H17DOTHERSTI	EVER DIAGNOSE FOR ANY DISEASE	discrete	numeric	Have you ever been diagnosed or told by a health professional that you have Other sexually transmitted disease (specify)

ID	Name	Label	Type	Format	Question
V607	H17ETB	EVER DIAGNOSE FOR ANY DISEASE	discrete	numeric	Have you ever been diagnosed or told by a health professional that you have Tuberculosis
V608	I1OUTOFCONTROL	MAIN DRUGS OUT OF CONTROL	discrete	numeric	Did you ever think that your [main drug] use was out of control?
V609	I2ANXIOUS	MAIN DRUGS OUT OF CONTROL	discrete	numeric	Did the prospect of not taking any [main drug] make you anxious or worried?
V610	I3WORRY	MAIN DRUGS OUT OF CONTROL	discrete	numeric	Did you worry about your [main drug] use?
V611	I4WISHTOSTOP	MAIN DRUGS OUT OF CONTROL	discrete	numeric	Did you wish you could stop taking [main drug]?
V612	I5DIFFICULTY	MAIN DRUGS OUT OF CONTROL	discrete	numeric	How difficult would you find it to stop or go without [main drug]
V613	RELIABILITYOFINFORMATION	RELIABILITY	discrete	numeric	In your opinion how reliable was the information given by the respondent?
V614	ENDTIME	END TIME	discrete	character	Time interview ended (GMT)

NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Content	This file contains data collected from household on drug use and health in Nigeria, it covered sections such as household composition, demographic characteristics, general health information and the use of drugs patterns.
Cases	38782
Variable(s)	873
Structure	Type: Keys: ()
Version	Version 1.0 (January 2021, anonymised data)
Producer	National Bureau of Statistics (NBS)
Missing Data	Asterisk (*) has been used to replace missing data.

Variables

ID	Name	Label	Type	Format	Question
V615	Quest_No	processing identification	contin	numeric	
V616	zone	zone	discrete	numeric	
V617	state	state	discrete	numeric	STATE Name
V618	lga	lga.	discrete	numeric	LGA Name
V619	sector	sector	discrete	numeric	SECTOR
V620	locality	locality	discrete	character	LOCALITY
V621	local0	locality	discrete	character	
V622	local1	locality	discrete	character	
V623	ea_name	ea name	discrete	character	EA Name
V624	ea_na0	ea name	discrete	character	
V625	ea_na1	ea name	discrete	character	
V626	ric	ric code	contin	numeric	RIC Code
V627	ea_code	ea code	contin	numeric	EA Code
V628	language	language	discrete	numeric	Language
V629	perm	may i begin	discrete	numeric	May I begin?
V630	occupancy	current occupancy status	discrete	numeric	Current Occupancy Status
V631	occupancy_spc	occupancy specify	discrete	character	Current Occupancy Status Other (specify)
V632	occup0	occupancy specify	discrete	character	
V633	occup1	occupancy specify	discrete	character	
V634	team	team number	discrete	numeric	
V635	interviewer	interviewer code	discrete	numeric	Interviewer code
V636	tothh	total members	contin	numeric	
V637	start_time	start time	contin	numeric	Time Interview Started (GMT)
V638	hoursa	hours	contin	numeric	Time Interview Started (GMT) Hours
V639	minutesa	minutes	contin	numeric	Time Interview Started (GMT) Minutes
V640	date_int	date of interview	discrete	character	Date of interview Day
V641	date_0	date of interview	discrete	character	Date of interview Month

ID	Name	Label	Type	Format	Question
V642	date_1	date of interview	discrete	character	Date of interview Year
V643	sect11_01	members line no	discrete	numeric	Line number
V644	sect13_01	what is (name) relationship to head of household	discrete	numeric	What is the relationship of (name) to the head of household?
V645	sect14_01	status	discrete	numeric	Status
V646	sect15_01	sex	discrete	numeric	Is (name) male or female?
V647	sect16_01	age	contin	numeric	How old is (name)? As at last birthday
V648	sect17_01	marital status	discrete	numeric	Marital status?
V649	sect11_02	members line no	discrete	numeric	Line number
V650	sect13_02	what is (name) relationship to head of household	discrete	numeric	What is the relationship of (name) to the head of household?
V651	sect14_02	status	discrete	numeric	Status
V652	sect15_02	sex	discrete	numeric	Is (name) male or female?
V653	sect16_02	age	contin	numeric	How old is (name)? As at last birthday
V654	sect17_02	Marital Status	discrete	numeric	Marital Status
V655	sect11_03	members line no	discrete	numeric	Line number
V656	sect13_03	what is (name) relationship to head of household	discrete	numeric	What is the relationship of (name) to the head of household?
V657	sect14_03	status	discrete	numeric	Status
V658	sect15_03	sex	discrete	numeric	Is (name) male or female?
V659	sect16_03	age	contin	numeric	How old is (name)? As at last birthday).
V660	sect17_03	marital status	discrete	numeric	Marital Status
V661	sect11_04	members line no	discrete	numeric	Line number
V662	sect13_04	what is (name) relationship to head of household	discrete	numeric	What is the relationship of (name) to the head of household?
V663	sect14_04	status	discrete	numeric	Status
V664	sect15_04	sex	discrete	numeric	Is (name) male or female?
V665	sect16_04	age	contin	numeric	How old is (name)? As at last birthday.
V666	sect17_04	marital status	discrete	numeric	Marital Status
V667	sect11_05	members line no	discrete	numeric	Line number
V668	sect13_05	what is (name) relationship to head of household	discrete	numeric	What is the relationship of (name) to the head of household?
V669	sect14_05	status	discrete	numeric	Status
V670	sect15_05	sex	discrete	numeric	Is (name) male or female?
V671	sect16_05	age	contin	numeric	How old is (name)? As at last birthday.
V672	sect17_05	marital status	discrete	numeric	Marital Status
V673	sect11_06	members line no	discrete	numeric	Line number
V674	sect13_06	what is (name) relationship to head of household	discrete	numeric	What is the relationship of (name) to the head of household?
V675	sect14_06	status	discrete	numeric	Status
V676	sect15_06	sex	discrete	numeric	Is (name) male or female?
V677	sect16_06	age	contin	numeric	How old is (name)? As at last birthday.
V678	sect17_06	marital status	discrete	numeric	Marital Status

ID	Name	Label	Type	Format	Question
V679	sect11_07	members line no	discrete	numeric	Line number
V680	sect13_07	what is (name) relationship to head of household	discrete	numeric	What is the relationship of (name) to the head of household?
V681	sect14_07	status	discrete	numeric	Status
V682	sect15_07	sex	discrete	numeric	Is (name) male or female?
V683	sect16_07	age	contin	numeric	How old is (name)? As at last birthday.
V684	sect17_07	marital status	discrete	numeric	Marital Status
V685	sect11_08	members line no	discrete	numeric	Line number
V686	sect13_08	what is (name) relationship to head of household	discrete	numeric	What is the relationship of (name) to the head of household?
V687	sect14_08	status	discrete	numeric	Status
V688	sect15_08	sex	discrete	numeric	Is (name) male or female?
V689	sect16_08	age	contin	numeric	How old is (name)? As at last birthday .
V690	sect17_08	marital status	discrete	numeric	Marital status?
V691	sect11_09	members line no	discrete	numeric	Line Number
V692	sect13_09	what is (name) relationship to head of household	discrete	numeric	What is the relationship of (name) to the head of household?
V693	sect14_09	status	discrete	numeric	Status
V694	sect15_09	sex	discrete	numeric	Is (name) male or female?
V695	sect16_09	age	contin	numeric	How old is (name)? As at last birthday.
V696	sect17_09	marital status	discrete	numeric	Marital status?
V697	sect11_10	members line no	discrete	numeric	Line number
V698	sect13_10	what is (name) relationship to head of household	discrete	numeric	What is the relationship of (name) to the head of household?
V699	sect14_10	status	discrete	numeric	Status
V700	sect15_10	sex	discrete	numeric	Is (name) male or female?
V701	sect16_10	age	contin	numeric	How old is (name)? As at last birthday.
V702	sect17_10	marital status	discrete	numeric	Marital status
V703	sect11_11	members line no	discrete	numeric	Line Number
V704	sect13_11	what is (name) relationship to head of household	discrete	numeric	What is the relationship of (name) to the head of household?
V705	sect14_11	status	discrete	numeric	Status
V706	sect15_11	sex	discrete	numeric	Is (name) male or female?
V707	sect16_11	age	contin	numeric	How old is (name)? As at last birthday.
V708	sect17_11	marital status	discrete	numeric	Marital Status
V709	sect11_12	members line no	discrete	numeric	Line Number
V710	sect13_12	what is (name) relationship to head of household	discrete	numeric	What is the relationship of (name) to the head of household?
V711	sect14_12	status	discrete	numeric	Status
V712	sect15_12	sex	discrete	numeric	Is (name) male or female?
V713	sect16_12	age	contin	numeric	How old is (name)? As at last birthday.
V714	sect17_12	marital status	discrete	numeric	Marital Status
V715	sect11_13	members line no	discrete	numeric	Line Number

ID	Name	Label	Type	Format	Question
V716	sect13_13	what is (name) relationship to head of household	discrete	numeric	What is the relationship of (name) to the head of household?
V717	sect14_13	status	discrete	numeric	Status
V718	sect15_13	sex	discrete	numeric	Is (name) male or female?
V719	sect16_13	age	contin	numeric	How old is (name)? As at last birthday.
V720	sect17_13	marital status	discrete	numeric	Marital Status
V721	sect11_14	members line no	discrete	numeric	Line Number
V722	sect13_14	what is (name) relationship to head of household	discrete	numeric	What is the relationship of (name) to the head of household?
V723	sect14_14	status	discrete	numeric	Status
V724	sect15_14	sex	discrete	numeric	Is (name) male or female?
V725	sect16_14	age	contin	numeric	How old is (name)? As at last birthday.
V726	sect17_14	marital status	discrete	numeric	Marital Status
V727	sect11_15	members line no	discrete	numeric	Line Number
V728	sect13_15	what is (name) relationship to head of household	discrete	numeric	What is the relationship of (name) to the head of household?
V729	sect14_15	status	discrete	numeric	Status
V730	sect15_15	sex	discrete	numeric	Is (name) male or female?
V731	sect16_15	age	contin	numeric	How old is (name)? As at last birthday.
V732	sect17_15	marital status	discrete	numeric	Marital Status
V733	sect11_16	members line no	discrete	numeric	Line Number
V734	sect13_16	what is (name) relationship to head of household	discrete	numeric	What is the relationship of (name) to the head of household?
V735	sect14_16	status	discrete	numeric	Status
V736	sect15_16	sex	discrete	numeric	Is (name) male or female?
V737	sect16_16	age	contin	numeric	How old is (name)? As at last birthday.
V738	sect17_16	marital status	discrete	numeric	Marital Status
V739	sect11_17	members line no	discrete	numeric	Line Number
V740	sect13_17	what is (name) relationship to head of household	discrete	numeric	What is the relationship of (name) to the head of household?
V741	sect14_17	status	discrete	numeric	Status
V742	sect15_17	sex	discrete	numeric	Is (name) male or female?
V743	sect16_17	age	contin	numeric	How old is (name)? As at last birthday.
V744	sect17_17	marital status	discrete	numeric	Marital Status
V745	sect11_18	members line no	discrete	numeric	Line Number
V746	sect13_18	what is (name) relationship to head of household	discrete	numeric	What is the relationship of (name) to the head of household?
V747	sect14_18	status	discrete	numeric	Status
V748	sect15_18	sex	discrete	numeric	Is (name) male or female?
V749	sect16_18	age	contin	numeric	How old is (name)? As at last birthday.
V750	sect17_18	marital status	discrete	numeric	Marital Status
V751	sect11_19	members line no	discrete	numeric	Line Number

ID	Name	Label	Type	Format	Question
V752	sect13_19	what is (name) relationship to head of household	discrete	numeric	What is the relationship of (name) to the head of household?
V753	sect14_19	status	discrete	numeric	Status
V754	sect15_19	sex	discrete	numeric	Is (name) male or female?
V755	sect16_19	age	contin	numeric	How old is (name)? As at last birthday.
V756	sect17_19	marital status	discrete	numeric	Marital Status
V757	sect11_20	members line no	discrete	numeric	Line Number
V758	sect13_20	what is (name) relationship to head of household	discrete	numeric	What is the relationship of (name) to the head of household?
V759	sect14_20	status	discrete	numeric	Status
V760	sect15_20	sex	discrete	numeric	Is (name) male or female?
V761	sect16_20	age	contin	numeric	How old is (name)? As at last birthday.
V762	sect17_20	marital status	discrete	numeric	Marital Status
V763	sect11_21	members line no	discrete	numeric	Line number
V764	sect13_21	what is (name) relationship to head of household	discrete	numeric	What is the relationship of (name) to the head of household?
V765	sect14_21	status	discrete	numeric	Status
V766	sect15_21	sex	discrete	numeric	Is (name) male or female?
V767	sect16_21	age	contin	numeric	How old is (name)? As at last birthday.
V768	sect17_21	marital status	discrete	numeric	Marital Status?
V769	sect11_22	members line no	discrete	numeric	Line Number
V770	sect13_22	what is (name) relationship to head of household	discrete	numeric	What is the relationship of (name) to the head of household?
V771	sect14_22	status	discrete	numeric	Status
V772	sect15_22	sex	discrete	numeric	Is (name) male or female?
V773	sect16_22	age	contin	numeric	How old is (name)? As at last birthday.
V774	sect17_22	marital status	discrete	numeric	Marital Status?
V775	sect11_23	members line no	discrete	numeric	Line number
V776	sect13_23	what is (name) relationship to head of household	discrete	numeric	What is the relationship of (name) to the head of household?
V777	sect14_23	status	discrete	numeric	Status
V778	sect15_23	sex	discrete	numeric	Is (name) male or female?
V779	sect16_23	age	contin	numeric	How old is (name)? As at last birthday.
V780	sect17_23	marital status	discrete	numeric	Marital Status?
V781	sect11_24	members line no	discrete	numeric	Line number
V782	sect13_24	what is (name) relationship to head of household	discrete	numeric	What is the relationship of (name) to the head of household?
V783	sect14_24	status	discrete	numeric	Status
V784	sect15_24	sex	discrete	numeric	Is (name) male or female?
V785	sect16_24	age	contin	numeric	How old is (name)? As at last birthday.
V786	sect17_24	marital status	discrete	numeric	Marital Status
V787	sect11_25	members line no	discrete	numeric	Line number

ID	Name	Label	Type	Format	Question
V788	sect13_25	what is (name) relationship to head of household	discrete	numeric	What is the relationship of (name) to the head of household?
V789	sect14_25	status	discrete	numeric	Status
V790	sect15_25	sex	discrete	numeric	Is (name) male or female?
V791	sect16_25	age	contin	numeric	How old is (name)? As at last birthday
V792	sect17_25	marital status	discrete	numeric	Marital Status
V793	sect11_26	members line no	discrete	numeric	Line number
V794	sect13_26	what is (name) relationship to head of household	discrete	numeric	What is the relationship of (name) to the head of household?
V795	sect14_26	status	discrete	numeric	Status
V796	sect15_26	sex	discrete	numeric	Is (name) male or female?
V797	sect16_26	age	contin	numeric	How old is (name)? As at last birthday
V798	sect17_26	marital status	discrete	numeric	Marital Status
V799	sect11_27	members line no	discrete	numeric	Line number
V800	sect13_27	what is (name) relationship to head of household	discrete	numeric	What is the relationship of (name) to the head of household?
V801	sect14_27	status	discrete	numeric	Status
V802	sect15_27	sex	discrete	numeric	Is (name) male or female?
V803	sect16_27	age	contin	numeric	How old is (name)? As at last birthday
V804	sect17_27	marital status	discrete	numeric	Marital Status
V805	sect11_28	members line no	discrete	numeric	Line number
V806	sect13_28	what is (name) relationship to head of household	discrete	numeric	What is the relationship of (name) to the head of household?
V807	sect14_28	status	discrete	numeric	Status
V808	sect15_28	sex	discrete	numeric	Is (name) male or female?
V809	sect16_28	age	contin	numeric	How old is (name)? As at last birthday
V810	sect17_28	marital status	discrete	numeric	Marital status
V811	sect11_29	members line no	discrete	numeric	Line number
V812	sect13_29	what is (name) relationship to head of household	discrete	numeric	What is the relationship of (name) to the head of household?
V813	sect14_29	status	discrete	numeric	Status
V814	sect15_29	sex	discrete	numeric	Is (name) male or female?
V815	sect16_29	age	contin	numeric	How old is (name)? As at last birthday
V816	sect17_29	marital status	discrete	numeric	Marital status
V817	sect11_30	members line no	discrete	numeric	Line number
V818	sect13_30	what is (name) relationship to head of household	discrete	numeric	What is the relationship of (name) to the head of household?
V819	sect14_30	status	discrete	numeric	Status
V820	sect15_30	sex	discrete	numeric	Is (name) male or female?
V821	sect16_30	age	contin	numeric	How old is (name)? As at last birthday
V822	sect17_30	marital status	discrete	numeric	Marital status
V823	sect11_31	members line no	discrete	numeric	Line number

ID	Name	Label	Type	Format	Question
V824	sect13_31	what is (name) relationship to head of household	discrete	numeric	What is the relationship of (name) to the head of household?
V825	sect14_31	status	discrete	numeric	Status
V826	sect15_31	sex	discrete	numeric	Is (name) male or female?
V827	sect16_31	age	discrete	numeric	How old is (name)? As at last birthday
V828	sect17_31	marital status	discrete	numeric	Marital status
V829	sect11_32	members line no	discrete	numeric	Line number
V830	sect13_32	what is (name) relationship to head of household	discrete	numeric	What is the relationship of (name) to the head of household?
V831	sect14_32	status	discrete	numeric	Status
V832	sect15_32	sex	discrete	numeric	Is (name) male or female?
V833	sect16_32	age	contin	numeric	How old is (name)? As at last birthday
V834	sect17_32	marital status	discrete	numeric	Marital status
V835	sect11_33	members line no	discrete	numeric	Line number
V836	sect13_33	what is (name) relationship to head of household	discrete	numeric	What is the relationship of (name) to the head of household?
V837	sect14_33	status	discrete	numeric	Status
V838	sect15_33	sex	discrete	numeric	Is (name) male or female?
V839	sect16_33	age	contin	numeric	How old is (name)? As at last birthday
V840	sect17_33	marital status	discrete	numeric	Marital status
V841	sect11_34	members line no	discrete	numeric	Line number
V842	sect13_34	what is (name) relationship to head of household	discrete	numeric	What is the relationship of (name) to the head of household?
V843	sect14_34	status	discrete	numeric	Status
V844	sect15_34	sex	discrete	numeric	Is (name) male or female?
V845	sect16_34	age	discrete	numeric	How old is (name)? As at last birthday
V846	sect17_34	marital status	discrete	numeric	Marital Status
V847	sect11_35	members line no	discrete	numeric	Line number
V848	sect13_35	what is (name) relationship to head of household	discrete	numeric	What is the relationship of (name) to the head of household?
V849	sect14_35	status	discrete	numeric	Status
V850	sect15_35	sex	discrete	numeric	Is (name) male or female?
V851	sect16_35	age	discrete	numeric	How old is (name)? As at last birthday
V852	sect17_35	marital status	discrete	numeric	Marital Status
V853	sl1	total members aged 15-64 years	discrete	numeric	
V854	sl9a	rank number of the selected members	discrete	numeric	RANK AGED 15-64 YEARS IN COL 1.6 FROM OLD TO YOUNG
V855	sl9b	member line number	discrete	numeric	Line number
V856	sl9c	member age	contin	numeric	
V857	sl9d	member selected availability	discrete	numeric	
V858	resp_sn	Members line No	discrete	numeric	Line number
V859	resp_sex	Sex	discrete	numeric	Is (name) male or female?
V860	resp_age	Age	contin	numeric	How old is (name)? As at last birthday

ID	Name	Label	Type	Format	Question
V861	resp_mstatus	Marital Status	discrete	numeric	Marital Status
V862	sect2q1	how long have been living	contin	numeric	How long have you been living in this address?
V863	sect2q2	are you able to read and write in any language?	discrete	numeric	Are you able to read and write a simple statement in any language with understanding?
V864	sect2q3	what is the highest level of education you have completed	discrete	numeric	What is the highest level of education you have completed?
V865	sect2q3spc	what is the highest level of education you have completed	discrete	character	What is the highest level of education you have completed?
V866	sect24	what is the highest level of education you have completed	discrete	character	What is the highest level of education you have completed?
V867	sect25	what is the highest level of education you have completed	discrete	character	What is the highest level of education you have completed?
V868	sect2q4	are you currently working for money or in kind compensation	discrete	numeric	Are you currently working for monetary or in kind compensation?
V869	sect2q5	if yes what type of job do you do?	discrete	numeric	If employed, what type of job do you do?
V870	sect2q5spc	if yes what type of job do you do?	discrete	character	If employed, what type of job do you do?
V871	sect22	if yes what type of job do you do?	discrete	character	If employed, what type of job do you do?
V872	sect23	if yes what type of job do you do?	discrete	character	If employed, what type of job do you do?
V873	sect2q6	if currently not working describe status	discrete	numeric	If you are currently not working, how would you describe your current status?
V874	sect2q6spc	if currently not working describe status	discrete	character	If you are currently not working, how would you describe your current status?
V875	sect20	if currently not working describe status	discrete	character	If you are currently not working, how would you describe your current status?
V876	sect21	if currently not working describe status	discrete	character	If you are currently not working, how would you describe your current status?
V877	sect2q7a	family	discrete	character	Do you receive financial support from Family?
V878	sect2q7b	government	discrete	character	Do you receive financial support from Government?
V879	sect2q7c	ngo	discrete	character	Do you receive financial support from NGO?
V880	sect2q7d	community	discrete	character	Do you receive financial support from Community?
V881	sect2q7e	faith based organization	discrete	character	Do you receive financial support from Faith Based Organization?
V882	sect2q7f	friend	discrete	character	Do you receive financial support from Friend?
V883	sect2q8	are you involved in any voluntary social, religious, cultural activity in community	discrete	numeric	Are you involved in any voluntary social, religious, cultural, art or recreation activity in your community?
V884	sect2q9	how often do you participate in any of these activities in your community	discrete	numeric	How often do you participate in any of these voluntary activities (social, religious, cultural, art and recreation) in your community?
V885	sect3q1	how would you rate your health today	discrete	numeric	How would you rate your health today?
V886	sect3q2	have ever been diagnosed with high blood pressure	discrete	numeric	Have you ever been diagnosed with high blood pressure by a health practitioner?
V887	sect3q3	if yes are you under any treatment or medication	discrete	numeric	If yes, are you currently under any treatment/ medication for high blood pressure?

ID	Name	Label	Type	Format	Question
V888	sect3q4	have you ever been diagnosed with any heart disease	discrete	numeric	Have you ever been diagnosed with any heart disease by a health practitioner?
V889	sect3q5	if yes are you under any treatment or medication	discrete	numeric	If yes, are you currently under any treatment/ medication for heart disease?
V890	sect3q6	have you ever been diagnosed with any diabetics by health	discrete	numeric	Have you ever been diagnosed with diabetes by a health practitioner?
V891	sect3q7	if yes are you under any treatment or medication	discrete	numeric	If yes, are you currently under any treatment/ medication for diabetes?
V892	sect3q8	have you ever been diagnosed with any asthma by health	discrete	numeric	Have you ever been diagnosed with asthma by a health practitioner?
V893	sect3q9	if yes are you under any treatment or medication	discrete	numeric	If yes are you currently under any treatment/ medication for asthma?
V894	sect3q10	have you ever been diagnosed by health practitioner chronic pain	discrete	numeric	Have you ever been diagnosed by a health practitioner for a condition with chronic pain?
V895	sect3q11	if yes are you under any treatment or medication	discrete	numeric	If yes are you currently under any treatment/ medication for a chronic pain condition?
V896	sect3q12	is there any other health problem or illness that has been	discrete	numeric	Is there any other health problem or illness that has been diagnosed by a health practitioner?
V897	sect3q12spc	specify problem illness	discrete	character	specify
V898	sect36	specify problem illness	discrete	character	specify
V899	sect37	specify problem illness	discrete	character	specify
V900	sect3q13	if yes are you under any treatment or medication	discrete	numeric	If yes are you currently under any treatment/ medication for that condition?
V901	sect3q14a	transfusion of infected	discrete	character	First, can you mention three modes of transmission of HIV/AIDS? Transfusion of infected blood or blood products.
V902	sect3q14b	unprotected sexual intercourse	discrete	character	First, can you mention three modes of transmission of HIV/AIDS? Unprotected sexual intercourse with infected person.
V903	sect3q14c	sharing of needles and syringes without sterilization/other sharp objects	discrete	character	First, can you mention three modes of transmission of HIV/AIDS? Sharing of needles and syringes with-out sterilisation
V904	sect3q14d	infected mother to her baby	discrete	character	First, can you mention three modes of transmission of HIV/AIDS? Infected mother to her baby during pregnancy, birth process and through breast - feeding.
V905	sect3q14e	don't know	discrete	character	First, can you mention three modes of transmission of HIV/AIDS? Don't know
V906	sect3q14f	refuse to answer	discrete	character	First, can you mention three modes of transmission of HIV/AIDS? Refuse to answer
V907	sect3q14g	have never heard of aids	discrete	character	First, can you mention three modes of transmission of HIV/AIDS? Have never heard of aids
V908	sect3q15	generally, when you fall sick and need medical attention	discrete	numeric	Generally, when you fall sick and need medical attention, where or from whom do you seek assistance?
V909	sect3q16	have you ever taken medicines for any health	discrete	numeric	Have you EVER taken medicine(s) for any health conditions without the advice of a health professional?
V910	sect3q17	if yes for what condition (most frequent/latest condition)	discrete	character	If yes, for what condition. (most frequent/latest condition)

ID	Name	Label	Type	Format	Question
V911	sect34	if yes for what condition (most frequent/latest condition)	discrete	character	If yes, for what condition. (most frequent/latest condition)
V912	sect35	if yes for what condition (most frequent/latest condition)	discrete	character	If yes, for what condition. (most frequent/latest condition)
V913	sect3q18	have you ever been admitted in the past 12 months in hospital	discrete	numeric	Have you ever been admitted in the PAST 12 MONTHS in hospital or other health facility for any health condition?
V914	sect3q19	if yes what was the condition for which you we	discrete	character	If yes, what was the condition for which you were hospitalised?
V915	sect32	if yes what was the condition for which you we	discrete	character	If yes, what was the condition for which you were hospitalised?
V916	sect33	if yes what was the condition for which you we	discrete	character	If yes, what was the condition for which you were hospitalised?
V917	sect3q20	have you taken medicines in the past 12 months for any health conditions without	discrete	numeric	Have you taken medicine(s) in the PAST 12 MONTHS for any health conditions without the advice of a health professional?
V918	sect3q21	if yes for what condition	discrete	character	If yes, for what condition. (most frequent/latest condition)
V919	sect30	if yes for what condition	discrete	character	If yes, for what condition. (most frequent/latest condition)
V920	sect31	if yes for what condition	discrete	character	If yes, for what condition. (most frequent/latest condition)
V921	sect4q1	of the women you know personally, how many gave birth	contin	numeric	Of the women you know personally, how many gave birth in the last 12 months?
V922	sect4q2	how many young men aged 15-19 do you know personally	contin	numeric	How many young men aged 15-19 do you know personally who are attending secondary school?
V923	sect4q3	how many young women aged 15-19 do you know personally	contin	numeric	How many young women aged 15-19 do you know personally who are attending secondary school?
V924	sect4q4	how many women do you know personally who died in lasth 12 months	contin	numeric	How many women do you know personally who died in the last 12 months?
V925	sect4q5	how many secondary school teachers that you know personally	contin	numeric	How many secondary school teachers that you know personally?
V926	sect4q6	how many nurses did you know personally	contin	numeric	How many nurses do you know personally?
V927	sect4q7	how many people you know personally who work for the Nigerian Postal Service (NIPOST)	contin	numeric	How many people do you know personally who work for the Nigerian postal service (NIPOST)?
V928	types_1	type of substance	discrete	character	Type of substance Tranquilizers or Sedatives such as valium
V929	types30	type of substance	discrete	character	Type of substance Opioids Painkillers such as tramadol or codeine
V930	types31	type of substance	discrete	character	Type of substance Amphetamines such as ritalin or dexedrine
V931	sect5q1_1	have you ever used	discrete	numeric	Have you ever used...?
V932	sect5q2_1	what was you first age at first use of	contin	numeric	What was your age at first use? (approx)
V933	sect5q3_1	have you ever used in the last 12 months	discrete	numeric	Have you used in the last 12 months?
V934	sect5q4_1	in the past 30 days how many days did you use	discrete	numeric	In the past-30 days, how many days did you use?
V935	sect5q5_1	what is the usual method of use	discrete	numeric	What is the usual method of use?

ID	Name	Label	Type	Format	Question
V936	sect5q6_1	what is the average amount you spent per day during the last 30	contin	numeric	What is the average amount you spent per day during the last 30 days on this substance? (Naira)
V937	types_2	type of substance	discrete	character	Type of substance Tranquilizers or Sedatives such as valium
V938	types2y	type of substance	discrete	character	Type of substance Opioids Painkillers such as tramadol or codeine
V939	types2z	type of substance	discrete	character	Type of substance Amphetamines such as ritalin or dexedrine
V940	sect5q1_2	have you ever used	discrete	numeric	Have you ever used...?
V941	sect5q2_2	what was your first age at first use of	contin	numeric	What was your age at first use? (approx)
V942	sect5q3_2	have you ever used in the last 12 months	discrete	numeric	Have you used in the last 12 months?
V943	sect5q4_2	in the past 30 days how many days did you use	discrete	numeric	In the past-30 days, how many days did you use?
V944	sect5q5_2	what is the usual method of use	discrete	numeric	What is the usual method of use?
V945	sect5q6_2	what is the average amount you spent per day during the last 30	contin	numeric	What is the average amount you spent per day during the last 30 days on this substance?
V946	types_3	type of substance	discrete	character	Type of substance Tranquilizers or Sedatives such as valium
V947	types2w	type of substance	discrete	character	Type of substance Opioids Painkillers such as tramadol or codeine
V948	types2x	type of substance	discrete	character	Type of substance Amphetamines such as ritalin or dexedrine
V949	sect5q1_3	have you ever used	discrete	numeric	Have you ever used...?
V950	sect5q2_3	what was your first age at first use of	contin	numeric	What was your age at first use?
V951	sect5q3_3	have you ever used in the last 12 months	discrete	numeric	Have you used in the last 12 months?
V952	sect5q4_3	in the past 30 days how many days did you use	discrete	numeric	In the past-30 days, how many days did you use?
V953	sect5q5_3	what is the usual method of use	discrete	numeric	What is the usual method of use?
V954	sect5q6_3	what is the average amount you spent per day during the last 30	contin	numeric	What is the average amount you spent per day during the last 30 days on this substance? (Naira)
V955	sect6q1	have you ever smoked/used tobacco	discrete	numeric	Have you ever smoked/ used tobacco?
V956	sect6q2	do you currently smoke/use tobacco	discrete	numeric	Do you currently smoke/use tobacco?
V957	sect6q3mpd	manufactured cigarette	contin	numeric	Manufactured cigarettes (sticks) Per day
V958	sect6q3mpw	manufactured cigarette	contin	numeric	Manufactured cigarettes (sticks) per week
V959	sect6q3mpm	manufactured cigarette	contin	numeric	Manufactured cigarettes (sticks) Per month
V960	sect6q3hpd	hand rolled number	contin	numeric	Hand-rolled cigarettes Per day
V961	sect6q3hpw	hand rolled number	contin	numeric	Hand-rolled cigarettes Per week
V962	sect6q3hpm	hand rolled number	contin	numeric	Hand-rolled cigarettes Per month
V963	sect6q3ppd	pipe full with tobacco	contin	numeric	Pipe full of tobacco Per day
V964	sect6q3ppw	pipe full with tobacco	contin	numeric	Pipe full of tobacco Per week
V965	sect6q3ppm	pipe full with tobacco	contin	numeric	Pipe full of tobacco Per month
V966	sect6q3cpd	cigar, cheroot or cigarolers	contin	numeric	Cigar, cheroots, or cigarillos Per day
V967	sect6q3cpw	cigar, cheroot or cigarolers	contin	numeric	Cigar, cheroots, or cigarillos Per week

ID	Name	Label	Type	Format	Question
V968	sect6q3cpm	cigar, cheroot or cigarolors	contin	numeric	Cigar, cheroots, or cigarillos Per month
V969	sect6q3wpd	water pipe	contin	numeric	Water pipe Per day
V970	sect6q3wpw	water pipe	contin	numeric	Water pipe Per week
V971	sect6q3wpm	water pipe	contin	numeric	Water pipe Per day
V972	sect6q3tpd	tobbaco snuff	contin	numeric	Tobacco snuff Per day
V973	sect6q3tpw	tobbaco snuff	contin	numeric	Tobacco snuff Per week
V974	sect6q3tpm	tobbaco snuff	contin	numeric	Tobacco snuff Per month
V975	sect6q3othpd	others per day	contin	numeric	Other (specify) Per day
V976	sect6q3othpw	others per day	contin	numeric	Other (specify) Per week
V977	sect6q3othpm	others per day	contin	numeric	Other (specify) Per month
V978	sect6q4	if only in the past how often did you smoke	discrete	numeric	If only in the past, how often did you smoke or use tobacco?
V979	sect7q1	have you ever consumed an alcoholic drink such as beer, wine, spirits, fermented	discrete	numeric	Have you ever consumed an alcoholic drink such as beer, wine, spirits, fermented cider, palm wine etc.
V980	sect7q2	have you consumed an alcoholic drink within the past 12 months?	discrete	numeric	Have you consumed an alcoholic drink within the past 12 months?
V981	sect7q3	during the past 12 months, how frequently have you had at least one alcoholic dr	discrete	numeric	During the past 12 months, how frequently have you had at least one alcoholic drink?
V982	sect7q4	have you consumed an alcoholic drink within the past 30 days?	discrete	numeric	Have you consumed an alcoholic drink within the past 30 days?
V983	sect7q5	during the past 30 days, on how many occasions did you have at least one alcohol	discrete	numeric	During the past 30 days, on how many occasions did you have at least one alcoholic drink?
V984	sect7q6	during the past 30 days, when you drank alcohol, on average, how many standard a	discrete	numeric	During the past 30 days, when you drank alcohol, on average, how many standard alcoholic drinks did you consume on a single drinking occasion?
V985	sect7q7	during the past 30 days, what was the largest number of standard alcoholic drink	discrete	numeric	During the past 30 days, what was the largest number of standard alcoholic drinks you consumed on a single occasion, counting all types of alcoholic drinks together?
V986	sect7q8	during the past 30 days, how many times did you buy (men only) five or more stan	discrete	numeric	During the past 30 days, how many times did you buy (men only) five or more standard alcoholic drinks in a single drinking occasion?
V987	sect7q9	during the past 30 days, how many times did you buy (women only) four or more st	discrete	numeric	During the past 30 days, how many times did you buy (women only) four or more standard alcoholic drinks in a single drinking occasion?
V988	typesect8_01	type of substances	discrete	character	Type of substance
V989	types2u	type of substances	discrete	character	Type of substance
V990	types2v	type of substances	discrete	character	Type of substance
V991	sect8q1_01	have you ever heard of	discrete	numeric	Have you ever heard of... as a substance of abuse? Cannabis (herb or resin (hashish)) [Wee Wee; Weed; Marijuana; Mary & Joan; Choko; Yoyo; Kush; Skunk; Green Leaf; Ghanja; Grass; Indian Hemp; Blaze; Taba; Ndedeko; Bendel Market; Genye]
V992	sect8q2a_01	newspaper	discrete	character	Where did you hear about it? Newspaper
V993	sect8q2b_01	tv/radio	discrete	character	Where did you hear about it? Tv/Radio
V994	sect8q2c_01	friends	discrete	character	Where did you hear about it? Friends

ID	Name	Label	Type	Format	Question
V995	sect8q2d_01	in school/college	discrete	character	Where did you hear about it? In school/College
V996	sect8q2e_01	workplace	discrete	character	Where did you hear about it? Workplace
V997	sect8q2f_01	family	discrete	character	Where did you hear about it? Family
V998	sect8q2g_01	neighbourhood/community	discrete	character	Where did you hear about it? Neighbourhood/community
V999	sect8q2h_01	medical doctor	discrete	character	Where did you hear about it? Medical Doctor
V1000	sect8q2i_01	other (specify)	discrete	character	Where did you hear about it? Other (Specify)
V1001	typesect8_02	type of substances	discrete	character	Type of substance
V1002	types2s	type of substances	discrete	character	Type of substance
V1003	types2t	type of substances	discrete	character	Type of substance
V1004	sect8q1_02	have you ever heard of	discrete	numeric	Have you ever heard of... as a substance of abuse? Prescription opioids or painkillers such as tramadol or codeine [Relief; TM; Tar;
V1005	sect8q2a_02	newspaper	discrete	character	Where did you hear about it? Newspaper
V1006	sect8q2b_02	tv/radio	discrete	character	Where did you hear about it? Tv/Radio
V1007	sect8q2c_02	friends	discrete	character	Where did you hear about it? Friends
V1008	sect8q2d_02	in school/college	discrete	character	Where did you hear about it? In school/college
V1009	sect8q2e_02	workplace	discrete	character	Where did you hear about it? Workplace
V1010	sect8q2f_02	family	discrete	character	Where did you hear about it? Family
V1011	sect8q2g_02	neighbourhood/community	discrete	character	Where did you hear about it? Neighbourhood/community
V1012	sect8q2h_02	medical doctor	discrete	character	Where did you hear about it? Medical Doctor
V1013	sect8q2i_02	other (specify)	discrete	character	Where did you hear about it? Other (Specify)
V1014	typesect8_03	type of substances	discrete	character	Type of substances
V1015	types2q	type of substances	discrete	character	Type of substances
V1016	types2r	type of substances	discrete	character	Type of substances
V1017	sect8q1_03	have you ever heard of	discrete	numeric	Have you ever heard of... as a substance of abuse? Tranquillizer/sedatives such as valium [Pills;]
V1018	sect8q2a_03	newspaper	discrete	character	Where did you hear about it? Newspaper
V1019	sect8q2b_03	tv/radio	discrete	character	Where did you hear about it? Tv/Radio
V1020	sect8q2c_03	friends	discrete	character	Where did you hear about it? Friends
V1021	sect8q2d_03	in school/college	discrete	character	Where did you hear about it? In school/college
V1022	sect8q2e_03	workplace	discrete	character	Where did you hear about it? Workplace
V1023	sect8q2f_03	family	discrete	character	Where did you hear about it? Family
V1024	sect8q2g_03	neighbourhood/community	discrete	character	Where did you hear about it? Neighbourhood/Community
V1025	sect8q2h_03	medical doctor	discrete	character	Where did you hear about it? Medical Doctor
V1026	sect8q2i_03	other (specify)	discrete	character	Where did you hear about it? Other (Specify)
V1027	typesect8_04	type of substances	discrete	character	Type of Substances
V1028	types2o	type of substances	discrete	character	Type of Substances

ID	Name	Label	Type	Format	Question
V1029	types2p	type of substances	discrete	character	Type of Substances
V1030	sect8q1_04	have you ever heard of	discrete	numeric	Have you ever heard of... as a substance of abuse? Amphetamine such as dexedrine
V1031	sect8q2a_04	newspaper	discrete	character	Where did you hear about it? Newspaper
V1032	sect8q2b_04	tv/radio	discrete	character	Where did you hear about it? Tv/Radio
V1033	sect8q2c_04	friends	discrete	character	Where did you hear about it? Friends
V1034	sect8q2d_04	in school/college	discrete	character	Where did you hear about it? In school/college
V1035	sect8q2e_04	workplace	discrete	character	Where did you hear about it? Workplace
V1036	sect8q2f_04	family	discrete	character	Where did you hear about it? Family
V1037	sect8q2g_04	neighbourhood/community	discrete	character	Where did you hear about it? Neighbourhood/community
V1038	sect8q2h_04	medical doctor	discrete	character	Where did you hear about it? Medical doctor
V1039	sect8q2i_04	other (specify)	discrete	character	Where did you hear about it? Other (specify)
V1040	typesect8_05	type of substances	discrete	character	Types of Substances
V1041	types2m	type of substances	discrete	character	Types of Substances
V1042	types2n	type of substances	discrete	character	Types of Substances
V1043	sect8q1_05	have you ever heard of	discrete	numeric	Have you ever heard of... as a substance of abuse? Methamphetamine [Players; Boys; Nuts]
V1044	sect8q2a_05	newspaper	discrete	character	Where did you hear about it? Newspaper
V1045	sect8q2b_05	tv/radio	discrete	character	Where did you hear about it? Tv/Radio
V1046	sect8q2c_05	friends	discrete	character	Where did you hear about it? Friends
V1047	sect8q2d_05	in school/college	discrete	character	Where did you hear about it? In school/college
V1048	sect8q2e_05	workplace	discrete	character	Where did you hear about it? Workplace
V1049	sect8q2f_05	family	discrete	character	Where did you hear about it? Family
V1050	sect8q2g_05	neighbourhood/community	discrete	character	Where did you hear about it? Neighbourhood/Community
V1051	sect8q2h_05	medical doctor	discrete	character	Where did you hear about it? Medical Doctor
V1052	sect8q2i_05	other (specify)	discrete	character	Where did you hear about it? Other (Specify)
V1053	typesect8_06	type of substances	discrete	character	Types of Substances
V1054	types2k	type of substances	discrete	character	Types of Substances
V1055	types2l	type of substances	discrete	character	Types of Substances
V1056	sect8q1_06	have you ever heard of	discrete	numeric	Have you ever heard of... as a substance of abuse? Cocaine [Coke; Powder; Thailand White; Brown/Black; Off White; Charlie]
V1057	sect8q2a_06	newspaper	discrete	character	Where did you hear about it? Newspaper
V1058	sect8q2b_06	tv/radio	discrete	character	Where did you hear about it? Tv/radio
V1059	sect8q2c_06	friends	discrete	character	Where did you hear about it? Friends
V1060	sect8q2d_06	in school/college	discrete	character	Where did you hear about it? In school/college
V1061	sect8q2e_06	workplace	discrete	character	Where did you hear about it? Workplace
V1062	sect8q2f_06	family	discrete	character	Where did you hear about it? Family

ID	Name	Label	Type	Format	Question
V1063	sect8q2g_06	neighbourhood/community	discrete	character	Where did you hear about it? Neighbourhood/community
V1064	sect8q2h_06	medical doctor	discrete	character	Where did you hear about it? Medical Doctor
V1065	sect8q2i_06	other (specify)	discrete	character	Where did you hear about it? Other (Specify)
V1066	typesect8_07	type of substances	discrete	character	Types of Substances
V1067	types2i	type of substances	discrete	character	Types of Substances
V1068	types2j	type of substances	discrete	character	Types of Substances
V1069	sect8q1_07	have you ever heard of	discrete	numeric	Have you ever heard of... as a substance of abuse? Crack cocaine
V1070	sect8q2a_07	newspaper	discrete	character	Where did you hear about it? Newspaper
V1071	sect8q2b_07	tv/radio	discrete	character	Where did you hear about it? Tv/radio
V1072	sect8q2c_07	friends	discrete	character	Where did you hear about it? Friends
V1073	sect8q2d_07	in school/college	discrete	character	Where did you hear about it? In school/college
V1074	sect8q2e_07	workplace	discrete	character	Where did you hear about it? Workplace
V1075	sect8q2f_07	family	discrete	character	Where did you hear about it? Family
V1076	sect8q2g_07	neighbourhood/community	discrete	character	Where did you hear about it? Neighbourhood/community
V1077	sect8q2h_07	medical doctor	discrete	character	Where did you hear about it? Medical Doctor
V1078	sect8q2i_07	other (specify)	discrete	character	Where did you hear about it? Other(Specify)
V1079	typesect8_08	type of substances	discrete	character	Types of Substances
V1080	types2g	type of substances	discrete	character	Types of Substances
V1081	types2h	type of substances	discrete	character	Types of Substances
V1082	sect8q1_08	have you ever heard of	discrete	numeric	Have you ever heard of... as a substance of abuse? Ecstasy [Yan Wasa]
V1083	sect8q2a_08	newspaper	discrete	character	Where did you hear about it? Newspaper
V1084	sect8q2b_08	tv/radio	discrete	character	Where did you hear about it? Tv/radio
V1085	sect8q2c_08	friends	discrete	character	Where did you hear about it? Friends
V1086	sect8q2d_08	in school/college	discrete	character	Where did you hear about it? In school/college
V1087	sect8q2e_08	workplace	discrete	character	Where did you hear about it? Workplace
V1088	sect8q2f_08	family	discrete	character	Where did you hear about it? Family
V1089	sect8q2g_08	neighbourhood/community	discrete	character	Where did you hear about it? Neighbourhood/community
V1090	sect8q2h_08	medical doctor	discrete	character	Where did you hear about it? Medical doctor
V1091	sect8q2i_08	other (specify)	discrete	character	Where did you hear about it? Other (Specify)
V1092	typesect8_09	type of substances	discrete	character	Types of substances
V1093	types2e	type of substances	discrete	character	Types of substances
V1094	types2f	type of substances	discrete	character	Types of substances
V1095	sect8q1_09	have you ever heard of	discrete	numeric	Have you ever heard of... as a substance of abuse? Cough syrups containing codeine such as coldex or benyln [Koko; Crude oil; Slow; Yaro Mantuwa]
V1096	sect8q2a_09	newspaper	discrete	character	Where did you hear about it? Newspaper

ID	Name	Label	Type	Format	Question
V1097	sect8q2b_09	tv/radio	discrete	character	Where did you hear about it? Tv/Radio
V1098	sect8q2c_09	friends	discrete	character	Where did you hear about it? Friends
V1099	sect8q2d_09	in school/college	discrete	character	Where did you hear about it? In school/college
V1100	sect8q2e_09	workplace	discrete	character	Where did you hear about it? workplace
V1101	sect8q2f_09	family	discrete	character	Where did you hear about it? family
V1102	sect8q2g_09	neighbourhood/community	discrete	character	Where did you hear about it? neighbourhood/community
V1103	sect8q2h_09	medical doctor	discrete	character	Where did you hear about it? medical doctor
V1104	sect8q2i_09	other (specify)	discrete	character	Where did you hear about it? Other (specify)
V1105	typesect8_10	type of substances	discrete	character	Type of substances
V1106	types2c	type of substances	discrete	character	Type of substances
V1107	types2d	type of substances	discrete	character	Type of substances
V1108	sect8q1_10	have you ever heard of	discrete	numeric	Have you ever heard of... as a substance of abuse? Heroin [Gabji; Market]
V1109	sect8q2a_10	newspaper	discrete	character	Where did you hear about it? Newspaper
V1110	sect8q2b_10	tv/radio	discrete	character	Where did you hear about it? tv/radio
V1111	sect8q2c_10	friends	discrete	character	Where did you hear about it? friends
V1112	sect8q2d_10	in school/college	discrete	character	Where did you hear about it? in school/college
V1113	sect8q2e_10	workplace	discrete	character	Where did you hear about it? workplace
V1114	sect8q2f_10	family	discrete	character	Where did you hear about it? family
V1115	sect8q2g_10	neighbourhood/community	discrete	character	Where did you hear about it? neighbourhood/community
V1116	sect8q2h_10	medical doctor	discrete	character	Where did you hear about it? medical doctor
V1117	sect8q2i_10	other (specify)	discrete	character	Where did you hear about it? other (specify)
V1118	typesect8_11	type of substances	discrete	character	Type of substances
V1119	types2a	type of substances	discrete	character	Type of substances
V1120	types2b	type of substances	discrete	character	Type of substances
V1121	sect8q1_11	have you ever heard of	discrete	numeric	Have you ever heard of... as a substance of abuse? Hallucinogens such as LSD or PCP [Players; Italian White; Boys]
V1122	sect8q2a_11	newspaper	discrete	character	Where did you hear about it? Newspaper
V1123	sect8q2b_11	tv/radio	discrete	character	Where did you hear about it? Tv/radio
V1124	sect8q2c_11	friends	discrete	character	Where did you hear about it? Friends
V1125	sect8q2d_11	in school/college	discrete	character	Where did you hear about it? In school/college
V1126	sect8q2e_11	workplace	discrete	character	Where did you hear about it? Workplace
V1127	sect8q2f_11	family	discrete	character	Where did you hear about it? Family
V1128	sect8q2g_11	neighbourhood/community	discrete	character	Where did you hear about it? neighbourhood/community
V1129	sect8q2h_11	medical doctor	discrete	character	Where did you hear about it? medical doctor
V1130	sect8q2i_11	other (specify)	discrete	character	Where did you hear about it? other (specify)
V1131	typesect8_12	type of substances	discrete	character	Types of substances

ID	Name	Label	Type	Format	Question
V1132	types28	type of substances	discrete	character	Types of substances
V1133	types29	type of substances	discrete	character	Types of substances
V1134	sect8q1_12	have you ever heard of	discrete	numeric	Have you ever heard of... as a substance of abuse? Solvents/Inhalants (such as glue) [Shaba; Dogua; Helicopter; Sholisho]
V1135	sect8q2a_12	newspaper	discrete	character	Where did you hear about it? Newspaper
V1136	sect8q2b_12	tv/radio	discrete	character	Where did you hear about it? Tv/radio
V1137	sect8q2c_12	friends	discrete	character	Where did you hear about it? Friends
V1138	sect8q2d_12	in school/college	discrete	character	Where did you hear about it? In school/college
V1139	sect8q2e_12	workplace	discrete	character	Where did you hear about it? workplace
V1140	sect8q2f_12	family	discrete	character	Where did you hear about it? family
V1141	sect8q2g_12	neighbourhood/community	discrete	character	Where did you hear about it? neighbourhood/community
V1142	sect8q2h_12	medical doctor	discrete	character	Where did you hear about it? medical doctor
V1143	sect8q2i_12	other (specify)	discrete	character	Where did you hear about it? Other (Specify)
V1144	typesect8_13	type of substances	discrete	character	Type of Substances
V1145	types26	type of substances	discrete	character	Type of Substances
V1146	types27	type of substances	discrete	character	Type of Substances
V1147	sect8q1_13	have you ever heard of	discrete	numeric	Have you ever heard of... as a substance of abuse? Other (specify)
V1148	sect8q2a_13	newspaper	discrete	character	Where did you hear about it? Newspaper
V1149	sect8q2b_13	tv/radio	discrete	character	Where did you hear about it? Tv/radio
V1150	sect8q2c_13	friends	discrete	character	Where did you hear about it? Friends
V1151	sect8q2d_13	in school/college	discrete	character	Where did you hear about it? In school/college
V1152	sect8q2e_13	workplace	discrete	character	Where did you hear about it? Workplace
V1153	sect8q2f_13	family	discrete	character	Where did you hear about it? Family
V1154	sect8q2g_13	neighbourhood/community	discrete	character	Where did you hear about it? neighbourhood/community
V1155	sect8q2h_13	medical doctor	discrete	character	Where did you hear about it? medical doctor
V1156	sect8q2i_13	other (specify)	discrete	character	Where did you hear about it? other (specify)
V1157	typesect9_01	type of substances	discrete	character	Types of substances
V1158	types24	type of substances	discrete	character	Types of substances
V1159	types25	type of substances	discrete	character	Types of substances
V1160	sect9q1_01	people personally using	discrete	numeric	People personally known using
V1161	typesect9_02	type of substances	discrete	character	Type of substance Cannabis (herb or resin (hashish)) [Wee Wee; Weed; Marijuana; Mary & Joan; Choko; Yoyo; Kush; Skunk; Green Leaf; Ghanja; Grass; Indian Hemp; Blaze; Taba; Ndedeko; Bendel Market; Genye]
V1162	types22	type of substances	discrete	character	
V1163	types23	type of substances	discrete	character	
V1164	sect9q1_02	people personally using	discrete	numeric	People personally known using

ID	Name	Label	Type	Format	Question
V1165	typesect9_03	type of substances	discrete	character	Type of substance Prescription opioids or painkillers such as tramadol or codeine [Relief; TM; Tar; Tramol]
V1166	types20	type of substances	discrete	character	
V1167	types21	type of substances	discrete	character	
V1168	sect9q1_03	people personally using	discrete	numeric	People personally known using
V1169	typesect9_04	type of substances	discrete	character	Type of substance Tranquilizer/sedatives such as valium [Pills]
V1170	types1y	type of substances	discrete	character	
V1171	types1z	type of substances	discrete	character	
V1172	sect9q1_04	people personally using	discrete	numeric	People personally known using
V1173	typesect9_05	type of substances	discrete	character	Type of substance Amphetamine such as dexedrine
V1174	types1w	type of substances	discrete	character	
V1175	types1x	type of substances	discrete	character	
V1176	sect9q1_05	people personally using	discrete	numeric	People personally known using
V1177	typesect9_06	type of substances	discrete	character	Type of substance Methamphetamine [Players; Boys; Nuts]
V1178	types1u	type of substances	discrete	character	
V1179	types1v	type of substances	discrete	character	
V1180	sect9q1_06	people personally using	discrete	numeric	People personally known using
V1181	typesect9_07	type of substances	discrete	character	Type of substance Cocaine [Coke; Powder; Thailand White; Brown/Black; Off White; Charlie]
V1182	types1s	type of substances	discrete	character	
V1183	types1t	type of substances	discrete	character	
V1184	sect9q1_07	people personally using	discrete	numeric	People personally known using
V1185	typesect9_08	type of substances	discrete	character	Type of substance Crack cocaine
V1186	types1q	type of substances	discrete	character	
V1187	types1r	type of substances	discrete	character	
V1188	sect9q1_08	people personally using	discrete	numeric	People personally known using
V1189	typesect9_09	type of substances	discrete	character	Type of substance Ecstasy [Yan Wasa]
V1190	types1o	type of substances	discrete	character	
V1191	types1p	type of substances	discrete	character	
V1192	sect9q1_09	people personally using	discrete	numeric	People personally known using
V1193	typesect9_10	type of substances	discrete	character	Type of substance Cough syrups containing codeine such as coldex or benyln [Koko; Crude oil; Slow; Yaro Mantuwa]
V1194	types1m	type of substances	discrete	character	
V1195	types1n	type of substances	discrete	character	
V1196	sect9q1_10	people personally using	discrete	numeric	People personally known using
V1197	typesect9_11	type of substances	discrete	character	Type of substance Heroin [Gabji; Market]
V1198	types1k	type of substances	discrete	character	
V1199	types1l	type of substances	discrete	character	

ID	Name	Label	Type	Format	Question
V1200	sect9q1_11	people personally using	discrete	numeric	People personally known using
V1201	typesect9_12	type of substances	discrete	character	Type of substance Hallucinogens such as LSD or PCP [Italian White]
V1202	types1i	type of substances	discrete	character	
V1203	types1j	type of substances	discrete	character	
V1204	sect9q1_12	people personally using	discrete	numeric	People personally known using
V1205	typesect9_13	type of substances	discrete	character	Type of substance Solvents/Inhalants (such as glue) [Shaba; Dogua; Helicopter; Sholisho]
V1206	types1g	type of substances	discrete	character	
V1207	types1h	type of substances	discrete	character	
V1208	sect9q1_13	people personally using	discrete	numeric	People personally known using
V1209	sect9q2_01	how many	contin	numeric	How many?
V1210	typesect9b_01	type of substances	discrete	character	Type of substance Cannabis (herb or resin (hashish)) [Wee Wee; Weed; Marijuana; Mary & Joan; Choko; Yoyo; Kush; Skunk; Green Leaf; Ghanja; Grass; Indian Hemp; Blaze; Taba; Ndedeko; Bendel Market; Genye]
V1211	types1e	type of substances	discrete	character	
V1212	types1f	type of substances	discrete	character	
V1213	sect9q2_02	how many	contin	numeric	How many?
V1214	typesect9b_02	type of substances	discrete	character	Type of substance Prescription opioids or painkillers such as tramadol or codeine [Relief; TM; Tar; Tramol]
V1215	types1c	type of substances	discrete	character	
V1216	types1d	type of substances	discrete	character	
V1217	sect9q2_03	how many	contin	numeric	How many?
V1218	typesect9b_03	type of substances	discrete	character	Type of substance Tranquilizer/sedatives such as valium [Pills]
V1219	types1a	type of substances	discrete	character	
V1220	types1b	type of substances	discrete	character	
V1221	sect9q2_04	how many	contin	numeric	How many?
V1222	typesect9b_04	type of substances	discrete	character	Type of substance Amphetamine such as dexedrine
V1223	types18	type of substances	discrete	character	
V1224	types19	type of substances	discrete	character	
V1225	sect9q2_05	how many	contin	numeric	How many?
V1226	typesect9b_05	type of substances	discrete	character	Type of substance Methamphetamine [Players; Boys; Nuts]
V1227	types16	type of substances	discrete	character	
V1228	types17	type of substances	discrete	character	
V1229	sect9q2_06	how many	contin	numeric	How many?
V1230	typesect9b_06	type of substances	discrete	character	Type of substance Cocaine [Coke; Powder; Thailand White; Brown/Black; Off White; Charlie]
V1231	types14	type of substances	discrete	character	
V1232	types15	type of substances	discrete	character	

ID	Name	Label	Type	Format	Question
V1233	sect9q2_07	how many	contin	numeric	How many?
V1234	typesect9b_07	type of substances	discrete	character	Type of substance Crack cocaine
V1235	types12	type of substances	discrete	character	
V1236	types13	type of substances	discrete	character	
V1237	sect9q2_08	how many	contin	numeric	How many?
V1238	typesect9b_08	type of substances	discrete	character	Type of substance Ecstasy [Yan Wasa]
V1239	types10	type of substances	discrete	character	
V1240	types11	type of substances	discrete	character	
V1241	sect9q2_09	how many	contin	numeric	How many?
V1242	typesect9b_09	type of substances	discrete	character	Type of substance Cough syrups containing codeine such as coldex or benyln [Koko; Crude oil; Slow; Yaro Mantuwa]
V1243	typesy	type of substances	discrete	character	
V1244	typesz	type of substances	discrete	character	
V1245	sect9q2_10	how many	contin	numeric	How many?
V1246	typesect9b_10	type of substances	discrete	character	Type of substance Heroin [Gabji; Market]
V1247	typesw	type of substances	discrete	character	
V1248	typesx	type of substances	discrete	character	
V1249	sect9q2_11	how many	contin	numeric	How many?
V1250	typesect9b_11	type of substances	discrete	character	Type of substance Hallucinogens such as LSD or PCP [Italian White]
V1251	typesu	type of substances	discrete	character	
V1252	typesv	type of substances	discrete	character	
V1253	sect9q2_12	how many	contin	numeric	How many?
V1254	typesect9b_12	type of substances	discrete	character	Type of substance Solvents/Inhalants (such as glue) [Shaba; Dogua; Helicopter; Sholisho]
V1255	types	type of substances	discrete	character	
V1256	types	type of substances	discrete	character	
V1257	sect9q2_13	how many	contin	numeric	How many?
V1258	typesect9b_13	type of substances	discrete	character	Type of substance Other (specify)
V1259	typesq	type of substances	discrete	character	
V1260	typesr	type of substances	discrete	character	
V1261	sect9q3_01	household member	discrete	numeric	Household member Cannabis (herb or resin (hashish)) [Wee Wee; Weed; Marijuana; Mary & Joan; Choko; Yoyo; Kush; Skunk; Green Leaf; Ghanja; Grass; Indian Hemp; Blaze; Taba; Ndedeko; Bendel Market; Genye]
V1262	sect9q4_01	approximate number	discrete	numeric	Approximate number
V1263	sect9q5_01	generally whether obtained/bought	discrete	numeric	Generally, whether obtained/bought.....?
V1264	sect9q3_02	household member	discrete	numeric	Household member Prescription opioids or painkillers such as tramadol or codeine [Relief; TM; Tar; Tramol]
V1265	sect9q4_02	approximate number	discrete	numeric	Approximate number
V1266	sect9q5_02	generally whether obtained/bought	discrete	numeric	Generally, whether obtained/bought.....?

ID	Name	Label	Type	Format	Question
V1267	sect9q3_03	household member	discrete	numeric	Household member Tranquilizer/sedatives such as valium [Pills]
V1268	sect9q4_03	approximate number	discrete	numeric	approximate number
V1269	sect9q5_03	generally whether obtained/bought	discrete	numeric	Generally, whether obtained/bought
V1270	sect9q3_04	household member	discrete	numeric	household member Amphetamine such as dexedrine
V1271	sect9q4_04	approximate number	discrete	numeric	approximate number
V1272	sect9q5_04	generally whether obtained/bought	discrete	numeric	Generally, whether obtained/bought
V1273	sect9q3_05	household member	discrete	numeric	Household member Methamphetamine [Players; Boys; Nuts]
V1274	sect9q4_05	approximate number	discrete	numeric	approximate number
V1275	sect9q5_05	generally whether obtained/bought	discrete	numeric	Generally, whether obtained/bought.....?
V1276	sect9q3_06	household member	discrete	numeric	Household member Cocaine [Coke; Powder; Thailand White; Brown/Black; Off White; Charlie]
V1277	sect9q4_06	approximate number	discrete	numeric	approximate number
V1278	sect9q5_06	generally whether obtained/bought	discrete	numeric	generally whether obtained/bought
V1279	sect9q3_07	household member	discrete	numeric	household member Crack cocaine
V1280	sect9q4_07	approximate number	discrete	numeric	approximate number
V1281	sect9q5_07	generally whether obtained/bought	discrete	numeric	generally whether obtained/bought
V1282	sect9q3_08	household member	discrete	numeric	household member Ecstasy [Yan Wasa]
V1283	sect9q4_08	approximate number	discrete	numeric	approximate number
V1284	sect9q5_08	generally whether obtained/bought	discrete	numeric	generally whether obtained/bought
V1285	sect9q3_09	household member	discrete	numeric	household member Cough syrups containing codeine such as coldex or benlyn [Koko; Crude oil; Slow; Yaro Mantuwa]
V1286	sect9q4_09	approximate number	discrete	numeric	approximate number
V1287	sect9q5_09	generally whether obtained/bought	discrete	numeric	generally whether obtained/bought
V1288	sect9q3_10	household member	discrete	numeric	household member Heroin [Gabji; Market]
V1289	sect9q4_10	approximate number	discrete	numeric	approximate number
V1290	sect9q5_10	generally whether obtained/bought	discrete	numeric	generally whether obtained/bought
V1291	sect9q3_11	household member	discrete	numeric	household member Hallucinogens such as LSD or PCP [Italian White]
V1292	sect9q4_11	approximate number	discrete	numeric	approximate number
V1293	sect9q5_11	generally whether obtained/bought	discrete	numeric	generally whether obtained/bought
V1294	sect9q3_12	household member	discrete	numeric	household member Solvents/Inhalants (such as glue) [Shaba; Dogua; Helicopter; Sholisho]
V1295	sect9q4_12	approximate number	discrete	numeric	approximate number
V1296	sect9q5_12	generally whether obtained/bought	discrete	numeric	generally whether obtained/bought
V1297	sect9q3_13	household member	discrete	numeric	household member Other (specify)
V1298	sect9q4_13	approximate number	discrete	numeric	approximate number
V1299	sect9q5_13	generally whether obtained/bought	discrete	numeric	generally whether obtained/bought
V1300	typesect10_01	type of substances	discrete	character	Type of substance
V1301	typeso	type of substances	discrete	character	

ID	Name	Label	Type	Format	Question
V1302	typesp	type of substances	discrete	character	
V1303	sect10q1_01	have you ever use	discrete	numeric	have you ever used? Cannabis (herb or resin (hashish)) [Wee Wee; Weed; Marijuana; Mary & Joan; Choko; Yoyo; Kush; Skunk; Green Leaf; Ghanja; Grass; Indian Hemp; Blaze; Taba; Ndedeko; Bendel Market; Genye]
V1304	sect10q2_01	what was your age at first use of	contin	numeric	What was your age at first use? Cannabis (herb or resin (hashish)) [Wee Wee; Weed; Marijuana; Mary & Joan; Choko; Yoyo; Kush; Skunk; Green Leaf; Ghanja; Grass; Indian Hemp; Blaze; Taba; Ndedeko; Bendel Market; Genye]
V1305	sect10q3_01	have you use in the last 12 months	discrete	numeric	Have you use in the last 12 months? Cannabis (herb or resin (hashish)) [Wee Wee; Weed; Marijuana; Mary & Joan; Choko; Yoyo; Kush; Skunk; Green Leaf; Ghanja; Grass; Indian Hemp; Blaze; Taba; Ndedeko; Bendel Market; Genye]
V1306	sect10q4_01	in the past 30 days how often did you use	discrete	numeric	In the past-30 days, how often do you use it? Cannabis (herb or resin (hashish)) [Wee Wee; Weed; Marijuana; Mary & Joan; Choko; Yoyo; Kush; Skunk; Green Leaf; Ghanja; Grass; Indian Hemp; Blaze; Taba; Ndedeko; Bendel Market; Genye]
V1307	sect10q5_01	what is the usual method you use	discrete	numeric	What is the usual method by which you use? Cannabis (herb or resin (hashish)) [Wee Wee; Weed; Marijuana; Mary & Joan; Choko; Yoyo; Kush; Skunk; Green Leaf; Ghanja; Grass; Indian Hemp; Blaze; Taba; Ndedeko; Bendel Market; Genye]
V1308	sect10q5spc_01	what is the usual method you use (specify)	discrete	character	What is the usual method by which you use? Other (Specify)
V1309	sect1d	what is the usual method you use (specify)	discrete	character	
V1310	sect1e	what is the usual method you use (specify)	discrete	character	
V1311	typesect10_02	type of substances	discrete	character	Type of substance
V1312	typesm	type of substances	discrete	character	
V1313	typesn	type of substances	discrete	character	
V1314	sect10q1_02	have you ever use	discrete	numeric	have you ever used? Prescription opioids or painkillers such as tramadol or codeine[Relief; TM; Tar; Tramol]
V1315	sect10q2_02	what was your age at first use of	contin	numeric	What was your age at first use? Prescription opioids or painkillers such as tramadol or codeine[Relief; TM; Tar; Tramol]
V1316	sect10q3_02	have you use in the last 12 months	discrete	numeric	Have you use in the last 12 months? Prescription opioids or painkillers such as tramadol or codeine[Relief; TM; Tar; Tramol]
V1317	sect10q4_02	in the past 30 days how often did you use	discrete	numeric	In the past-30 days, how often do you use it? Prescription opioids or painkillers such as tramadol or codeine[Relief; TM; Tar; Tramol]
V1318	sect10q5_02	what is the usual method you use	discrete	numeric	What is the usual method by which you use? Prescription opioids or painkillers such as tramadol or codeine[Relief; TM; Tar; Tramol]
V1319	sect10q5spc_02	what is the usual method you use (specify)	discrete	character	What is the usual method by which you use? Other (Specify)

ID	Name	Label	Type	Format	Question
V1320	sect1b	what is the usual method you use (specify)	discrete	character	
V1321	sect1c	what is the usual method you use (specify)	discrete	character	
V1322	typesect10_03	type of substances	discrete	character	Type of substance
V1323	typesk	type of substances	discrete	character	
V1324	typesl	type of substances	discrete	character	
V1325	sect10q1_03	have you ever use	discrete	numeric	have you ever used? Tranquilizer/sedatives such as valium [Pills;]
V1326	sect10q2_03	what was your age at first use of	contin	numeric	What was your age at first use? Tranquilizer/sedatives such as valium [Pills;]
V1327	sect10q3_03	have you use in the last 12 months	discrete	numeric	Have you use in the last 12 months? Tranquilizer/sedatives such as valium [Pills;]
V1328	sect10q4_03	in the past 30 days how often did you use	discrete	numeric	In the past-30 days, how often do you use it? Tranquilizer/sedatives such as valium [Pills;]
V1329	sect10q5_03	what is the usual method you use	discrete	numeric	What is the usual method by which you use? Tranquilizer/sedatives such as valium [Pills;]
V1330	sect10q5spc_03	what is the usual method you use (specify)	discrete	character	What is the usual method by which you use? Other (Specify)
V1331	typesect10_04	type of substances	discrete	character	Type of substance
V1332	typesi	type of substances	discrete	character	
V1333	typesj	type of substances	discrete	character	
V1334	sect10q1_04	have you ever use	discrete	numeric	have you ever used? Amphetamine such as dexedrine
V1335	sect10q2_04	what was your age at first use of	contin	numeric	What was your age at first use? Amphetamine such as dexedrine
V1336	sect10q3_04	have you use in the last 12 months	discrete	numeric	Have you use in the last 12 months? Amphetamine such as dexedrine
V1337	sect10q4_04	in the past 30 days how often did you use	discrete	numeric	In the past-30 days, how often do you use it? Amphetamine such as dexedrine
V1338	sect10q5_04	what is the usual method you use	discrete	numeric	What is the usual method by which you use? Amphetamine such as dexedrine
V1339	sect10q5spc_04	what is the usual method you use (specify)	discrete	character	What is the usual method by which you use? Other (Specify)
V1340	typesect10_05	type of substances	discrete	character	Type of substance
V1341	typesg	type of substances	discrete	character	
V1342	typesh	type of substances	discrete	character	
V1343	sect10q1_05	have you ever use	discrete	numeric	have you ever used? Methamphetamine [Players; Boys; Nuts]
V1344	sect10q2_05	what was your age at first use of	contin	numeric	What was your age at first use? Methamphetamine [Players; Boys; Nuts]
V1345	sect10q3_05	have you use in the last 12 months	discrete	numeric	Have you use in the last 12 months? Methamphetamine [Players; Boys; Nuts]
V1346	sect10q4_05	in the past 30 days how often did you use	discrete	numeric	In the past-30 days, how often do you use it? Methamphetamine [Players; Boys; Nuts]
V1347	sect10q5_05	what is the usual method you use	discrete	numeric	What is the usual method by which you use? Methamphetamine [Players; Boys; Nuts]

ID	Name	Label	Type	Format	Question
V1348	sect10q5spc_05	what is the usual method you use (specify)	discrete	character	What is the usual method by which you use? Other (Specify)
V1349	typesect10_06	type of substances	discrete	character	Type of substance
V1350	typese	type of substances	discrete	character	
V1351	typesf	type of substances	discrete	character	
V1352	sect10q1_06	have you ever use	discrete	numeric	have you ever used? Cocaine [Coke; Powder; Thailand White; Brown/Black; Off White; Charlie]
V1353	sect10q2_06	what was your age at first use of	contin	numeric	What was your age at first use? Cocaine [Coke; Powder; Thailand White; Brown/Black; Off White; Charlie]
V1354	sect10q3_06	have you use in the last 12 months	discrete	numeric	Have you use in the last 12 months? Cocaine [Coke; Powder; Thailand White; Brown/Black; Off White; Charlie]
V1355	sect10q4_06	in the past 30 days how often did you use	discrete	numeric	In the past-30 days, how often do you use it? Cocaine [Coke; Powder; Thailand White; Brown/Black; Off White; Charlie]
V1356	sect10q5_06	what is the usual method you use	discrete	numeric	What is the usual method by which you use? Cocaine [Coke; Powder; Thailand White; Brown/Black; Off White; Charlie]
V1357	sect10q5spc_06	what is the usual method you use (specify)	discrete	character	What is the usual method by which you use? Other (Specify)
V1358	typesect10_07	type of substances	discrete	character	Type of substance
V1359	typesc	type of substances	discrete	character	
V1360	typesd	type of substances	discrete	character	
V1361	sect10q1_07	have you ever use	discrete	numeric	have you ever used? Crack cocaine
V1362	sect10q2_07	what was your age at first use of	contin	numeric	What was your age at first use? Crack cocaine
V1363	sect10q3_07	have you use in the last 12 months	discrete	numeric	Have you use in the last 12 months? Crack cocaine
V1364	sect10q4_07	in the past 30 days how often did you use	discrete	numeric	In the past-30 days, how often do you use it? Crack cocaine
V1365	sect10q5_07	what is the usual method you use	discrete	numeric	What is the usual method by which you use? Crack cocaine
V1366	sect10q5spc_07	what is the usual method you use (specify)	discrete	character	What is the usual method by which you use? Other (Specify)
V1367	typesect10_08	type of substances	discrete	character	Type of substance
V1368	typesa	type of substances	discrete	character	
V1369	typesb	type of substances	discrete	character	
V1370	sect10q1_08	have you ever use	discrete	numeric	have you ever used? Ecstasy Yan Wasa]
V1371	sect10q2_08	what was your age at first use of	contin	numeric	What was your age at first use? Ecstasy Yan Wasa]
V1372	sect10q3_08	have you use in the last 12 months	discrete	numeric	Have you use in the last 12 months? Ecstasy Yan Wasa]
V1373	sect10q4_08	in the past 30 days how often did you use	discrete	numeric	In the past-30 days, how often do you use it? Ecstasy Yan Wasa]
V1374	sect10q5_08	what is the usual method you use	discrete	numeric	What is the usual method by which you use? Ecstasy Yan Wasa]
V1375	sect10q5spc_08	what is the usual method you use (specify)	discrete	character	What is the usual method by which you use? Other (Specify)

ID	Name	Label	Type	Format	Question
V1376	typesect10_09	type of substances	discrete	character	Type of substance
V1377	types8	type of substances	discrete	character	
V1378	types9	type of substances	discrete	character	
V1379	sect10q1_09	have you ever use	discrete	numeric	have you ever used? Cough syrups containing codeine such as coldex or benyln [Koko; Crude oil; Slow; Yaro Mantuwa]
V1380	sect10q2_09	what was your age at first use of	contin	numeric	What was your age at first use? Cough syrups containing codeine such as coldex or benyln [Koko; Crude oil; Slow; Yaro Mantuwa]
V1381	sect10q3_09	have you use in the last 12 months	discrete	numeric	Have you use in the last 12 months? Cough syrups containing codeine such as coldex or benyln [Koko; Crude oil; Slow; Yaro Mantuwa]
V1382	sect10q4_09	in the past 30 days how often did you use	discrete	numeric	In the past-30 days, how often do you use it? Cough syrups containing codeine such as coldex or benyln [Koko; Crude oil; Slow; Yaro Mantuwa]
V1383	sect10q5_09	what is the usual method you use	discrete	numeric	What is the usual method by which you use? Cough syrups containing codeine such as coldex or benyln [Koko; Crude oil; Slow; Yaro Mantuwa]
V1384	sect10q5spc_09	what is the usual method you use (specify)	discrete	character	What is the usual method by which you use? Other (Specify)
V1385	sect19	what is the usual method you use (specify)	discrete	character	
V1386	sect1a	what is the usual method you use (specify)	discrete	character	
V1387	typesect10_10	type of substances	discrete	character	Type of substance
V1388	types6	type of substances	discrete	character	
V1389	types7	type of substances	discrete	character	
V1390	sect10q1_10	have you ever use	discrete	numeric	have you ever used? Heroin [Gabji; Market]
V1391	sect10q2_10	what was your age at first use of	contin	numeric	What was your age at first use? Heroin [Gabji; Market]
V1392	sect10q3_10	have you use in the last 12 months	discrete	numeric	Have you use in the last 12 months? Heroin [Gabji; Market]
V1393	sect10q4_10	in the past 30 days how often did you use	discrete	numeric	In the past-30 days, how often do you use it? Heroin [Gabji; Market]
V1394	sect10q5_10	what is the usual method you use	discrete	numeric	What is the usual method by which you use? Heroin [Gabji; Market]
V1395	sect10q5spc_10	what is the usual method you use (specify)	discrete	character	What is the usual method by which you use? Other (Specify)
V1396	typesect10_11	type of substances	discrete	character	Type of substance
V1397	types4	type of substances	discrete	character	
V1398	types5	type of substances	discrete	character	
V1399	sect10q1_11	have you ever use	discrete	numeric	have you ever used? Hallucinogens such as LSD or PCP [Italian White;]
V1400	sect10q2_11	what was your age at first use of	contin	numeric	What was your age at first use? Hallucinogens such as LSD or PCP [Italian White;]
V1401	sect10q3_11	have you use in the last 12 months	discrete	numeric	Have you use in the last 12 months? Hallucinogens such as LSD or PCP [Italian White;]

ID	Name	Label	Type	Format	Question
V1402	sect10q4_11	in the past 30 days how often did you use	discrete	numeric	In the past-30 days, how often do you use it? Hallucinogens such as LSD or PCP [Italian White;]
V1403	sect10q5_11	what is the usual method you use	discrete	numeric	What is the usual method by which you use? Hallucinogens such as LSD or PCP [Italian White;]
V1404	sect10q5spc_11	what is the usual method you use (specify)	discrete	character	What is the usual method by which you use? Other (Specify)
V1405	typesect10_12	type of substances	discrete	character	Type of substance
V1406	types2	type of substances	discrete	character	
V1407	types3	type of substances	discrete	character	
V1408	sect10q1_12	have you ever use	discrete	numeric	have you ever used? Solvents/Inhalants (such as glue) [Shaba; Dogua; Helicopter; Sholisho]
V1409	sect10q2_12	what was your age at first use of	contin	numeric	What was your age at first use? Solvents/Inhalants (such as glue) [Shaba; Dogua; Helicopter; Sholisho]
V1410	sect10q3_12	have you use in the last 12 months	discrete	numeric	Have you use in the last 12 months? Solvents/Inhalants (such as glue) [Shaba; Dogua; Helicopter; Sholisho]
V1411	sect10q4_12	in the past 30 days how often did you use	discrete	numeric	In the past-30 days, how often do you use it? Solvents/Inhalants (such as glue) [Shaba; Dogua; Helicopter; Sholisho]
V1412	sect10q5_12	what is the usual method you use	discrete	numeric	What is the usual method by which you use? Solvents/Inhalants (such as glue) [Shaba; Dogua; Helicopter; Sholisho]
V1413	sect10q5spc_12	what is the usual method you use (specify)	discrete	character	What is the usual method by which you use? Other (Specify)
V1414	typesect10_13	type of substances	discrete	character	Type of substance
V1415	types0	type of substances	discrete	character	
V1416	types1	type of substances	discrete	character	
V1417	sect10q1_13	have you ever use	discrete	numeric	have you ever used? Other (specify
V1418	sect10q2_13	what was your age at first use of	contin	numeric	What was your age at first use? Other (specify
V1419	sect10q3_13	have you use in the last 12 months	discrete	numeric	Have you use in the last 12 months? Other (specify
V1420	sect10q4_13	in the past 30 days how often did you use	discrete	numeric	In the past-30 days, how often do you use it? Other (specify
V1421	sect10q5_13	what is the usual method you use	discrete	numeric	What is the usual method by which you use? Other (specify
V1422	sect10q5spc_13	what is the usual method you use (specify)	discrete	character	What is the usual method by which you use? Other (Specify)
V1423	sect18	what is the usual method you use (specify)	discrete	character	
V1424	sect10q6_01	what is the average amount you spent per day	contin	numeric	What is the average amount you spent per day during last 30 days on this substance? (Naira) Cannabis (herb or resin (hashish)) [Wee Wee; Weed; Marijuana; Mary & Joan; Choko; Yoyo; Kush; Skunk; Green Leaf; Ghanja; Grass; Indian Hemp; Blaze; Taba; Ndedeko; Bendel Market; Genye]

ID	Name	Label	Type	Format	Question
V1425	sect10q6_02	what is the average amount you spent per day	contin	numeric	What is the average amount you spent per day during last 30 days on this substance? Prescription opioids or painkillers such as tramadol or codeine [Relief; TM; Tar; Tramol]
V1426	sect10q6_03	what is the average amount you spent per day	contin	numeric	What is the average amount you spent per day during last 30 days on this substance? Tranquilizer/sedatives such as valium [Pills;]
V1427	sect10q6_04	what is the average amount you spent per day	contin	numeric	What is the average amount you spent per day during last 30 days on this substance? Amphetamine such as dexedrine
V1428	sect10q6_05	what is the average amount you spent per day	contin	numeric	What is the average amount you spent per day during last 30 days on this substance? Methamphetamine [Players; Boys; Nuts]
V1429	sect10q6_06	what is the average amount you spent per day	contin	numeric	What is the average amount you spent per day during last 30 days on this substance? Cocaine [Coke; Powder; Thailand White; Brown/Black; Off White; Charlie]
V1430	sect10q6_07	what is the average amount you spent per day	contin	numeric	What is the average amount you spent per day during last 30 days on this substance? Crack cocaine
V1431	sect10q6_08	what is the average amount you spent per day	contin	numeric	What is the average amount you spent per day during last 30 days on this substance? Ecstasy Yan Wasa]
V1432	sect10q6_09	what is the average amount you spent per day	contin	numeric	What is the average amount you spent per day during last 30 days on this substance? Cough syrups containing codeine such as coldex or benlyn [Koko; Crude oil; Slow; Yaro Mantuwa]
V1433	sect10q6_10	what is the average amount you spent per day	contin	numeric	What is the average amount you spent per day during last 30 days on this substance? Heroin [Gabji; Market]
V1434	sect10q6_11	what is the average amount you spent per day	contin	numeric	What is the average amount you spent per day during last 30 days on this substance? Hallucinogens such as LSD or PCP [Italian White;]
V1435	sect10q6_12	what is the average amount you spent per day	contin	numeric	What is the average amount you spent per day during last 30 days on this substance? Solvents/Inhalants (such as glue) [Shaba; Dogua; Helicopter; Sholisho]
V1436	sect10q6_13	what is the average amount you spent per day	contin	numeric	what is the average amount you spent per day (Naira) Other (specify
V1437	sect10q7	name of substance first use	discrete	character	What is the name of the substance you first used
V1438	sect16	name of substance first use	discrete	character	What is the name of the substance you first used
V1439	sect17	name of substance first use	discrete	character	What is the name of the substance you first used
V1440	sect11intro	of all the substance(s) you previously mentioned	discrete	character	
V1441	sect14	of all the substance(s) you previously mentioned	discrete	character	
V1442	sect15	of all the substance(s) you previously mentioned	discrete	character	
V1443	sect11inrospc	please specify substance	discrete	character	please specify substance
V1444	sect12	please specify substance	discrete	character	
V1445	sect13	please specify substance	discrete	character	

ID	Name	Label	Type	Format	Question
V1446	sect11q1	was there a month or more when you spent a lot of your time geeting or using	discrete	numeric	Was there a month or more when you spent a lot of your time getting or using
V1447	sect11q2	was there a month when you a lot of your time getting over	discrete	numeric	Was there a month or more when you spent a lot of your time getting over the effects of the you used?
V1448	sect11q3	did you try to set limits on how	discrete	numeric	Did you try to set limits on how often or how muchyou would use?
V1449	sect11q4	were you able to keep to the limit you use	discrete	numeric	Were you able to keep to the limit you set, or did you often use more than you intended to?
V1450	sect11q5	during the past 12 months did you need to use more ...than you use to in order t	discrete	numeric	During the past 12 months, did you need to use more than you used to in order to get the effect you wanted?
V1451	sect11q6	did you notice that using the same amount of the substance	discrete	numeric	Did you notice that using the same amount of has less effect on you than it used to?
V1452	sect11q7	did you try to cut down or stop using	discrete	numeric	Did you want to try to cut down or stop using.....?
V1453	sect11q8	were you able to cut down or srop using every time you wanted to or tried to	discrete	numeric	Were you able to cut down or stop using every time you wanted to or tried to?
V1454	sect11q9	after you cut back or stopped using ... did you feel sick	discrete	numeric	After you cut back or stopped using..... did you feel sick or have withdrawal symptoms that lasted for more than a day?
V1455	sect11q10	did you have any problem with your emotions nerves or mental health that were	discrete	numeric	Did you have any problem with your emotions, nerves or mental health that were probably caused or madeworse by your use of?
V1456	sect11q11	did you continue to use even though you thought it was	discrete	numeric	Did you continue to use even though you thought it was causing you to have problems with your emotions, nerves or mental health?
V1457	sect11q12	did you have any physical health problems that were caused or made worse	discrete	numeric	Did you have any physical health problems that were probably caused or made worse by your use of?
V1458	sect11q13	did you continue to use ... even though you thought it was causing you to have	discrete	numeric	Did you continue to useeven though you thought it was causing you to have physical problems?
V1459	sect11q14	during the past 12 months did usingcause you to give up or spend less tim	discrete	numeric	During the past 12 months did using cause you to give up or spend less time working, going to school,taking care of childern, doing hobbies or sports and spending time with your friends and family?
V1460	sect11q15	did usingcause you to have serious problems like	discrete	numeric	Did using cause you to have serious problems like this either at home, work or school?
V1461	sect11q16	did you regularly use.....use then do something where using	discrete	numeric	Did you regularly use and then do something where using might have put you into physical danger?
V1462	sect11q17	did using ... cause you to do things that repeatedly got you	discrete	numeric	Did using cause you to do things that repeatedly got you in trouble with the law?
V1463	sect11q18	did you have any problem with family or frindes that were probably	discrete	numeric	Did you have any problem with family or friends that were probably caused by your use of?
V1464	sect11q19	did you continue to use it even though you thought it might	discrete	numeric	Did you continue to use it even though you thought it might cause problems with family or friends?

ID	Name	Label	Type	Format	Question
V1465	sect12q1	have you ever been arrested on drug related charge	discrete	numeric	Have you ever been arrested on a drug related charge?
V1466	sect12q2	were you arrested in the 12 months on a drug related	discrete	numeric	Were you arrested in the past 12 months on a drug-related charge? (possession of drugs, dealing or trafficking of drugs)
V1467	sect12q3	have you ever been treated for problems related to drug use	discrete	numeric	Were you arrested in the past 12 months on a drug-related charge? (possession of drugs, dealing or trafficking of drugs)
V1468	sect12q4	how many times have you been treated	discrete	numeric	How many times have you been treated in your entire life for drug related problems?
V1469	sect12q5	how many times have you been treated in past 12 months	discrete	numeric	How many times have you been treated in past 12 months?
V1470	sect12q6	where were you treated the last time	discrete	numeric	Where were you treated the last time?
V1471	sect12q6spc	treated last specify	discrete	character	Where were you treated the last time? Other (Specify)
V1472	sect10	treated last specify	discrete	character	
V1473	sect11	treated last specify	discrete	character	
V1474	sect13q1	in the past 12 months , has someone, who had been using drugs'	discrete	numeric	In the past 12 months, has someone, who had been using drugs harmed you physically?
V1475	sect13q2	in the past 12 months did you feel threatened or afraid	discrete	numeric	In the past 12 months, did you feel threatened or afraid because of someone's drug use at home or in some other private settings?
V1476	sect13q3	in the past 12 months , have you had family problems or marriage	discrete	numeric	In the past 12 months, have you had family problems or marriage difficulties due to a family member's use of drugs
V1477	sect13q4	in the past 12 months have you had problem with a friend or neighbour	discrete	numeric	In the past 12 months, have you had problems with a friend or neighbour due to their drug use?
V1478	sect13q5	did you stop seeing any friend , relative or neighbour because of drug use	discrete	numeric	Did you stop seeing any friend, relative or neighbor because of their drug use?
V1479	sect13q6	did someone in the household spend less time working, going to school, taking ca	discrete	numeric	Did someone in the household spend less time working, going to school, taking care of children, doing hobbies or sports and spending time with family because of their drug use
V1480	sect13q7	did a family member or friend take money or valuables that were yours	discrete	numeric	Did a family member or friend take money or valuables that were yours because of their drug use?
V1481	sect14q1	interviewer's comments/evaluation behavior of respondent	discrete	numeric	Behavior of the respondent.
V1482	any_comm	any other comment	discrete	character	Any other comments or observations made during the interview in the household that might be of importance or relevance
V1483	any_c0	any other comment	discrete	character	
V1484	any_c1	any other comment	discrete	character	
V1485	filter__	perm = 2 (filter)	discrete	numeric	
V1486	pop_wt		contin	numeric	
V1487	hh_wt		contin	numeric	

KEY INFORMANT DATA

Content	The Key Informant Questionnaire is a combination of structured and open-ended interview in which the interviewer seeks the knowledge and opinion of the respondent on different aspects of the drug problem in the community. Respondents were selected from the following categories of key informants: Local community level police Other law enforcement (e.g., NDLEA) officers, Service providers for drug treatment, Health officials (including pharmacists), Local religious leaders, Village elders (village heads, clan heads), Civil society organizations, Teachers.
Cases	2788
Variable(s)	353
Structure	Type: Keys: ()
Version	Version 1.0 (January 2021, anonymised data)
Producer	Centre for Research and Information on Substance Abuse (CRISA)
Missing Data	Asterisk (*) has been used to replace missing data.

Variables

ID	Name	Label	Type	Format	Question
V1488	StateCode	STATE CODE	discrete	numeric	STATE Code
V1489	StateName		discrete	character	STATE NAME
V1490	LGACode	LOCAL GOVERNMENT CODE	discrete	character	LGA ode
V1491	LGAName	LOCAL GOVERNMENT NAME	discrete	character	LGA Name
V1492	Locality	RESPONDENT LOCALITY	discrete	character	Locality
V1493	Sector	RESPONDENT SECTOR	discrete	character	SECTOR
V1494	Resp_NO	RESPONDENT NUMBER	contin	numeric	KI NO
V1495	Date_of_Interview	DATE OF INTERVIEW	discrete	character	Date of Interview
V1496	Start_tme	TIME INTERVIEW STARTED	discrete	character	Time Interview Started (GMT)
V1497	End_Time	TIME INTERVIEW ENDED	discrete	character	Time Interview Ended GMT)
V1498	Result_of_Interview	RESULT OF THE INTERVIEW	discrete	character	Result of the interview
V1499	INTERVIEW_NUMBER	INTERVIEWED RESPONDENT NUMBER	discrete	character	
V1500	Gender1	RESPONDENT GENDER	discrete	numeric	Gender of respondent
V1501	JobPosition2	RESPONDENT JOB POSTION	discrete	character	Respondent's job title position
V1502	Length3	LENGTH OF TIME LIVED IN THIS AREA	contin	numeric	How long have you been living in this area? years
V1503	B1.1Cannabis	LEVEL OF CANNIBAIS USE	discrete	numeric	Cannabis (herb or resin)
V1504	AgeCannabis	AGE OF CANNIBIS	contin	numeric	Typical Age of First Use
V1505	B1.2Methamphetamine	LEVEL OF METHAMPHETAMINE (CRYSTAL OR POWDER)	discrete	numeric	Methamphetamine (crystal or powder)
V1506	AgeMeth	AGE OF METHAMPHETAMINE (CRYSTAL OR POWDER)	contin	numeric	Typical Age of First Use
V1507	B1.3Cocaine	LEVEL OF COCAINE USE	discrete	numeric	Cocaine
V1508	AgeCocaine	AGE OF COCAINE	contin	numeric	Typical Age of First Use
V1509	B1.4CrackCocaine	LEVEL OF CRACK COCAINE USE	discrete	numeric	Crack cocaine ?

ID	Name	Label	Type	Format	Question
V1510	AgeCrack	AGE OF CRACK COCAINE	contin	numeric	Typical Age of First Use
V1511	B1.5Ecstasy	LEVEL OF ECSTASY USE	discrete	numeric	Ecstasy ?
V1512	AgeEcstasy	AGE OF ECSTASY	contin	numeric	Typical Age of First Use
V1513	B1.6Tranquillizers	LEVEL OF TRANQUILIZERS (SUCH AS BROMAZEPAM, VALIUM, TROPIUM, CALMPOSE) USE	discrete	numeric	Tranquilizers (such as Bromazepam, valium, tropium, calmpose)
V1514	AgeTranquilizer	AGE OF TRANQUILIZERS (SUCH AS BROMAZEPAM, VALIUM, TROPIUM, CALMPOSE)	contin	numeric	Typical Age of First Use
V1515	B1.7Alcohol	LEVEL OF ALCOHOL USE	discrete	numeric	Alcohol ?
V1516	AgeAlcohol	AGE OF ALCOHOL	contin	numeric	Typical Age of First Use
V1517	B1.8Matranal	LEVEL OF MALTRANAL USE	discrete	numeric	Maltranal ?
V1518	AgeMatranal	AGE OF MALTRANAL	contin	numeric	Typical Age of First Use
V1519	B1.9Painkiller	LEVEL OF PAINKILLER USE	discrete	numeric	Painkillers or analgesics (such as Tramadol, Morphine, Pethidine, Pentazocine) ?
V1520	AgePainkiller	AGE OF PAINKILLER	contin	numeric	Typical Age of First Use
V1521	B1.10Amphetamine	LEVEL OF AMPHETAMINE TABLETS	discrete	numeric	Amphetamines such as Dexedrine or Adderall ?
V1522	AgeAmphetamine	AGE OF AMPHETAMINE TABLETS	contin	numeric	Typical Age of First Use
V1523	B1.11Meth	LEVEL OF METHAMPHETAMINE TABLETS USE	discrete	numeric	Methamphetamine tablets such as Pervitin, Methedrine, or Desoxyn ?
V1524	Age_Meth	AGE OF METHAMPHETAMINE TABLETS	contin	numeric	Typical Age of First Use
V1525	B1.12Heroin	LEVEL OF HEROIN USE	discrete	numeric	Heroin ?
V1526	AgeHeroin	AGE OF HEROIN	contin	numeric	Typical Age of First Use
V1527	B1.13LSD	LEVEL OF LSD (LYSERGIC ACID DIETHYLAMIDE)	discrete	numeric	LSD (Lysergic Acid Diethylamide) ?
V1528	AgeLSD	AGE OF LSD (LYSERGIC ACID DIETHYLAMIDE)	contin	numeric	Typical Age of First Use
V1529	B1.14PCP	LEVEL OF PCP (PHENCYCLIDINE)	discrete	numeric	PCP (Phencyclidine) ?
V1530	AgePCP	AGE OF PHENCYCLIDINE	contin	numeric	Typical Age of First Use
V1531	B1.15Solvents	LEVEL OF SOLVENTS/INHALANTS (SUCH AS GLUE)	discrete	numeric	Solvents/Inhalants (such as glue) ?
V1532	AgeSolvents	AGE OF SOLVENTS/INHALANTS (SUCH AS GLUE)	contin	numeric	Typical Age of First Use
V1533	B1.16CoughSyr	LEVEL OF COUGH SYRUP (E.G COLDEX)	discrete	numeric	Cough syrup (e.g. Coldex) ?
V1534	AgeCoughSyr	AGE OF COUGH STRUP (E.G COLDEX)	contin	numeric	Typical Age of First Use
V1535	B1.17Other	OTHERS SPECIFIED LEVEL	discrete	numeric	Others (specify)
V1536	AgeOther	AGE OF OTHER SPECIFIED	contin	numeric	Typical Age of First Use

ID	Name	Label	Type	Format	Question
V1537	B2aMenCommon	THREE DRUGS COMMONLY USED BY MEN IN YOUR AREA	discrete	character	In general which out of the drug types we just talked about, would you say are the THREE drugs most commonly used by MEN in your area? Most common drug used by MEN
V1538	B2bMenCommon	SECOND MMOST COMMONLY USED DRUGS BY MEN IN YOUR AREA	discrete	numeric	In general which out of the drug types we just talked about, would you say are the THREE drugs most commonly used by MEN in your area? Second most common drug used by MEN
V1539	B2cMenCommon	THIRD MOST COMMONLY USED DRUGS BY MEN IN YOUR AREA	discrete	numeric	In general which out of the drug types we just talked about, would you say are the THREE drugs most commonly used by MEN in your area? Third most common drug used by MEN
V1540	B3aWomenCom	THREE DRUGS COMMONLY USED BY WOMEN IN YOUR AREA	discrete	numeric	In general which out of the drug types we just talked about, would you say are the THREE drugs most commonly used by WOMEN in your area? Most common drug used by WOMEN
V1541	B3bWomenCommon	SECOND MMOST COMMONLY USED DRUGS BY WOMEN IN YOUR AREA	discrete	numeric	In general which out of the drug types we just talked about, would you say are the THREE drugs most commonly used by WOMEN in your area? Second most common drug used by WOMEN
V1542	B3cWomenCommon	THIRD MOST COMMONLY USED DRUGS BY WOMEN IN YOUR AREA	discrete	numeric	In general which out of the drug types we just talked about, would you say are the THREE drugs most commonly used by WOMEN in your area? Third most common drug used by WOMEN
V1543	B4aYouthCom	THREE DRUGS COMMONLY USED BY YOUTH IN YOUR AREA	discrete	numeric	Which of the drug types we just talked about, would you say are the THREE drugs most commonly used by YOUNG people in your area? Most common drug used by young men and women aged 16-25 years
V1544	B4bYouthCommon	SECOND MMOST COMMONLY USED DRUGS BY YOUTH IN YOUR AREA	discrete	numeric	Which of the drug types we just talked about, would you say are the THREE drugs most commonly used by YOUNG people in your area? Second most common used by young 5 men and women aged 16-25 years
V1545	B4cYouthCom	THIRD MOST COMMONLY USED DRUGS BY YOUTH IN YOUR AREA	discrete	numeric	Which of the drug types we just talked about, would you say are the THREE drugs most commonly used by YOUNG people in your area? Third most common used by young men and women aged 16-25 years
V1546	B5aAdolescent	THREE DRUGS COMMONLY USED BY ADOLESCENTS IN YOUR AREA	discrete	numeric	Which of the drug types we just talked about, would you say are the THREE drugs most commonly used by ADOLESCENTS in your area? Most common drug used by adolescents boys and girls less than 16 years

ID	Name	Label	Type	Format	Question
V1547	B5bAdolescent	SECOND MOST COMMONLY USED DRUGS BY ADOLESCENTS IN YOUR AREA	discrete	numeric	Which of the drug types we just talked about, would you say are the THREE drugs most commonly used by ADOLESCENTS in your area? Second most common used by adolescents boys and girls less than 16 years
V1548	B5cAdolescent	THIRD MOST COMMONLY USED DRUGS BY ADOLESCENT IN YOUR AREA	discrete	numeric	Which of the drug types we just talked about, would you say are the THREE drugs most commonly used by ADOLESCENTS in your area? Third most common used by adolescents boys and girls less than 16 years
V1549	B6Injection	LEVEL OF INJECTION AMONG DRUG USERS IN YOUR AREA	discrete	numeric	Overall, how common would you say drug use by injection is amongst drug users in your area?
V1550	C1.1Cannabis	since last five years	discrete	numeric	The options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Cannabis (herb or resin) in your area has increased/decreased since last 5 years?
V1551	C1.2Meth	since last five years	discrete	numeric	The options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Methamphetamine (crystal or powder) in your area has increased/decreased since last 5 years?
V1552	C1.3Cocaine	since last five years	discrete	numeric	The options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Cocaine in your area has increased/decreased since last 5 years?
V1553	C1.4CrackC	since last five years	discrete	numeric	The options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Crack cocaine in your area has increased/decreased since last 5 years?
V1554	C1.5Ecstasy	since last five years	discrete	numeric	The options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Ecstasy in your area has increased/decreased since last 5 years?

ID	Name	Label	Type	Format	Question
V1555	C1.6Tranquillizers	since last five years	discrete	numeric	The options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Tranquilizers (such as Bromazepam, valium, tropium, calmpose) in your area has increased/decreased since last 5 years?
V1556	C1.7Alcohol	since last five years	discrete	numeric	The options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Alcohol in your area has increased/decreased since last 5 years?
V1557	C1.8Maltranal	since last five years	discrete	numeric	The options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Maltranal in your area has increased/decreased since last 5 years?
V1558	C1.9Painkillers	since last five years	discrete	numeric	The options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Painkillers or analgesics (such as Tramadol, Morphine, Pethidine, Pentazocine) in your area has increased/decreased since last 5 years?
V1559	C1.10Amphetamine	since last five years	discrete	numeric	The options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Amphetamines such as Dexedrine or Adderall in your area has increased/decreased since last 5 years?
V1560	C1.11MethTab	since last five years	discrete	numeric	The options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Methamphetamine tablets such as Pervitin, Methedrine, or Desoxyn in your area has increased/decreased since last 5 years?

ID	Name	Label	Type	Format	Question
V1561	C1.12Heroin	since last five years	discrete	numeric	The options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Heroin in your area has increased/decreased since last 5 years?
V1562	C1.13LSD	since last five years	discrete	numeric	The options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of LSD (Lysergic Acid Diethylamide) in your area has increased/decreased since last 5 years?
V1563	C1.14PCP	since last five years	discrete	numeric	The options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of PCP (Phencyclidine) in your area has increased/decreased since last 5 years?
V1564	C1.15Solvents	since last five years	discrete	numeric	The options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Solvents/Inhalants (such as glue) in your area has increased/decreased since last 5 years?
V1565	C1.16Cough	since last five years	discrete	numeric	The options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Cough syrup (e.g. Coldex) in your area has increased/decreased since last 5 years?
V1566	C1.17Other	since last five years	discrete	character	The options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Other drugs (specify) in your area has increased/decreased since last 5 years?
V1567	C2ChangeReason	REASONS FOR CHANGE OF SPECIFIC DRUGS OVER THE LAST FIVE YEARS IN YOUR AREA	discrete	character	If you could think and describe in your own words, what, in your opinion, could be the reasons that may be important for this change (decrease and/or increase) in the use of specific drugs over the past five years in your area? Ask probing questions [List drug type and write additional reasons]

ID	Name	Label	Type	Format	Question
V1568	C3.1Cannabis	DRUG DECREASE SINCE LAST 12 MONTH	discrete	numeric	As above, the options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Cannabis (herb or resin) in your area has increased/decreased since last 12 months?
V1569	C3.2Meth	DRUG DECREASE SINCE LAST 12 MONTH	discrete	numeric	As above, the options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Methamphetamine (crystal or powder) in your area has increased/decreased since last 12 months?
V1570	C3.3Cocaine	DRUG DECREASE SINCE LAST 12 MONTH	discrete	numeric	As above, the options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Cocaine in your area has increased/decreased since last 12 months?
V1571	C3.4CrackCocaine	DRUG DECREASE SINCE LAST 12 MONTH	discrete	numeric	As above, the options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Cocaine in your area has increased/decreased since last 12 months?
V1572	C3.5Ecstasy	DRUG DECREASE SINCE LAST 12 MONTH	discrete	numeric	As above, the options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Ecstasy in your area has increased/decreased since last 12 months?
V1573	C3.6Tranquilizer	DRUG DECREASE SINCE LAST 12 MONTH	discrete	numeric	As above, the options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Tranquilizers (such as Bromazepam, valium, tropium, calmpose) in your area has increased/decreased since last 12 months?
V1574	C3.7Alcohol	DRUG DECREASE SINCE LAST 12 MONTH	discrete	numeric	As above, the options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Alcohol in your area has increased/decreased since last 12 months?

ID	Name	Label	Type	Format	Question
V1575	C3.8Maltranal	DRUG DECREASE SINCE LAST 12 MONTH	discrete	numeric	As above, the options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Maltranal in your area has increased/decreased since last 12 months?
V1576	C3.9PainKiller	DRUG DECREASE SINCE LAST 12 MONTH	discrete	numeric	As above, the options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Painkillers or analgesics (such as Tramadol, Morphine, Pethidine, Pentazocine) in your area has increased/decreased since last 12 months?
V1577	C3.10Amph	DRUG DECREASE SINCE LAST 12 MONTH	discrete	numeric	As above, the options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Amphetamines such as Dexedrine or Adderall in your area has increased/decreased since last 12 months?
V1578	C3.11Meth	DRUG DECREASE SINCE LAST 12 MONTH	discrete	numeric	As above, the options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Methamphetamine tablets such as Pervitin, Methedrine, or Desoxyn in your area has increased/decreased since last 12 months?
V1579	C3.12Heroin	DRUG DECREASE SINCE LAST 12 MONTH	discrete	numeric	As above, the options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Heroin in your area has increased/decreased since last 12 months?
V1580	C3.13LSD	DRUG DECREASE SINCE LAST 12 MONTH	discrete	numeric	As above, the options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of LSD (Lysergic Acid Diethylamide) in your area has increased/decreased since last 12 months?

ID	Name	Label	Type	Format	Question
V1581	C3.14PCP	DRUG DECREASE SINCE LAST 12 MONTH	discrete	numeric	As above, the options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of PCP (Phencyclidine) in your area has increased/decreased since last 12 months?
V1582	C3.15Solvents	DRUG DECREASE SINCE LAST 12 MONTH	discrete	numeric	As above, the options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Solvents/Inhalants (such as glue) in your area has increased/decreased since last 12 months?
V1583	C3.16Cough	DRUG DECREASE SINCE LAST 12 MONTH	discrete	numeric	As above, the options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Cough syrup (e.g. Coldex) in your area has increased/decreased since last 12 months?
V1584	C3.17Others	DRUG DECREASE SINCE LAST 12 MONTH	discrete	character	As above, the options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Other drugs (specify) in your area has increased/decreased since last 12 months?
V1585	C4OneYearReason	REASONS FOR CHANGE OF SPECIFIC DRUGS IN YOUR AREA OVER THE LAST ONE YEAR	discrete	character	If you could think and describe in your own words, what, in your opinion, could be the major reasons that may be important for this change (decrease and/or increase) in the use of specific drugs over the last one year in your area? Ask probing questions [List drug type and write additional reasons]
V1586	C5NewDrug	EVIDENCE OF NEW DRUGS BEING USED OVER THE LAST YEAR IN YOUR AREA	discrete	character	Would you say there has been evidence of any new drugs being used over the last year or so, in your area?
V1587	C5NAME	E.G OF NEW DRUGS	discrete	character	If yes, please specify
V1588	D1iMenlowincome	MEN LOWER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS)	discrete	numeric	What in your opinion are the socio economic status of MEN using [drug] in your area? Low income
V1589	D1iMenMiddleincome	MEN MIDDLE INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS)	discrete	numeric	What in your opinion are the socio economic status of MEN using [drug] in your area? Middle income
V1590	D1iMenUpperincome	MEN UPPER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS)	discrete	numeric	What in your opinion are the socio economic status of MEN using [drug] in your area? Upper income

ID	Name	Label	Type	Format	Question
V1591	D1iiMenLowIncom	MEN LOWER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS)	discrete	numeric	What in your opinion are the socio economic status of MEN using [drug] in your area? Low income
V1592	D1iiMenMiddleIncome	MEN MIDDLE INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS)	discrete	numeric	What in your opinion are the socio economic status of MEN using [drug] in your area? Middle income
V1593	D1iiMenUpperIncome	MEN UPPER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS)	discrete	numeric	What in your opinion are the socio economic status of MEN using [drug] in your area? Upper income
V1594	D1iiiMenLowIncome	MEN LOWER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS)	discrete	numeric	What in your opinion are the socio economic status of MEN using [drug] in your area? Low income
V1595	D1iiiMenMiddleIncome	MEN MIDDLE INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS)	discrete	numeric	What in your opinion are the socio economic status of MEN using [drug] in your area? Middle income
V1596	D1iiiMenUpperIncome	MEN UPPER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS)	discrete	numeric	What in your opinion are the socio economic status of MEN using [drug] in your area? Upper income
V1597	D2iWomLowIncome	WOMEN LOWER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS)	discrete	numeric	What in your opinion are the socio-economic status of WOMEN using [drug] in your area? Low income
V1598	D2iWomMiddleIncome	WOMEN MIDDLE INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS)	discrete	numeric	What in your opinion are the socio-economic status of WOMEN using [drug] in your area?Middle income
V1599	D2iWomUpperIncome	WOMEN UPPER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS)	discrete	numeric	What in your opinion are the socio-economic status of WOMEN using [drug] in your area? Upper income
V1600	D2iiWomenLowIncome	WOMEN LOWER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS)	discrete	numeric	What in your opinion are the socio-economic status of WOMEN using [drug] in your area? Low income
V1601	D2iiWomenMidIncome	WOMEN MIDDLE INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS)	discrete	numeric	What in your opinion are the socio-economic status of WOMEN using [drug] in your area? Middle income
V1602	D2iiWomUpperIncome	WOMEN UPPER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS)	discrete	numeric	What in your opinion are the socio-economic status of WOMEN using [drug] in your area?Upper income
V1603	D2iiiWomLowIncome	WOMEN LOWER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS)	discrete	numeric	What in your opinion are the socio-economic status of WOMEN using [drug] in your area?Low income
V1604	D2iiiWomMidIncome	WOMEN MIDDLE INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS)	discrete	numeric	What in your opinion are the socio-economic status of WOMEN using [drug] in your area? Middle income
V1605	D2iiiWomUpperIncome	WOMEN UPPER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS)	discrete	numeric	What in your opinion are the socio-economic status of WOMEN using [drug] in your area? Upper income

ID	Name	Label	Type	Format	Question
V1606	D3iYouthLowIncome	YOUTH LOWER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS)	discrete	numeric	What in your opinion are the socio economic status of YOUNG MEN and WOMEN using [drug] in your area? Low Income
V1607	D3iYouthMidIncome	YOUTH MIDDLE INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS)	discrete	numeric	What in your opinion are the socio economic status of YOUNG MEN and WOMEN using [drug] in your area? Middle Income
V1608	D3iYouthUpperIncome	YOUTH UPPER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS)	discrete	numeric	What in your opinion are the socio economic status of YOUNG MEN and WOMEN using [drug] in your area? Upper Income
V1609	D3iiYouthLowIncome	YOUTH LOWER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS)	discrete	numeric	What in your opinion are the socio economic status of YOUNG MEN and WOMEN using [drug] in your area? Low Income
V1610	D3iiYouthMidIncome	YOUTH MIDDLE INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS)	discrete	numeric	What in your opinion are the socio economic status of YOUNG MEN and WOMEN using [drug] in your area? Middle Income
V1611	D3iiYouthUpperIncome	YOUTH UPPER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS)	discrete	numeric	What in your opinion are the socio economic status of YOUNG MEN and WOMEN using [drug] in your area? Upper Income
V1612	D3iiiYouthLowIncome	YOUTH LOWER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS)	discrete	numeric	What in your opinion are the socio economic status of YOUNG MEN and WOMEN using [drug] in your area? Low Income
V1613	D3iiiYouthMidIncome	YOUTH MIDDLE INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS)	discrete	numeric	What in your opinion are the socio economic status of YOUNG MEN and WOMEN using [drug] in your area? Middle Income
V1614	D3iiiYouthUpperIncome	YOUTH UPPER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS)	discrete	numeric	What in your opinion are the socio economic status of YOUNG MEN and WOMEN using [drug] in your area? Upper Income
V1615	D4iAdolLowIncome	ADOLESCENTS LOWER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS)	discrete	numeric	What in your opinion are the socio economic status of ADOLESCENTS using [drug] in your area? Low income
V1616	D4iAdolMidIncome	ADOLESCENTS MIDDLE INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS)	discrete	numeric	What in your opinion are the socio economic status of ADOLESCENTS using [drug] in your area? Middle income
V1617	D4iAdolUpperIncome	ADOLESCENTS UPPER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS)	discrete	numeric	What in your opinion are the socio economic status of ADOLESCENTS using [drug] in your area? Upper income
V1618	D4iiAdolLowIncome	ADOLESCENTS LOWER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS)	discrete	numeric	What in your opinion are the socio economic status of ADOLESCENTS using [drug] in your area? Low income
V1619	D4iiAdolMidIncome	ADOLESCENTS MIDDLE INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS)	discrete	numeric	What in your opinion are the socio economic status of ADOLESCENTS using [drug] in your area Middle income
V1620	D4iiAdolUpperIncome	ADOLESCENTS UPPER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS)	discrete	numeric	What in your opinion are the socio economic status of ADOLESCENTS using [drug] in your area? Upper income

ID	Name	Label	Type	Format	Question
V1621	D4iiiAdolLowIncome	ADOLESCENTS LOWER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS)	discrete	numeric	What in your opinion are the socio economic status of ADOLESCENTS using [drug] in your area? Low income
V1622	D4iiiAdolMidIncome	ADOLESCENTS MIDDLE INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS)	discrete	numeric	What in your opinion are the socio economic status of ADOLESCENTS using [drug] in your area? Middle income
V1623	D4iiiAdolUpperIncome	ADOLESCENTS UPPER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS)	discrete	numeric	What in your opinion are the socio economic status of ADOLESCENTS using [drug] in your area? Upper income
V1624	D5iMenSetting1	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY MEN IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common settings/locations in which drugs are used by MEN in your area? Setting 1
V1625	D5iMenSetting2	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY MEN IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common settings/locations in which drugs are used by MEN in your area? Setting 2
V1626	D5iMenSetting3	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY MEN IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common settings/locations in which drugs are used by MEN in your area? Setting 3
V1627	D5iMenSetting4	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY MEN IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common settings/locations in which drugs are used by MEN in your area? Setting4
V1628	D5iiMenSetting1	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY MEN IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common settings/locations in which drugs are used by MEN in your area? Settign1
V1629	D5iiMenSetting2	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY MEN IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common settings/locations in which drugs are used by MEN in your area? Setting2
V1630	D5iiMenSetting3	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY MEN IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common settings/locations in which drugs are used by MEN in your area? Setting3
V1631	D5iiMenSetting4	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY MEN IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common settings/locations in which drugs are used by MEN in your area? Setting4
V1632	D5iiiMenSetting1	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY MEN IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common settings/locations in which drugs are used by MEN in your area? Setting1
V1633	D5iiiMenSetting2	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY MEN IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common settings/locations in which drugs are used by MEN in your area? Setting2

ID	Name	Label	Type	Format	Question
V1634	D5iiiMenSetting3	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY MEN IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common settings/locations in which drugs are used by MEN in your area? Setting3
V1635	D5iiiMenSetting4	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY MEN IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common settings/locations in which drugs are used by MEN in your area? Setting4
V1636	D6iWomSetting1	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY WOMEN IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common settings/locations in which drugs are used by WOMEN in your area? Setting 1
V1637	D6iWomSetting2	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY WOMEN IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common settings/locations in which drugs are used by WOMEN in your area? Setting 2
V1638	D6iWomSetting3	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY WOMEN IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common settings/locations in which drugs are used by WOMEN in your area? Setting 3
V1639	D6iWomSetting4	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY WOMEN IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common settings/locations in which drugs are used by WOMEN in your area? Setting 4
V1640	D6iiWomSetting1	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY WOMEN IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common settings/locations in which drugs are used by WOMEN in your area? Setting 1
V1641	D6iiWomSetting2	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY WOMEN IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common settings/locations in which drugs are used by WOMEN in your area? Setting 2
V1642	D6iiWomSetting3	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY WOMEN IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common settings/locations in which drugs are used by WOMEN in your area? Setting 3
V1643	D6iiWomSetting4	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY WOMEN IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common settings/locations in which drugs are used by WOMEN in your area? Setting 4
V1644	D6iiiWomSetting1	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY WOMEN IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common settings/locations in which drugs are used by WOMEN in your area? Setting 1
V1645	D6iiiWomSetting2	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY WOMEN IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common settings/locations in which drugs are used by WOMEN in your area? Setting 2

ID	Name	Label	Type	Format	Question
V1646	D6iiiWomSetting3	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY WOMEN IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common sittings/locations in which drugs are used by WOMEN in your area? Setting 3
V1647	D6iiiWomSetting4	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY WOMEN IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common sittings/locations in which drugs are used by WOMEN in your area? Setting 4
V1648	D7iYouthSetting1	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY YOUTH IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common Sittings/locations in which drugs are used by YOUNG PEOPLE in your area? Setting 1
V1649	D7iYouthSetting2	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY YOUTH IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common Sittings/locations in which drugs are used by YOUNG PEOPLE in your area? Setting 2
V1650	D7iYouthSetting3	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY YOUTH IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common Sittings/locations in which drugs are used by YOUNG PEOPLE in your area? Setting 3
V1651	D7iYouthSetting4	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY YOUTH IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common Sittings/locations in which drugs are used by YOUNG PEOPLE in your area? Setting 4
V1652	D7iiYouthSetting1	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY YOUTH IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common Sittings/locations in which drugs are used by YOUNG PEOPLE in your area? Setting 1
V1653	D7iiYouthSetting2	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY YOUTH IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common Sittings/locations in which drugs are used by YOUNG PEOPLE in your area? Setting 2
V1654	D7iiYouthSetting3	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY YOUTH IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common Sittings/locations in which drugs are used by YOUNG PEOPLE in your area? Setting 3
V1655	D7iiYouthSetting4	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY YOUTH IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common Sittings/locations in which drugs are used by YOUNG PEOPLE in your area? Setting 4
V1656	D7iiiYouthSetting1	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY YOUTH IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common Sittings/locations in which drugs are used by YOUNG PEOPLE in your area? Setting 1
V1657	D7iiiYouthSetting2	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY YOUTH IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common Sittings/locations in which drugs are used by YOUNG PEOPLE in your area? Setting 2

ID	Name	Label	Type	Format	Question
V1658	D7iiiYouthSetting3	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY YOUTH IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common Sittings/locations in which drugs are used by YOUNG PEOPLE in your area? Setting 3
V1659	D7iiiYouthSetting4	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY YOUTH IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common Sittings/locations in which drugs are used by YOUNG PEOPLE in your area? Setting 4
V1660	D8iAdolSetting1	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY ADOLESENTS IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common sittings/locations in which [drug] are used by ADOLESCENTS in your area? Setting 1
V1661	D8iAdolSetting2	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY ADOLESENTS IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common sittings/locations in which [drug] are used by ADOLESCENTS in your area? Setting 2
V1662	D8iAdolSetting3	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY ADOLESENTS IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common sittings/locations in which [drug] are used by ADOLESCENTS in your area? Setting 3
V1663	D8iAdolSetting4	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY ADOLESENTS IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common sittings/locations in which [drug] are used by ADOLESCENTS in your area? Setting 4
V1664	D8iiAdolSetting1	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY ADOLESENTS IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common sittings/locations in which [drug] are used by ADOLESCENTS in your area? Setting 1
V1665	D8iiAdolSetting2	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY ADOLESENTS IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common sittings/locations in which [drug] are used by ADOLESCENTS in your area? Setting 2
V1666	D8iiAdolSetting3	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY ADOLESENTS IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common sittings/locations in which [drug] are used by ADOLESCENTS in your area? Setting 3
V1667	D8iiAdolSetting4	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY ADOLESENTS IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common sittings/locations in which [drug] are used by ADOLESCENTS in your area? Setting 4
V1668	D8iiidolSetting1	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY ADOLESENTS IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common sittings/locations in which [drug] are used by ADOLESCENTS in your area? Setting 1
V1669	D8iiidolSetting2	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY ADOLESENTS IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common sittings/locations in which [drug] are used by ADOLESCENTS in your area? Setting 2

ID	Name	Label	Type	Format	Question
V1670	D8iidoSetting3	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY ADOLESENTS IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common sittings/locations in which [drug] are used by ADOLESCENTS in your area? Setting 3
V1671	D8iidoSetting4	COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY ADOLESENTS IN YOUR AREA	discrete	numeric	What in your opinion/knowledge are the common sittings/locations in which [drug] are used by ADOLESCENTS in your area? Setting 4
V1672	D9.1ProbCannabis	EFFECTS OF USE OF CANNIBIS IN YOUR AREA	discrete	numeric	Now, for each drug type that I read out, I would like you to say if you think that in your area its use causes "major problems", "some problems", "no problems" or that you "don't know". Cannabis (herb or resin)
V1673	D9.2ProbMeth	EFFECTS OF USE OF MATHAMPHETAMINE IN YOUR AREA	discrete	numeric	Now, for each drug type that I read out, I would like you to say if you think that in your area its use causes "major problems", "some problems", "no problems" or that you "don't know". Methamphetamine (crystal or powder)
V1674	D9.3Probcocaine	EFFECTS OF USE OF COCAINE IN YOUR AREA	discrete	numeric	Now, for each drug type that I read out, I would like you to say if you think that in your area its use causes "major problems", "some problems", "no problems" or that you "don't know". Cocaine
V1675	D9.4ProbCrack	EFFECTS OF USE OF CRACK COCAINE IN YOUR AREA	discrete	numeric	Now, for each drug type that I read out, I would like you to say if you think that in your area its use causes "major problems", "some problems", "no problems" or that you "don't know". Crack cocaine
V1676	D9.5ProbEcstasy	EFFECTS OF USE OF ECTASY IN YOUR AREA	discrete	numeric	Now, for each drug type that I read out, I would like you to say if you think that in your area its use causes "major problems", "some problems", "no problems" or that you "don't know". Ecstasy
V1677	D9.6ProbTranquilizer	EFFECTS OF USE OF TRANQUILIZERS IN YOUR AREA	discrete	numeric	Now, for each drug type that I read out, I would like you to say if you think that in your area its use causes "major problems", "some problems", "no problems" or that you "don't know". Tranquilizers (such as Bromazepam, valium, tropium, calmpose)
V1678	D9.7ProbAlcohol	EFFECTS OF USE OF ALCOHOL IN YOUR AREA	discrete	numeric	Now, for each drug type that I read out, I would like you to say if you think that in your area its use causes "major problems", "some problems", "no problems" or that you "don't know". Alcohol

ID	Name	Label	Type	Format	Question
V1679	D9.8ProbMaltranal	EFFECTS OF USE OF MALTRANAL IN YOUR AREA	discrete	numeric	Now, for each drug type that I read out, I would like you to say if you think that in your area its use causes "major problems", "some problems", "no problems" or that you "don't know". Maltranal
V1680	D9.9PainKillers	EFFECTS OF USE OF PAINKILLER OR ANALGESICS IN YOUR AREA	discrete	numeric	Now, for each drug type that I read out, I would like you to say if you think that in your area its use causes "major problems", "some problems", "no problems" or that you "don't know". Painkillers or analgesics (such as Tramadol, Morphine, Pethidine, Pentazocine)
V1681	D9.10ProbAmphetamine	EFFECTS OF USE OF AMPHETAMINES IN YOUR AREA	discrete	numeric	Now, for each drug type that I read out, I would like you to say if you think that in your area its use causes "major problems", "some problems", "no problems" or that you "don't know". Amphetamines such as Dexedrine or Adderall
V1682	D9.11ProbMethTab	EFFECTS OF USE OF METHAMPHETAMINE IN YOUR AREA	discrete	numeric	Now, for each drug type that I read out, I would like you to say if you think that in your area its use causes "major problems", "some problems", "no problems" or that you "don't know". Methamphetamine tablets such as Pervitin, Methedrine, or Desoxyn
V1683	D9.12ProbHeroin	EFFECTS OF USE OF HEROIN IN YOUR AREA	discrete	numeric	Now, for each drug type that I read out, I would like you to say if you think that in your area its use causes "major problems", "some problems", "no problems" or that you "don't know". Heroin
V1684	D9.13ProbLSD	EFFECTS OF USE OF LSD (LYSERGIC ACID DIETHYLAMIDE) IN YOUR AREA	discrete	numeric	Now, for each drug type that I read out, I would like you to say if you think that in your area its use causes "major problems", "some problems", "no problems" or that you "don't know". LSD (Lysergic Acid Diethylamide)
V1685	D9.14ProbPCP	EFFECTS OF USE OF PCP (PHENCYCLIDINE) IN YOUR AREA	discrete	numeric	Now, for each drug type that I read out, I would like you to say if you think that in your area its use causes "major problems", "some problems", "no problems" or that you "don't know". PCP (Phencyclidine)
V1686	D9.15ProbSolvents	EFFECTS OF USE OF SOLVENTS/INHALANTS IN YOUR AREA	discrete	numeric	Now, for each drug type that I read out, I would like you to say if you think that in your area its use causes "major problems", "some problems", "no problems" or that you "don't know". Solvents/Inhalants (such as glue)

ID	Name	Label	Type	Format	Question
V1687	D9.16ProbCoughSyrup	EFFECTS OF USE OF COUGH CYRUP IN YOUR AREA	discrete	numeric	Now, for each drug type that I read out, I would like you to say if you think that in your area its use causes "major problems", "some problems", "no problems" or that you "don't know". Cough syrup (e.g. Coldex)
V1688	D9.17Others	EFFECTS OF USE OTHER SPECIFIED IN YOUR AREA	discrete	character	Now, for each drug type that I read out, I would like you to say if you think that in your area its use causes "major problems", "some problems", "no problems" or that you "don't know". Others (specify)
V1689	D10DrugUserRelations	FEELINGS OVER PROBLEMS FACED BY DRUG USERS AS REGARD RELATIONS	discrete	character	Could you describe in your own words what you feel are the most important problems faced by DRUG USERS as a result of drug use in your area? Relations with parents, family and friends
V1690	D10WorkRelated	FEELINGS OVER PROBLEMS FACED BY DRUG USERS AS REGARD WORK	discrete	character	Could you describe in your own words what you feel are the most important problems faced by DRUG USERS as a result of drug use in your area? Work related
V1691	D10PoliceLegal	FEELINGS OVER PROBLEMS FACED BY DRUG USERS AS REGARD POLICE OR THE LEGAL SYSTEM	discrete	character	Could you describe in your own words what you feel are the most important problems faced by DRUG USERS as a result of drug use in your area? (Police or the legal system
V1692	D10School	FEELINGS OVER PROBLEMS FACED BY DRUG USERS AS REGARD SCHOOL DROPPED OUT	discrete	character	Could you describe in your own words what you feel are the most important problems faced by DRUG USERS as a result of drug use in your area? (School drop-out
V1693	D10Violence	FEELINGS OVER PROBLEMS FACED BY DRUG USERS AS VOILENCE	discrete	character	Could you describe in your own words what you feel are the most important problems faced by DRUG USERS as a result of drug use in your area? (Violence
V1694	d10Health	FEELINGS OVER PROBLEMS FACED BY DRUG USERS AS HEALTH ISSUES WITH INFECTIONS	discrete	character	Could you describe in your own words what you feel are the most important problems faced by DRUG USERS as a result of drug use in your area? (Health issues like infections (HBV, HCV, HIV, etc)
V1695	D11FamiliesRelations	FEELINGS OVER PROBLEMS FACED BY THE COMMUNITY AS REGARD FAMILIES' RELATION	discrete	character	Now, could you describe in your own words what you feel are the most important problems faced by the COMMUNITY as a result of drug use in your area? Families' relations
V1696	D11WorkEmployment	FEELINGS OVER PROBLEMS FACED BY THE COMMUNITY AS REGARD WORK/EMPLOYED RELATED	discrete	character	Now, could you describe in your own words what you feel are the most important problems faced by the COMMUNITY as a result of drug use in your area? Work/employment related

ID	Name	Label	Type	Format	Question
V1697	D11PoliceLegal	FEELINGS OVER PROBLEMS FACED BY THE COMMUNITY AS REGARD POLICE OR THE LEGAL SYSTEM	discrete	character	Now, could you describe in your own words what you feel are the most important problems faced by the COMMUNITY as a result of drug use in your area? Police or the legal system
V1698	D11SexSexual	FEELINGS OVER PROBLEMS FACED BY THE COMMUNITY AS REGARD SEX WORK/OTHER SEXUAL LIFE STYLES/PREFERENCES	discrete	character	Now, could you describe in your own words what you feel are the most important problems faced by the COMMUNITY as a result of drug use in your area? Sex work or other sexual life styles and preferences
V1699	D11OrganizeCriGang	FEELINGS OVER PROBLEMS FACED BY THE COMMUNITY AS REGARD ORGANISED CRIMES, GANGS, ETC	discrete	character	Now, could you describe in your own words what you feel are the most important problems faced by the COMMUNITY as a result of drug use in your area? Organized crimes, gangs, etc
V1700	D11Health	FEELINGS OVER PROBLEMS FACED BY THE COMMUNITY AS REGARD HEALTH ISSUES AND INFECTIONS LIKE HIV, HBV ETC	discrete	character	Now, could you describe in your own words what you feel are the most important problems faced by the COMMUNITY as a result of drug use in your area? SHealth issues and infections like HIV, HBV, OR HCV
V1701	E1NoContact	NO CONTACT WITH DRUG USER OVER THE LAST 12 MONTH	discrete	numeric	Approximately how many (if any) drug users have you had personal contact with in any way at all over the past year? NO CONTACT If you are involved with the treatment of drug users or with the police then please include all these contacts in the figure. If you do not have personal contact with any drug users in any way, then please say so and I will move to another section of the questionnaire.
V1702	E1percContact	HAD PERSONAL CONTACT WITH DRUG USER OVER THE LAST 12 MONTH	discrete	numeric	Approximately how many (if any) drug users have you had personal contact with in any way at all over the past year? NUMBER or PERCENTAGE If you are involved with the treatment of drug users or with the police then please include all these contacts in the figure. If you do not have personal contact with any drug users in any way, then please say so and I will move to another section of the questionnaire.

ID	Name	Label	Type	Format	Question
V1703	E1aTreatment_Involvement	RESPONDENT INVOLVED IN DRUG TREATMENT	discrete	numeric	Thinking of all the different types of drug users (we have talked about) with whom you have had contact over the last 12 months, how many would you estimate have received treatment for drug use during the last 12 months? If you are involved with the treatment of drug users or with the police then please include all these contacts in the figure. If you do not have personal contact with any drug users in any way, then please say so and I will move to another section of the questionnaire. Don't worry if you can not give an exact response to questions, your best guess is OK, but if you have no idea at all then please say so and I will continue with the next question.
V1704	E2Received	NO CONTACT WITH DRUG USER OVER THE LAST 12 MONTH	discrete	numeric	Approximately how many (if any) drug users have you had personal contact with in any way at all over the past year? NO CONTACT If you are involved with the treatment of drug users or with the police then please include all these contacts in the figure. If you do not have personal contact with any drug users in any way, then please say so and I will move to another section of the questionnaire.
V1705	E2Receivedperc	HAD PERSONAL CONTACT WITH DRUG USER OVER THE LAST 12 MONTH	discrete	numeric	Approximately how many (if any) drug users have you had personal contact with in any way at all over the past year? NUMBER or PERCENTAGE If you are involved with the treatment of drug users or with the police then please include all these contacts in the figure. If you do not have personal contact with any drug users in any way, then please say so and I will move to another section of the questionnaire.
V1706	E2aInvolvedPolice	RESPONDENT INVOLVED IN DRUG TREATMENT	discrete	numeric	Thinking of all the different types of drug users (we have talked about) with whom you have had contact over the last 12 months, how many would you estimate have received treatment for drug use during the last 12 months? Don't worry if you can not give an exact response to questions, your best guess is OK, but if you have no idea at all then please say so and I will continue with the next question.

ID	Name	Label	Type	Format	Question
V1707	E3Drug_Arrest	NUMBERS OF DRUG USERS ARRESTED IN YOUR AREA	discrete	numeric	Thinking of all the different types of drug users (we have talked about) with whom you have had contact over the last 12 months, how many would you think have been arrested during the last 12 months for drug related charges? Don't worry if you cannot give an exact response to questions, your best guess is OK, but if you have no idea at all then please say so and I will continue with the next question.
V1708	E4.1CannabisMen	PERCENTAGE OF AGE OF DRUG USER (CANNIBIS) AS REGARD MEN	contin	numeric	Approximately what percentage of Cannabis (herb or resin) users are Men?
V1709	E4.1Women	PERCENTAGE OF AGE OF DRUG USER (CANNIBIS) AS REGARD WOMEN	contin	numeric	Approximately what percentage of Cannabis (herb or resin) users are Women?
V1710	E4.1Youth	PERCENTAGE OF AGE OF DRUG USER (CANNIBIS) AS REGARD YOUTH	contin	numeric	Approximately what percentage of Cannabis (herb or resin) users Are young (b/w 16-25yrs)
V1711	E4.1Adolescent	PERCENTAGE OF AGE OF DRUG USER (CANNIBIS) AS REGARD ADOLESCENT	contin	numeric	Approximately what percentage of Cannabis (herb or resin) users Are adolescent (less than 16 yrs)
V1712	E4.2MethMen	PERCENTAGE OF AGE OF DRUG USER (METHAMPHETAMINE) AS REGARD MEN	contin	numeric	Approximately what percentage of Methamphetamine (crystal or powder) users are Men
V1713	E4.2Women	PERCENTAGE OF AGE OF DRUG USER (METHAMPHETAMINE) AS REGARD WOMEN	contin	numeric	Approximately what percentage of Methamphetamine (crystal or powder) users are Women
V1714	E4.2Youth	PERCENTAGE OF AGE OF DRUG USER (METHAMPHETAMINE) AS REGARD YOUTH	contin	numeric	Approximately what percentage of Methamphetamine (crystal or powder) users Are young (b/w 16-25yrs)
V1715	E4.2Adolescent	PERCENTAGE OF AGE OF DRUG USER (METHAMPHETAMINE) AS REGARD ADOLESCENT	contin	numeric	Approximately what percentage of Methamphetamine (crystal or powder) users Are adolescent (less than 16 yrs)
V1716	E4.3CocaineMen	PERCENTAGE OF AGE OF DRUG USER (COCAINE) AS REGARD MEN	contin	numeric	Approximately what percentage of Cocaine users are Men
V1717	E4.3WomenCocain	PERCENTAGE OF AGE OF DRUG USER (COCAINE) AS WOMEN	contin	numeric	Approximately what percentage of Cocaine users are Women
V1718	E4.3YouthCocaine	PERCENTAGE OF AGE OF DRUG USER (COCAINE) AS YOUTH	contin	numeric	Approximately what percentage of Cocaine users Are young (b/w 16-25yrs)
V1719	E4.3Adolscentcocaine	PERCENTAGE OF AGE OF DRUG USER (COCAINE) AS ADOLESCENT	contin	numeric	Approximately what percentage of Cocaine users Are adolescent (less than 16 yrs)
V1720	E4.4MenCrackCocaine	PERCENTAGE OF AGE OF DRUG USER (CRACK COCAINE) AS REGARD MEN	contin	numeric	Approximately what percentage of Crack cocaine users are Men
V1721	E4.4WomenCrackCocaine	PERCENTAGE OF AGE OF DRUG USER (CRACK COCAINE) AS REGARD WOMEN	contin	numeric	Approximately what percentage of Crack cocaine users are women

ID	Name	Label	Type	Format	Question
V1722	E4.4YouthCrackCocaine	PERCENTAGE OF AGE OF DRUG USER (CRACK COCAINE) AS REGARD YOUTH	contin	numeric	Approximately what percentage of Crack cocaine users are Are young (b/w 16-25yrs)
V1723	E4.4AdolscentCrackCocaine	PERCENTAGE OF AGE OF DRUG USER (CRACK COCAINE) AS REGARD ADOLESCENT	contin	numeric	Approximately what percentage of Crack cocaine users Are adolescent (less than 16 yrs)
V1724	E4.5MenEcstasy	PERCENTAGE OF AGE OF DRUG USER (ECSTACY) AS REGARD MEN	contin	numeric	Approximately what percentage of Ecstasy users are Men
V1725	E4.5WomenEcstasy	PERCENTAGE OF AGE OF DRUG USER (ECSTACY) AS REGARD WOMEN	contin	numeric	Approximately what percentage of Ecstasy users are Women
V1726	E4.5YouthEcstasy	PERCENTAGE OF AGE OF DRUG USER (ECSTACY) AS REGARD YOUTH	contin	numeric	Approximately what percentage of Ecstasy users are Are young (b/w 16-25yrs)
V1727	E4.5Adolscent	PERCENTAGE OF AGE OF DRUG USER (ECSTACY) AS REGARD ADOLESCENT	contin	numeric	Approximately what percentage of Ecstasy users Are adolescent (less than 16 yrs)
V1728	E4.6MenTranquilizer	PERCENTAGE OF AGE OF DRUG USER (TRANQUILIZER) AS REGARD MEN	contin	numeric	Approximately what percentage of Tranquilizers (such as Bromazepam, valium, tropium, calmpose) users are Men?
V1729	E4.6WomenTranq	PERCENTAGE OF AGE OF DRUG USER (TRANQUILIZER) AS REGARD WOMEN	contin	numeric	Approximately what percentage of Tranquilizers (such as Bromazepam, valium, tropium, calmpose) users are Women
V1730	E4.6YouthTranq	PERCENTAGE OF AGE OF DRUG USER (TRANQUILIZER) AS REGARD YOUTH	contin	numeric	Approximately what percentage of Tranquilizers (such as Bromazepam, valium, tropium, calmpose) users Are young (b/w 16-25yrs)
V1731	E4.6AdolscentTranq	PERCENTAGE OF AGE OF DRUG USER (TRANQUILIZER) AS REGARD ADOLESCENT	contin	numeric	Approximately what percentage of Tranquilizers (such as Bromazepam, valium, tropium, calmpose) users are Are adolescent (less than 16 yrs)
V1732	E4.7MenAlcohol	PERCENTAGE OF AGE OF DRUG USER (ALCOHOL) AS REGARD MEN	contin	numeric	Approximately what percentage of Alcohol users are Men
V1733	E4.7WomenAlcohol	PERCENTAGE OF AGE OF DRUG USER (ALCOHOL) AS REGARD WOMEN	contin	numeric	Approximately what percentage of Alcohol users are Women
V1734	E4.7YouthAlcohol	PERCENTAGE OF AGE OF DRUG USER (ALCOHOL) AS REGARD YOUTH	contin	numeric	Approximately what percentage of Alcohol users Are young (b/w 16-25yrs)
V1735	E4.7AdolscentAlcohol	PERCENTAGE OF AGE OF DRUG USER (ALCOHOL) AS REGARD ADOLESCENT	contin	numeric	Approximately what percentage of Alcohol users Are adolescent (less than 16 yrs)
V1736	E4.8MenMaltranal	PERCENTAGE OF AGE OF DRUG USER (MALTRANAL) AS REGARD MEN	contin	numeric	Approximately what percentage of Maltranal users are Men
V1737	E4.8WomenMaltranal	PERCENTAGE OF AGE OF DRUG USER (MALTRANAL) AS REGARD WOMEN	contin	numeric	Approximately what percentage of Maltranal users are Women
V1738	E4.8YouthMaltranal	PERCENTAGE OF AGE OF DRUG USER (MALTRANAL) AS REGARD YOUTH	contin	numeric	Approximately what percentage of Maltranal users Are young (b/w 16-25yrs)

ID	Name	Label	Type	Format	Question
V1739	E4.8AdolscentMaltranal	PERCENTAGE OF AGE OF DRUG USER (MALTRANAL) AS REGARD ADOLESCENT	contin	numeric	Approximately what percentage of Maltranal users are Adolescent (less than 16 yrs)
V1740	E4.9PainKillerMen	PERCENTAGE OF AGE OF DRUG USER (PAINKILLER) AS REGARD MEN	contin	numeric	Approximately what percentage of Painkillers or analgesics (such as Tramadol, Morphine, Pethidine, Pentazocine) users are Men
V1741	E4.9WomenPain	PERCENTAGE OF AGE OF DRUG USER (PAINKILLER) AS REGARD WOMEN	contin	numeric	Approximately what percentage of Painkillers or analgesics (such as Tramadol, Morphine, Pethidine, Pentazocine) users are Women
V1742	E4.9YouthPain	PERCENTAGE OF AGE OF DRUG USER (PAINKILLER) AS REGARD YOUTH	contin	numeric	Approximately what percentage of Painkillers or analgesics (such as Tramadol, Morphine, Pethidine, Pentazocine) users Are young (b/w 16-25yrs)
V1743	E4.9AdolscentPain	PERCENTAGE OF AGE OF DRUG USER (PAINKILLER) AS REGARD ADOLESCENT	contin	numeric	Approximately what percentage of Painkillers or analgesics (such as Tramadol, Morphine, Pethidine, Pentazocine) users Are adolescent (less than 16 yrs)
V1744	E4.10AmphMen	PERCENTAGE OF AGE OF DRUG USER (AMPHETAMINES) AS REGARD MEN	contin	numeric	Approximately what percentage of Amphetamines such as Dexedrine or Adderall users are Men
V1745	E4.10WomenAmph	PERCENTAGE OF AGE OF DRUG USER (AMPHETAMINES) AS REGARD WOMEN	contin	numeric	Approximately what percentage of Amphetamines such as Dexedrine or Adderall users are Women
V1746	E4.10YouthAmph	PERCENTAGE OF AGE OF DRUG USER (AMPHETAMINES) AS REGARD YOUTH	contin	numeric	Approximately what percentage of Amphetamines such as Dexedrine or Adderall users Are young (b/w 16-25yrs)
V1747	E4.10AdolscentAmph	PERCENTAGE OF AGE OF DRUG USER (AMPHETAMINES) AS REGARD ADOLESCENT	contin	numeric	Approximately what percentage of Amphetamines such as Dexedrine or Adderall users Are adolescent (less than 16 yrs)
V1748	E4.11MenMethTab	PERCENTAGE OF AGE OF DRUG USER (METHAMPHETAMINE TABLETS) AS REGARD MEN	contin	numeric	Approximately what percentage of Methamphetamine tablets such as Pervitin, Methedrine, or Desoxyn users are Men
V1749	E4.11WomenMethTab	PERCENTAGE OF AGE OF DRUG USER (METHAMPHETAMINE TABLETS) AS REGARD WOMEN	contin	numeric	Approximately what percentage of Methamphetamine tablets such as Pervitin, Methedrine, or Desoxyn users are Women
V1750	E4.11YouthMethtab	PERCENTAGE OF AGE OF DRUG USER (METHAMPHETAMINE TABLETS) AS REGARD YOUTH	contin	numeric	Approximately what percentage of Methamphetamine tablets such as Pervitin, Methedrine, or Desoxyn users Are young (b/w 16-25yrs)
V1751	E4.11AdolscentMethtab	PERCENTAGE OF AGE OF DRUG USER (METHAMPHETAMINE TABLETS) AS REGARD ADOLESCENT	contin	numeric	Approximately what percentage of Methamphetamine tablets such as Pervitin, Methedrine, or Desoxyn users Are adolescent (less than 16 yrs)
V1752	E4.12MenHeroin	PERCENTAGE OF AGE OF DRUG USER (HEROIN) AS REGARD MEN	contin	numeric	Approximately what percentage of Heroin users are Men

ID	Name	Label	Type	Format	Question
V1753	E4.12WomenHeroin	PERCENTAGE OF AGE OF DRUG USER (HEROIN) AS REGARD WOMEN	contin	numeric	Approximately what percentage of Heroin users are Women
V1754	E4.12YouthHeroin	PERCENTAGE OF AGE OF DRUG USER (HEROIN) AS REGARD YOUTH	contin	numeric	Approximately what percentage of Heroin users Are young (b/w 16-25yrs)
V1755	E4.12AdolscentHeroin	PERCENTAGE OF AGE OF DRUG USER (HEROIN) AS REGARD ADOLESCENT	contin	numeric	Approximately what percentage of Heroin users Are adolescent (less than 16 yrs)
V1756	E4.13MenLSD	PERCENTAGE OF AGE OF DRUG USER (LSD (LYSERGIC ACID DIETHYLAMIDE) AS REGARD MEN	contin	numeric	Approximately what percentage of LSD (Lysergic Acid Diethylamide) users are Men
V1757	E4.13WomenLSD	PERCENTAGE OF AGE OF DRUG USER (LSD (LYSERGIC ACID DIETHYLAMIDE) AS REGARD WOMEN	contin	numeric	Approximately what percentage of LSD (Lysergic Acid Diethylamide) users are Women
V1758	E4.13YouthLSD	PERCENTAGE OF AGE OF DRUG USER (LSD (LYSERGIC ACID DIETHYLAMIDE) AS REGARD YOUTH	contin	numeric	Approximately what percentage of LSD (Lysergic Acid Diethylamide) users Are young (b/w 16-25yrs)
V1759	E4.13AdolscentLSD	PERCENTAGE OF AGE OF DRUG USER (LSD (LYSERGIC ACID DIETHYLAMIDE) AS REGARD ADOLESCENT	contin	numeric	Approximately what percentage of LSD (Lysergic Acid Diethylamide) users Are adolescent (less than 16 yrs)
V1760	E4.14MenPCP	PERCENTAGE OF AGE OF DRUG USER (PCP (PHENCYCLIDINE) AS REGARD MEN	contin	numeric	Approximately what percentage of PCP (Phencyclidine) users are Men
V1761	E4.14WomenPCP	PERCENTAGE OF AGE OF DRUG USER (PCP (PHENCYCLIDINE) AS REGARD WOMEN	contin	numeric	Approximately what percentage of PCP (Phencyclidine) users are Women
V1762	E4.14YouthPCP	PERCENTAGE OF AGE OF DRUG USER (PCP (PHENCYCLIDINE) AS REGARD YOUTH	contin	numeric	Approximately what percentage of PCP (Phencyclidine) users Are young (b/w 16-25yrs)
V1763	E4.14AdolscentPCP	PERCENTAGE OF AGE OF DRUG USER (PCP (PHENCYCLIDINE) AS REGARD ADOLESCENT	contin	numeric	Approximately what percentage of PCP (Phencyclidine) users Are adolescent (less than 16 yrs)
V1764	E4.15MenSolvent	PERCENTAGE OF AGE OF DRUG USER (SOLVENTS/INHALANTS) AS REGARD MEN	contin	numeric	Approximately what percentage of Solvents/Inhalants (such as glue) users are Men
V1765	E4.15WomenSolvent	PERCENTAGE OF AGE OF DRUG USER (SOLVENTS/INHALANTS) AS REGARD WOMEN	contin	numeric	Approximately what percentage of Solvents/Inhalants (such as glue) users are Women
V1766	E4.15YouthSolvent	PERCENTAGE OF AGE OF DRUG USER (SOLVENTS/INHALANTS) AS REGARD YOUTH	contin	numeric	Approximately what percentage of Solvents/Inhalants (such as glue) users Are young (b/w 16-25yrs)
V1767	E4.15AdolscentSolvent	PERCENTAGE OF AGE OF DRUG USER (SOLVENTS/INHALANTS) AS REGARD ADOLESCENT	contin	numeric	Approximately what percentage of Solvents/Inhalants (such as glue) users Are adolescent (less than 16 yrs)

ID	Name	Label	Type	Format	Question
V1768	E4.16MenCough	PERCENTAGE OF AGE OF DRUG USER (SOLVENTS/INHALANTS) AS REGARD MEN	contin	numeric	Approximately what percentage of Cough syrup (e.g. Coldex) users are Men
V1769	E4.16WomenCough	PERCENTAGE OF AGE OF DRUG USER (SOLVENTS/INHALANTS) AS REGARD WOMEN	contin	numeric	Approximately what percentage of Cough syrup (e.g. Coldex) users are Women
V1770	E4.16YouthCough	PERCENTAGE OF AGE OF DRUG USER (SOLVENTS/INHALANTS) AS REGARD YOUTH	contin	numeric	Approximately what percentage of Cough syrup (e.g. Coldex) users Are young (b/w 16-25yrs)
V1771	E4.16AdolscentCough	PERCENTAGE OF AGE OF DRUG USER (SOLVENTS/INHALANTS) AS REGARD ADOLESCENT	contin	numeric	Approximately what percentage of Cough syrup (e.g. Coldex) users Are adolescent (less than 16 yrs)
V1772	E4.17OtherSpecify	PERCENTAGE OF AGE OF DRUG USER (OTHERS)	discrete	character	Approximate percentage of Other drugs (specify) users
V1773	E4.17MenOther	PERCENTAGE OF AGE OF DRUG USER (OTHERS) AS REGARD MEN	contin	numeric	Approximately what percentage of Other drugs (specify) users are Men
V1774	E4.17WomenOther	PERCENTAGE OF AGE OF DRUG USER (OTHERS) AS REGARD WOMEN	contin	numeric	Approximately what percentage of Other drugs (specify) users are Women
V1775	E4.17YouthOther	PERCENTAGE OF AGE OF DRUG USER (OTHERS) AS REGARD YOUTH	contin	numeric	Approximately what percentage of Other drugs (specify) users Are young (b/w 16-25yrs)
V1776	E4.17AdolscentOther	PERCENTAGE OF AGE OF DRUG USER (OTHERS) AS REGARD ADOLESCENT	contin	numeric	Approximately what percentage of Other drugs (specify) users Are adolescent (less than 16 yrs)
V1777	E5PercentInjecting	PERCENTAGE OF DRUG USERS IN YOUR AREA THAT ARE INJECTING DRUG USERS	contin	numeric	And finally, approximately what percentage of drug users in your area do you think are INJECTING DRUG USERS?
V1778	F1.1PrivateEx	PRIVATE HOSPITAL/CLINIC EXIST IN YOUR AREA	discrete	numeric	Do any of the following services exist in your area? Private clinic
V1779	F1.2PsychiatricEx	PSYHIATRIC HOSPITAL EXIST IN YOUR AREA	discrete	numeric	Do any of the following services exist in your area? Psychiatric hospital
V1780	F1.3GovEx	OTHER GOVERNMENT HOSPITAL EXIST IN YOUR AREA	discrete	numeric	Do any of the following services exist in your area? Other Government Hospitals
V1781	F1.4NGOEx	NGO/TREATMENT CENTER EXIST IN YOUR AREA	discrete	numeric	Do any of the following services exist in your area? NGO/Treatment Centre
V1782	F1.5HomebaseEx	HOME BASED MANAGMENT EXIST IN YOUR AREA	discrete	numeric	Do any of the following services exist in your area? Home treatment
V1783	F1.6FaithEx	FAITH BASED TREATMENT CENTRE EXIST IN YOUR AREA	discrete	numeric	Do any of the following services exist in your area? Faith Based Treatment Centre
V1784	F1.7NDLEAEx	NDLEA CONSELLING CENTRE EXIST IN YOUR AREA	discrete	numeric	Do any of the following services exist in your area? NDLEA counselling centre exist in your area
V1785	F1.8OtherSpecify	OTHER SPECIFIED CENTER THAT EXIST IN YOUR AREA	discrete	character	Do any of the following services exist in your area? Other (specify)

ID	Name	Label	Type	Format	Question
V1786	F2.1PrivateMost	LEVEL OF PRIVATE HOSPITAL/CLINIC USUALLY VISITED BY DRUG USERS	discrete	numeric	Which of the following places do drug users in your area most often go for treatment of their drug problems? Private clinic
V1787	F2.2PsychiatricMost	LEVEL OF PSYCHIATRIC HOSPITAL USUALLY VISITED BY DRUG USERS	discrete	numeric	Which of the following places do drug users in your area most often go for treatment of their drug problems? Psychiatric hospital
V1788	F2.3GovMost	LEVEL OF OTHER GOVERNMENT HOSPITALS VISITED BY DRUG USERS	discrete	numeric	Which of the following places do drug users in your area most often go for treatment of their drug problems? Other Government Hospitals
V1789	F2.4NGOMost	LEVEL OF PRIVATE NGO/TREATMENT CENTER USUALLY VISITED BY DRUG USERS	discrete	numeric	Which of the following places do drug users in your area most often go for treatment of their drug problems? NGO/Treatment Centre
V1790	F2.5HomeMost	LEVEL OF PRIVATE HOME USUALLY VISITED BY DRUG USERS	discrete	numeric	Which of the following places do drug users in your area most often go for treatment of their drug problems? Home treatment
V1791	F2.6FaithMost	LEVEL OF FAITH BASED TREATMENT CENTRE USUALLY VISITED BY DRUG USERS	discrete	numeric	Which of the following places do drug users in your area most often go for treatment of their drug problems? Faith Based Treatment Centre
V1792	F2.7NDLEAMost	LEVEL OF NDLEA CONSELLING CENTRE USUALLY VISITED BY DRUG USERS	discrete	numeric	Which of the following places do drug users in your area most often go for treatment of their drug problems? NDLEA Treatment Centre
V1793	F2.8Other	LEVEL OF OTHERS USUALLY VISITED BY DRUG USERS	discrete	character	Which of the following places do drug users in your area most often go for treatment of their drug problems? Other specify
V1794	F3.1Privaccessible	LEVEL OF ACCESSABILITY OF PRIVATE CLINIC IN YOUR AREA	discrete	numeric	So, overall, in your opinion how accessible are the available treatment services in your area? Private clinic Accessibility with regard to location, working hours, equality and eligibility regardless of the person's status or payment capacity, etc.
V1795	F3.2PsychiaAccessible	LEVEL OF ACCSSABILITY OF PSYCHIATRIC HOSPITAL IN YOUR AREA	discrete	numeric	So, overall, in your opinion how accessible are the available treatment services in your area? Psychiatric hospital Accessibility with regard to location, working hours, equality and eligibility regardless of the person's status or payment capacity, etc.
V1796	F3.3GovAccessible	LEVEL OF ACCSSABILITY OF OTHER GOVERNMENT HOSPITALS IN YOUR AREA	discrete	numeric	So, overall, in your opinion how accessible are the available treatment services in your area? Other Government Hospitals Accessibility with regard to location, working hours, equality and eligibility regardless of the person's status or payment capacity, etc.

ID	Name	Label	Type	Format	Question
V1797	F3.4NGOaccessible	LEVEL OF ACCSSABILITY OF NGO/TREATMENT CENTRE IN YOUR AREA	discrete	numeric	So, overall, in your opinion how accessible are the available treatment services in your area? NGO/Treatment Centre Accessibility with regard to location, working hours, equality and eligibility regardless of the person's status or payment capacity, etc.
V1798	F3.5HomeAccessible	LEVEL OF ACCSSABILITY OF HOME BASED IN YOUR AREA	discrete	numeric	So, overall, in your opinion how accessible are the available treatment services in your area? Home treatment Accessibility with regard to location, working hours, equality and eligibility regardless of the person's status or payment capacity, etc.
V1799	F3.6FaithAccessible	LEVEL OF ACCSSABILITY OF FAITH BASED TREATMENT CENTRE IN YOUR AREA	discrete	numeric	So, overall, in your opinion how accessible are the available treatment services in your area? Faith Based Treatment Centre Accessibility with regard to location, working hours, equality and eligibility regardless of the person's status or payment capacity, etc.
V1800	F3.7NDLEAAccessible	LEVEL OF ACCSSABILITY OFNDLEA CONSELLING CENTRE IN YOUR AREA	discrete	numeric	So, overall, in your opinion how accessible are the available treatment services in your area? NDLEA Treatment Centre Accessibility with regard to location, working hours, equality and eligibility regardless of the person's status or payment capacity, etc.
V1801	F4.1Privateacceptable	LEVEL OF ACCEPTABILITY OF PRIVATE CLINIC IN YOUR AREA	discrete	numeric	In your opinion how acceptable are the available treatments services in your area? Private clinic
V1802	F4.2PsychiaAcceptible	LEVEL OF ACCEPTABILITY OF PSYCHIATRIC HOSPITAL IN YOUR AREA	discrete	numeric	In your opinion how acceptable are the available treatments services in your area? Psychiatric hospital
V1803	F4.3GovAcceptible	LEVEL OF ACCEPTABILITY OF OTHER GOVERNMENT HOSPITALS IN YOUR AREA	discrete	numeric	In your opinion how acceptable are the available treatments services in your area? Other Government Hospitals
V1804	F4.4NGOAcceptible	LEVEL OF ACCEPTABILITY OF NGO/TREATMENT CENTRE IN YOUR AREA	discrete	numeric	In your opinion how acceptable are the available treatments services in your area? NGO/Treatment Centre
V1805	F4.5HomeAcceptible	LEVEL OF ACCEPTABILITY OF HOME BASED IN YOUR AREA	discrete	numeric	In your opinion how acceptable are the available treatments services in your area? Home treatment
V1806	F4.6FaithAcceptible	LEVEL OF ACCEPTABILITY OF FAITH BASED TREATMENT CENTRE IN YOUR AREA	discrete	numeric	In your opinion how acceptable are the available treatments services in your area? Faith Based Treatment Centre
V1807	F4.7NDLEAAcceptible	LEVEL OF ACCEPTABILITY OFNDLEA CONSELLING CENTRE IN YOUR AREA	discrete	numeric	In your opinion how acceptable are the available treatments services in your area? NDLEA Treatment Centre

ID	Name	Label	Type	Format	Question
V1808	F5.1PrivateEffective	LEVEL OF EFFECTIVENESS OF PRIVATE CLINIC IN YOUR AREA	discrete	numeric	In your opinion how effective would you say the available treatment services are for offering a range of services, treatment options and or modalities to their clients? Private clinic
V1809	F5.2PsychiacEffective	LEVEL OF EFFECTIVENESS OF PSYCHIATRIC HOSPITAL IN YOUR AREA	discrete	numeric	In your opinion how effective would you say the available treatment services are for offering a range of services, treatment options and or modalities to their clients? Psychiatric hospital
V1810	F5.3GovEffective	LEVEL OF EFFECTIVENESS OF OTHER GOVERNMENT HOSPITALS IN YOUR AREA	discrete	numeric	In your opinion how effective would you say the available treatment services are for offering a range of services, treatment options and or modalities to their clients? Other Government Hospitals
V1811	F5.4NGOEffective	LEVEL OF EFFECTIVENESS OF NGO/TREATMENT CENTRE IN YOUR AREA	discrete	numeric	In your opinion how effective would you say the available treatment services are for offering a range of services, treatment options and or modalities to their clients? NGO/Treatment Centre
V1812	F5.5HomeEffective	LEVEL OF EFFECTIVENESS OF HOME BASED IN YOUR AREA	discrete	numeric	In your opinion how effective would you say the available treatment services are for offering a range of services, treatment options and or modalities to their clients? Home treatment
V1813	F5.6FaithEffective	LEVEL OF EFFECTIVENESS OF FAITH BASED TREATMENT CENTRE IN YOUR AREA	discrete	numeric	In your opinion how effective would you say the available treatment services are for offering a range of services, treatment options and or modalities to their clients? Faith Based Treatment Centre
V1814	F5.7NDLEAEffective	LEVEL OF EFFECTIVENESS OF NDLEA CONSELLING CENTRE IN YOUR AREA	discrete	numeric	In your opinion how effective would you say the available treatment services are for offering a range of services, treatment options and or modalities to their clients? NDLEA Treatment Centre
V1815	F6.1PrivateSatisfaction	LEVEL OF SATISFACTION OF PRIVATE CLINIC IN YOUR AREA	discrete	numeric	Then, how effective in your opinion would you say the available treatment services are for clients' satisfaction and or retention of clients? Private clinic
V1816	F6.2PsychiacSatisfaction	LEVEL OF SATISFACTION OF PSYCHIATRIC HOSPITAL IN YOUR AREA	discrete	numeric	Then, how effective in your opinion would you say the available treatment services are for clients' satisfaction and or retention of clients? Psychiatric hospital

ID	Name	Label	Type	Format	Question
V1817	F6.3GovSatisfaction	LEVEL OF SATISFACTION OF OTHER GOVERNMENT HOSPITALS IN YOUR AREA	discrete	numeric	Then, how effective in your opinion would you say the available treatment services are for clients' satisfaction and or retention of clients? Other Government Hospitals
V1818	F6.4NGOSatisfaction	LEVEL OF SATISFACTION OF NGO/TREATMENT CENTRE IN YOUR AREA	discrete	numeric	Then, how effective in your opinion would you say the available treatment services are for clients' satisfaction and or retention of clients? NGO/Treatment Centre
V1819	F6.5HomeSatisfaction	LEVEL OF SATISFACTION OF HOME BASED IN YOUR AREA	discrete	numeric	Then, how effective in your opinion would you say the available treatment services are for clients' satisfaction and or retention of clients? Home treatment
V1820	F6.6FaithSatisfaction	LEVEL OF SATISFACTION OF FAITH BASED TREATMENT CENTRE IN YOUR AREA	discrete	numeric	Then, how effective in your opinion would you say the available treatment services are for clients' satisfaction and or retention of clients? Faith Based Treatment Centre
V1821	F6.7NDLEASatisfaction	LEVEL OF SATISFACTION OF NDLEA CONSELLING CENTRE IN YOUR AREA	discrete	numeric	Then, how effective in your opinion would you say the available treatment services are for clients' satisfaction and or retention of clients? NDLEA Treatment Centre
V1822	F7.1PrivatePositive	LEVEL OF POSITIVE CHANGE OF PRIVATE CLINIC IN YOUR AREA	discrete	numeric	And finally, how effective do you think these services are in bringing positive changes to clients? Private clinic
V1823	F7.2PsychiacPositive	LEVEL OF POSITIVE CHANGE OF PSYCHIATRIC HOSPITAL IN YOUR AREA	discrete	numeric	And finally, how effective do you think these services are in bringing positive changes to clients? Psychiatric hospital
V1824	F7.3GovPositive	LEVEL OF POSITIVE CHANGE OF OTHER GOVERNMENT HOSPITALS IN YOUR AREA	discrete	numeric	And finally, how effective do you think these services are in bringing positive changes to clients? Other Government Hospitals
V1825	F7.4NGOPositive	LEVEL OF POSITIVE CHANGE OF NGO/TREATMENT CENTRE IN YOUR AREA	discrete	numeric	And finally, how effective do you think these services are in bringing positive changes to clients? NGO/Treatment Centre
V1826	F7.5HomePositive	LEVEL OF POSITIVE CHANGE OF HOME BASED IN YOUR AREA	discrete	numeric	And finally, how effective do you think these services are in bringing positive changes to clients? Home treatment
V1827	F7.6FaithPositive	LEVEL OF POSITIVE CHANGE OF FAITH BASED TREATMENT CENTRE IN YOUR AREA	discrete	numeric	And finally, how effective do you think these services are in bringing positive changes to clients? Faith Based Treatment Centre
V1828	F7.7NDLEAPositive	LEVEL OF POSITIVE CHANGE OF NDLEA CONSELLING CENTRE IN YOUR AREA	discrete	numeric	And finally, how effective do you think these services are in bringing positive changes to clients? NDLEA Treatment Centre

ID	Name	Label	Type	Format	Question
V1829	F8MoreTreatment	NEED FOR MORE TREATMENT	discrete	numeric	On a scale of 1 to 5 where one represents "no need" and five represents "urgent need", how much need for MORE treatment services would you say there is in your area?
V1830	F9EaseWomen	LEVEL OF EASE FOR WOMEN TREATMENT	discrete	numeric	Using the same scale as above, how easy or difficult would you say it is for WOMEN in this area to get treatment for a drug problem?
V1831	F10EaseAdolescent	LEVEL OF EASE FOR ADOLESCENT TREATMENT	discrete	numeric	And finally, using the same scale as above, how easy or difficult would you say it is for ADOLESCENTS in this area to get treatment for a drug problem?
V1832	F11MostPressingDrug_Policy	NEEDS FOR ORGANISING DRUGS	discrete	character	Could you describe in your own words what you feel are the most pressing needs for organized activities related to reducing drug use in your area within the following? (Please give comments under which ever you think is relevant for you) Drug Policy
V1833	MostPressingprimaryPrevention	NEEDS FOR ORGANISATING PRIMARY PREVENTION (EG. SENSITIVATION, AWARENESS, EDUCATION ETC)	discrete	character	Could you describe in your own words what you feel are the most pressing needs for organized activities related to reducing drug use in your area within the following? (Please give comments under which ever you think is relevant for you) Primary prevention
V1834	MostPressingTreatmentandRehabili	NEEDS FOR ORGANIZING TREATMENT AND REHABILITATION (E.G CONSELLING PSYCHOTHERAPY)	discrete	character	Could you describe in your own words what you feel are the most pressing needs for organized activities related to reducing drug use in your area within the following? (Please give comments under which ever you think is relevant for you) Treatment and rehabilitation
V1835	MostPressingPreventionofharmful	NEEDS FOR ORGANIZING THE PREVENTION OF HARMFUL CONSEQUENCES (HIV, HEPATITIS INFECTIONS ETC)	discrete	character	Could you describe in your own words what you feel are the most pressing needs for organized activities related to reducing drug use in your area within the following? (Please give comments under which ever you think is relevant for you) Prevention of harmful consequences (HIV, Hepatitis infections etc.) of drug use
V1836	MostPressingMonitoringandResearc	NEEDS FOR ORGANIZING MONITORING AND RESEARCH	discrete	character	Could you describe in your own words what you feel are the most pressing needs for organized activities related to reducing drug use in your area within the following? (Please give comments under which ever you think is relevant for you) Monitoring and research

ID	Name	Label	Type	Format	Question
V1837	MostPressingOther	NEEDS FOR ORGANIZING OTHER PRIVATE BODIES	discrete	character	Could you describe in your own words what you feel are the most pressing needs for organized activities related to reducing drug use in your area within the following? (Please give comments under which ever you think is relevant for you) Other
V1838	F12CommentsOpinion	ADDITIONAL COMMENTS ABOUT THE DRUG PROBLEMS IN YOUR AREA	discrete	character	AND FINALLY Do you have any additional comments about the drug problem in your area?
V1839	Reliability	RELIABILITY OF THE INFORMATION	discrete	numeric	In your opinion how reliable was the information given by the respondent?
V1840	TimeEnded	TIME INTERVIEW TERMINATED	discrete	character	RECORD TIME INTERVIEW TERMINATED:

PROCESSING CODE (PROCESSING_CODE)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: character
 Width: 8

Valid cases: 8986
 Invalid: 0

Literal question

Processing code

STATE CODE (STATECODE)

File: DRUG USERS' DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-37

Valid cases: 9349
 Invalid: 3
 Minimum: 1
 Maximum: 37
 Mean: 19
 Standard deviation: 10.7

Literal question

State Code

STATE NAME (STATENAME)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: character
 Width: 8

Valid cases: 9350
 Invalid: 0

Literal question

State Name

GENDER (A1GENDER)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 9183
 Invalid: 169

Pre question

First of all, I would like to ask you some general background information about you.

Literal question

Gender of respondent

Interviewer instructions

Observe or ask if not obvious and select the appropriate response. Gender may be different from biological sex, only choose "other" if the respondent indicates to you they do not identify as male or female

RESPONDENT DATE OF BIRTH (A2DATE_OF_BIRTH)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: character
 Width: 10

Valid cases: 8497
 Invalid: 0

Pre question

First of all, I would like to ask you some general background information about you.

Literal question

What is your date of birth

Interviewer instructions

If the date or the month of birth is not known write 99, if year of birth is not known write 9999

RESPONDENT AGE (A3AGE)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: character
 Width: 2

Valid cases: 7951
 Invalid: 0

Pre question

First of all, I would like to ask you some general background information about you.

Literal question

How old would you be (then)?

RESPONDENT YEARS OF EDUCATION (A4EDUCATION)

File: DRUG USERS' DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

Valid cases: 8931
 Invalid: 421
 Minimum: 1
 Maximum: 99
 Mean: 23.1
 Standard deviation: 28.5

Pre question

First of all, I would like to ask you some general background information about you.

Literal question

How many years of education have you completed?

Interviewer instructions

If illiterate then write 99

RESPONDENT MARITAL STATUS (A5.MARITAL_STATUS)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 9300
 Invalid: 52

Pre question

RESPONDENT MARITAL STATUS (A5.MARITAL_STATUS)**File: DRUG USERS' DATA**

First of all, I would like to ask you some general background information about you.

Literal question

What is your current marital status?

RESPONDENT MOSTLY SLEPT (A6.MOSTSLEEP)**File: DRUG USERS' DATA****Overview**

Type: Discrete
Format: character
Width: 8

Valid cases: 9307
Invalid: 0

Literal question

Where did you most often sleep in the last 6 months?

Interviewer instructions

Check code for "other (specify)" to ensure it's different from the codes for other response

PERSON WHOM MOSTLY LIVED WITH (A7.WHOMSLEEP)**File: DRUG USERS' DATA****Overview**

Type: Discrete
Format: character
Width: 1

Valid cases: 9174
Invalid: 0

Literal question

With whom did you (mostly) live in the last 6 months?

Interviewer instructions

Check code for "other (specify)" to ensure it's different from the codes for other response

RESPONDENT NATURE OF WORK (A8.LAST6MONTH)**File: DRUG USERS' DATA****Overview**

Type: Discrete
Format: character
Width: 8

Valid cases: 8927
Invalid: 0

Literal question

In the last 6 months, were you mostly

Interviewer instructions

Check code for "other (specify)" to ensure it's different from the codes for other response

RESPONDENT FINANCIAL SUPPORT (A9.1WAGES)**File: DRUG USERS' DATA****Overview**

RESPONDENT FINANCIAL SURPORT (A9.1WAGES)**File: DRUG USERS' DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 6745
 Invalid: 2607

Pre question

Please tell me all of the ways in which you have financially supported yourself in the last 6 months:(Note: multiple responses allowed)

Literal question

Wages / salary

RESPONDENT FINANCIAL SURPORT (A9.2CASUAL)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 5575
 Invalid: 3777

Pre question

Please tell me all of the ways in which you have financially supported yourself in the last 6 months:(Note: multiple responses allowed)

Literal question

Casual work

RESPONDENT FINANCIAL SURPORT (A9.3FAMILY)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 5178
 Invalid: 4174

Pre question

Please tell me all of the ways in which you have financially supported yourself in the last 6 months:(Note: multiple responses allowed)

Literal question

Family

RESPONDENT FINANCIAL SURPORT (A9.4FRIENDS)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 4940
 Invalid: 4412

Pre question

RESPONDENT FINANCIAL SURPORT (A9.4FRIENDS)**File: DRUG USERS' DATA**

Please tell me all of the ways in which you have financially supported yourself in the last 6 months:(Note: multiple responses allowed)

Literal question

Friends

RESPONDENT FINANCIAL SURPORT (A9.5PENSION)**File: DRUG USERS' DATA****Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 4079
Invalid: 5273

Pre question

Please tell me all of the ways in which you have financially supported yourself in the last 6 months:(Note: multiple responses allowed)

Literal question

Pension

RESPONDENT FINANCIAL SURPORT (A9.6BEGGING)**File: DRUG USERS' DATA****Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 4221
Invalid: 5131

Pre question

Please tell me all of the ways in which you have financially supported yourself in the last 6 months:(Note: multiple responses allowed)

Literal question

Begging

RESPONDENT FINANCIAL SURPORT (A9.7SELLING)**File: DRUG USERS' DATA****Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 4153
Invalid: 5199

Pre question

Please tell me all of the ways in which you have financially supported yourself in the last 6 months:(Note: multiple responses allowed)

Literal question

Selling drugs

RESPONDENT FINANCIAL SURPORT (A9.8THEFTS)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 4118
 Invalid: 5234

Pre question

Please tell me all of the ways in which you have financially supported yourself in the last 6 months:(Note: multiple responses allowed)

Literal question

Thefts

RESPONDENT FINANCIAL SURPORT (A9.9PICKPOCKET)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 4105
 Invalid: 5247

Pre question

Please tell me all of the ways in which you have financially supported yourself in the last 6 months:(Note: multiple responses allowed)

Literal question

Pick pocketing

RESPONDENT FINANCIAL SURPORT (A9.10SEXWORK)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 4139
 Invalid: 5213

Pre question

Please tell me all of the ways in which you have financially supported yourself in the last 6 months:(Note: multiple responses allowed)

Literal question

Sex work / sex for money

RESPONDENT FINANCIAL SURPORT (A9.11OTHERS)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: character
 Width: 8

Valid cases: 188
 Invalid: 0

Pre question

RESPONDENT FINANCIAL SURPORT (A9.11OTHERS)**File: DRUG USERS' DATA**

Please tell me all of the ways in which you have financially supported yourself in the last 6 months:(Note: multiple responses allowed)

Literal question

Others

EVER USED (B1IEVER_USED)**File: DRUG USERS' DATA****Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 8826
Invalid: 526

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

Have you ever used cannabis (herb or resin)?

Post question

2.No-- >Next substance

RESPONDENT AGE AT FIRST USE (B1IAGEATFIRST)**File: DRUG USERS' DATA****Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 10-99

Valid cases: 7880
Invalid: 1472
Minimum: 10
Maximum: 99
Mean: 18.5
Standard deviation: 6.6

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

What was your age at first use?

USED IN THE LAST 12 MONTH (B11III12MONTHS)**File: DRUG USERS' DATA****Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 7990
Invalid: 1362

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

USED IN THE LAST 12 MONTH (B11III12MONTHS)**File: DRUG USERS' DATA**

Did you use it in the last 12 months?

Post question

2.No-- >Next substance

DAYS USED IN THE LAST 30 DAYS (B11IV30DAYS)**File: DRUG USERS' DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-30

Valid cases: 7610
 Invalid: 1742
 Minimum: 1
 Maximum: 30
 Mean: 6
 Standard deviation: 4.2

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

In the past-30 days, how many days did you use it?*

Interviewer instructions

*. Code as following (1) Once (2) 2 - 3 days a month (3) About once a week (4) 2 - 3 days a week (5) 4 - 6 days a week (6) Everyday (9) Don't know (0) Never

USUAL METHOD USED BY THE RESPONDENT (B11VUSUALMETHOD)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 7549
 Invalid: 1803

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

What is the usual method of use?

Interviewer instructions

** Code as following:
 (1) inject (2) smoke (as in cigarette) (3) eat/drink (4) sniff (5) Tinfoil/chasing (9) don't know

AVERAGE AMOUNT SPENT PER DAY (B11VIAMOUNT)**File: DRUG USERS' DATA****Overview**

AVERAGE AMOUNT SPENT PER DAY (B11VIAMOUNT)**File: DRUG USERS' DATA**

Type: Continuous
 Format: numeric
 Width: 6
 Decimals: 0
 Range: 10-150000

Valid cases: 7294
 Invalid: 2058
 Minimum: 10
 Maximum: 150000
 Mean: 1341
 Standard deviation: 4202.3

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

What is the average amount you spent per day during the last 30 days on this substance?
 (Naira)

EVER USED (B12IEVERUSED)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 6144
 Invalid: 3208

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

Have you ever used Heroin?

Post question

2.No-- >Next substance

Interviewer instructions

No--> Next substance

RESPONDENT AGE AT FIRST USE (B12IIAGEOFUSE)**File: DRUG USERS' DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 10-64

Valid cases: 2533
 Invalid: 6819
 Minimum: 10
 Maximum: 64
 Mean: 22.2
 Standard deviation: 5.6

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

What was your age at first use?

USED IN THE LAST 12 MONTH (B12III12MONTHS)**File: DRUG USERS' DATA**

USED IN THE LAST 12 MONTH (B12III12MONTHS)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 2779
 Invalid: 6573

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

Did you use it in the last 12 months?

Post question

2.No-- >Next substance

Interviewer instructions

No--> Next substance

DAYS USED IN THE LAST 30 DAYS (B12IV30DAYS)**File: DRUG USERS' DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-30

Valid cases: 2432
 Invalid: 6920
 Minimum: 1
 Maximum: 30
 Mean: 4.9
 Standard deviation: 2.8

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

In the past-30 days, how many days did you use it?*

Interviewer instructions

*. Code as following (1) Once (2) 2 - 3 days a month (3) About once a week (4) 2 - 3 days a week (5) 4 - 6 days a week (6) Everyday (9) Don't know (0) Never

USUAL METHOD USED BY THE RESPONDENT (B12VUSUALMETHOD)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 2410
 Invalid: 0

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

What is the usual method of use?

Interviewer instructions

** Code as following:

(1) inject (2) smoke (as in cigarette) (3) eat/drink (4) sniff (5) Tinfoil/chasing (9) don't know

AVERAGE AMOUNT SPENT PER DAY (B12VIAMOUNT)**File: DRUG USERS' DATA****Overview**

Type: Continuous	Valid cases: 2342
Format: numeric	Invalid: 7010
Width: 6	Minimum: 20
Decimals: 0	Maximum: 150000
Range: 20-150000	Mean: 3113.4
	Standard deviation: 8126.1

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

What is the average amount you spent per day during the last 30 days on this substance?
(Naira)

EVER USED (B13IEVERUSED)**File: DRUG USERS' DATA****Overview**

Type: Discrete	Valid cases: 7721
Format: numeric	Invalid: 1631
Width: 1	
Decimals: 0	
Range: 1-2	

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

Have you ever used Painkillers or analgesics (such as Tramadol, Morphine, Pethidine, Pentazocine)?

Post question

2.No-- >Next substance

Interviewer instructions

No--> Next substance

RESPONDENT AGE AT FIRST USE (B13IIAGEOFUSE)**File: DRUG USERS' DATA****Overview**

Type: Continuous	Valid cases: 6285
Format: numeric	Invalid: 3067
Width: 2	Minimum: 9
Decimals: 0	Maximum: 49
Range: 9-49	Mean: 20.4
	Standard deviation: 4.8

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

What was your age at first use?

USED IN THE LAST 12 MONTH (B13III12MONTHS)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 6423
 Invalid: 2929

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

Did you use it in the last 12 months?

Post question

2.No-- >Next substance

Interviewer instructions

No--> Next substance

DAYS USED IN THE LAST 30 DAYS (B13IV30DAYS)**File: DRUG USERS' DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-30

Valid cases: 6076
 Invalid: 3276
 Minimum: 1
 Maximum: 30
 Mean: 5.1
 Standard deviation: 3.9

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

In the past-30 days, how many days did you use it?*

Interviewer instructions

*. Code as following (1) Once (2) 2 - 3 days a month (3) About once a week (4) 2 - 3 days a week (5) 4 - 6 days a week (6) Everyday (9) Don't know (0) Never

USUAL METHOD USED BY THE RESPONDENT (B13VUSUALMETHOD)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 6120
 Invalid: 3232

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

What is the usual method of use?

Interviewer instructions

USUAL METHOD USED BY THE RESPONDENT (B13VUSUALMETHOD)

File: DRUG USERS' DATA

** Code as following:

(1) inject (2) smoke (as in cigarette) (3) eat/drink (4) sniff (5) Tinfoil/chasing (9) don't know

AVERAGE AMOUNT SPENT PER DAY (B13VIAMOUNT)

File: DRUG USERS' DATA

Overview

Type: Continuous	Valid cases: 5772
Format: numeric	Invalid: 3580
Width: 5	Minimum: 10
Decimals: 0	Maximum: 61000
Range: 10-61000	Mean: 1144.3
	Standard deviation: 3489.2

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

What is the average amount you spent per day during the last 30 days on this substance?
(Naira)

EVER USED (B14IEVERUSED)

File: DRUG USERS' DATA

Overview

Type: Discrete	Valid cases: 6504
Format: numeric	Invalid: 2848
Width: 1	
Decimals: 0	
Range: 1-2	

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

Have you ever used Tranquilizers (such as Bromazepam, valium, tropium, calmpose)?

Post question

2.No-- >Next substance

Interviewer instructions

No--> Next substance

RESPONDENT AGE AT FIRST USE (B14IIAGEOFUSE)

File: DRUG USERS' DATA

Overview

Type: Continuous	Valid cases: 3071
Format: numeric	Invalid: 6281
Width: 3	Minimum: 13
Decimals: 0	Maximum: 255
Range: 13-255	Mean: 20.5
	Standard deviation: 6.9

Pre question

RESPONDENT AGE AT FIRST USE (B14IIAGEOFUSE)**File: DRUG USERS' DATA**

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

What was your age at first use?

USED IN THE LAST 12 MONTH (B14III12MONTHS)**File: DRUG USERS' DATA****Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 3371
Invalid: 5981

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

Did you use it in the last 12 months?

Post question

2.No-- >Next substance

Interviewer instructions

No--> Next substance

DAYS USED IN THE LAST 30 DAYS (B14IV30DAYS)**File: DRUG USERS' DATA****Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-30

Valid cases: 2909
Invalid: 6443
Minimum: 1
Maximum: 30
Mean: 4.7
Standard deviation: 3.1

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

In the past-30 days, how many days did you use it?

Interviewer instructions

*. Code as following (1) Once (2) 2 - 3 days a month (3) About once a week (4) 2 - 3 days a week (5) 4 - 6 days a week (6) Everyday (9) Don't know (0) Never

USUAL METHOD USED BY THE RESPONDENT (B14VUSUALMETHOD)**File: DRUG USERS' DATA****Overview**

USUAL METHOD USED BY THE RESPONDENT (B14VUSUALMETHOD)

File: DRUG USERS' DATA

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2971
Invalid: 6381

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

What is the usual method of use?

Interviewer instructions

** Code as following:

(1) inject (2) smoke (as in cigarette) (3) eat/drink (4) sniff (5) Tinfoil/chasing (9) don't know

AVERAGE AMOUNT SPENT PER DAY (B14VIAMOUNT)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 6
Decimals: 0
Range: 10-100000

Valid cases: 2711
Invalid: 6641
Minimum: 10
Maximum: 100000
Mean: 2043.8
Standard deviation: 5552.7

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

What is the average amount you spent per day during the last 30 days on this substance?
(Naira)

EVER USED (B15IEVERUSED)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 5320
Invalid: 4032

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

Have you ever used Methamphetamine (crystal or powder)?

Post question

2.No-- >Next substance

Interviewer instructions

No--> Next substance

RESPONDENT AGE AT FIRST USE (B15IIAGEOFUSE)

File: DRUG USERS' DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 10-39

Valid cases: 401
 Invalid: 8951
 Minimum: 10
 Maximum: 39
 Mean: 20.4
 Standard deviation: 4.2

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

What was your age at first use?

USED IN THE LAST 12 MONTH (B15III12MONTHS)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 739
 Invalid: 8613

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

Did you use it in the last 12 months?

Post question

2.No-- >Next substance

Interviewer instructions

No--> Next substance

DAYS USED IN THE LAST 30 DAYS (B15IV30DAYS)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-17

Valid cases: 366
 Invalid: 8986
 Minimum: 1
 Maximum: 17
 Mean: 3.8
 Standard deviation: 2.1

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

In the past-30 days, how many days did you use it?

Interviewer instructions

*. Code as following (1) Once (2) 2 - 3 days a month (3) About once a week (4) 2 - 3 days a week (5) 4 - 6 days a week (6) Everyday (9) Don't know (0) Never

USUAL METHOD USED BY THE RESPONDENT (B15VUSUALMETHOD)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 592
Invalid: 8760

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

What is the usual method of use?

Interviewer instructions

** Code as following:

(1) inject (2) smoke (as in cigarette) (3) eat/drink (4) sniff (5) Tinfoil/chasing (9) don't know

AVERAGE AMOUNT SPENT PER DAY (B15VIAMOUNT)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 6
Decimals: 0
Range: 10-100000

Valid cases: 313
Invalid: 9039
Minimum: 10
Maximum: 100000
Mean: 4069.8
Standard deviation: 10909.9

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

What is the average amount you spent per day during the last 30 days on this substance?
(Naira)

EVER USED (B16IEVERUSED)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 5195
Invalid: 4157

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

Have you ever used Methamphetamine tablets such as Pervitin, Methedrine, or Desoxyn?

Post question

2.No-- >Next substance

Interviewer instructions

No--> Next substance

RESPONDENT AGE AT FIRST USE (B16IIAGEOFUSE)

File: DRUG USERS' DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 9-46

Valid cases: 211
 Invalid: 9141
 Minimum: 9
 Maximum: 46
 Mean: 21.5
 Standard deviation: 4.8

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

What was your age at first use?

USED IN THE LAST 12 MONTH (B16III12MONTHS)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 495
 Invalid: 8857

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

Did you use it in the last 12 months?

Post question

2.No-- >Next substance

Interviewer instructions

No--> Next substance

DAYS USED IN THE LAST 30 DAYS (B16IV30DAYS)

File: DRUG USERS' DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-30

Valid cases: 199
 Invalid: 9153
 Minimum: 1
 Maximum: 30
 Mean: 4
 Standard deviation: 3.4

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

In the past-30 days, how many days did you use it?

Interviewer instructions

*. Code as following (1) Once (2) 2 - 3 days a month (3) About once a week (4) 2 - 3 days a week (5) 4 - 6 days a week (6) Everyday (9) Don't know (0) Never

USUAL METHOD USED BY THE RESPONDENT (B16VUSUALMETHOD)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 267
Invalid: 9085

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

What is the usual method of use?

Interviewer instructions

** Code as following:

(1) inject (2) smoke (as in cigarette) (3) eat/drink (4) sniff (5) Tinfoil/chasing (9) don't know

AVERAGE AMOUNT SPENT PER DAY (B16VIAMOUNT)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 5
Decimals: 0
Range: 50-60000

Valid cases: 153
Invalid: 9199
Minimum: 50
Maximum: 60000
Mean: 3017
Standard deviation: 5665.3

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

What is the average amount you spent per day during the last 30 days on this substance?
(Naira)

EVER USED (B17IEVERUSED)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 6199
Invalid: 3153

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

Have you ever used Cocaine?

Post question

2.No-- >Next substance

Interviewer instructions

No--> Next substance

RESPONDENT AGE AT FIRST USE (B17IIAGEOFUSE)

File: DRUG USERS' DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 6-46

Valid cases: 1880
 Invalid: 7472
 Minimum: 6
 Maximum: 46
 Mean: 22.6
 Standard deviation: 4.8

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

What was your age at first use?

USED IN THE LAST 12 MONTH (B17III12MONTHS)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 2140
 Invalid: 7212

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

Did you use it in the last 12 months?

Post question

2.No-- >Next substance

Interviewer instructions

No--> Next substance

DAYS USED IN THE LAST 30 DAYS (B17IV30DAYS)

File: DRUG USERS' DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-30

Valid cases: 1696
 Invalid: 7656
 Minimum: 1
 Maximum: 30
 Mean: 4.7
 Standard deviation: 4

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

In the past-30 days, how many days did you use it?

Interviewer instructions

*. Code as following (1) Once (2) 2 - 3 days a month (3) About once a week (4) 2 - 3 days a week (5) 4 - 6 days a week (6) Everyday (9) Don't know (0) Never

USUAL METHOD USED BY THE RESPONDENT (B17VUSUALMETHOD)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1741
Invalid: 7611

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

What is the usual method of use?

Interviewer instructions

** Code as following:

(1) inject (2) smoke (as in cigarette) (3) eat/drink (4) sniff (5) Tinfoil/chasing (9) don't know

AVERAGE AMOUNT SPENT PER DAY (B17VIAMOUNT)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 6
Decimals: 0
Range: 100-300000

Valid cases: 1535
Invalid: 7817
Minimum: 100
Maximum: 300000
Mean: 6291.5
Standard deviation: 14773.7

Pre question

I am now going to ask you about your use of drugs. Remember that this is a confidential interview and your answers will in no way be linked to you. If you do not remember the answer to any of the questions, your best guess will do.

Literal question

What is the average amount you spent per day during the last 30 days on this substance?
(Naira)

EVER USED (B18IEVERUSED)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 6156
Invalid: 3196

Literal question

Have you ever used Crack cocaine?

Post question

2.No-- >Next substance

Interviewer instructions

No--> Next substance

RESPONDENT AGE AT FIRST USE (B18IIAGEOFUSE)

File: DRUG USERS' DATA

Overview

Type: Continuous	Valid cases: 2296
Format: numeric	Invalid: 7056
Width: 2	Minimum: 10
Decimals: 0	Maximum: 55
Range: 10-55	Mean: 22.8
	Standard deviation: 5

Literal question

What was your age at first use?

USED IN THE LAST 12 MONTH (B18III12MONTHS)

File: DRUG USERS' DATA

Overview

Type: Discrete	Valid cases: 2522
Format: numeric	Invalid: 6830
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

Did you use it in the last 12 months?

Post question

2.No-- >Next substance

Interviewer instructions

No--> Next substance

DAYS USED IN THE LAST 30 DAYS (B18IV30DAYS)

File: DRUG USERS' DATA

Overview

Type: Continuous	Valid cases: 2149
Format: numeric	Invalid: 7203
Width: 2	Minimum: 1
Decimals: 0	Maximum: 30
Range: 1-30	Mean: 4.4
	Standard deviation: 2.4

Literal question

In the past-30 days, how many days did you use it?

Interviewer instructions

*. Code as following (1) Once (2) 2 - 3 days a month (3) About once a week (4) 2 - 3 days a week (5) 4 - 6 days a week (6) Everyday (9) Don't know (0) Never

USUAL METHOD USED BY THE RESPONDENT (B18VUSUALMETHOD)

File: DRUG USERS' DATA

Overview

USUAL METHOD USED BY THE RESPONDENT (B18VUSUALMETHOD)

File: DRUG USERS' DATA

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2152
Invalid: 7200

Literal question

What is the usual method of use?

Interviewer instructions

** Code as following:

(1) inject (2) smoke (as in cigarette) (3) eat/drink (4) sniff (5) Tinfoil/chasing (9) don't know

AVERAGE AMOUNT SPENT PER DAY (B18VIAMOUNT)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 6
Decimals: 0
Range: 25-120000

Valid cases: 1939
Invalid: 7413
Minimum: 25
Maximum: 120000
Mean: 4860.8
Standard deviation: 9496.9

Literal question

What is the average amount you spent per day during the last 30 days on this substance?
(Naira)

EVER USED (B19IEVERUSED)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 4935
Invalid: 4417

Literal question

Have you ever used Amphetamines such as Dexedrine or Adderall?

Post question

2.No-- >Next substance

Interviewer instructions

No--> Next substance

RESPONDENT AGE AT FIRST USE (B19IIAGEOFUSE)

File: DRUG USERS' DATA

Overview

RESPONDENT AGE AT FIRST USE (B19IIAGEOFUSE)**File: DRUG USERS' DATA**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 12-40

Valid cases: 444
 Invalid: 8908
 Minimum: 12
 Maximum: 40
 Mean: 21.5
 Standard deviation: 4.8

Literal question

What was your age at first use?

USED IN THE LAST 12 MONTH (B19III12MONTHS)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 763
 Invalid: 8589

Literal question

Did you use it in the last 12 months?

Post question

2.No-- >Next substance

Interviewer instructions

No--> Next substance

DAYS USED IN THE LAST 30 DAYS (B19IV30DAYS)**File: DRUG USERS' DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-28

Valid cases: 446
 Invalid: 8906
 Minimum: 1
 Maximum: 28
 Mean: 4.3
 Standard deviation: 2.5

Literal question

In the past-30 days, how many days did you use it?

Interviewer instructions

*. Code as following (1) Once (2) 2 - 3 days a month (3) About once a week (4) 2 - 3 days a week (5) 4 - 6 days a week (6) Everyday (9) Don't know (0) Never

USUAL METHOD USED BY THE RESPONDENT (B19VUSUALMETHOD)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 524
 Invalid: 8828

USUAL METHOD USED BY THE RESPONDENT (B19VUSUALMETHOD)

File: DRUG USERS' DATA

Literal question

What is the usual method of use?

Interviewer instructions

** Code as following:

(1) inject (2) smoke (as in cigarette) (3) eat/drink (4) sniff (5) Tinfoil/chasing (9) don't know

AVERAGE AMOUNT SPENT PER DAY (B19VIAMOUNT)

File: DRUG USERS' DATA

Overview

Type: Continuous	Valid cases: 414
Format: numeric	Invalid: 8938
Width: 5	Minimum: 20
Decimals: 0	Maximum: 30000
Range: 20-30000	Mean: 1743
	Standard deviation: 3748.7

Literal question

What is the average amount you spent per day during the last 30 days on this substance?
(Naira)

EVER USED (B110IEVERUSED)

File: DRUG USERS' DATA

Overview

Type: Discrete	Valid cases: 5293
Format: numeric	Invalid: 4059
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

Have you ever used Ecstasy?

Post question

2.No-- >Next substance

Interviewer instructions

No--> Next substance

RESPONDENT AGE AT FIRST USE (B110IIAGEOFUSE)

File: DRUG USERS' DATA

Overview

Type: Continuous	Valid cases: 958
Format: numeric	Invalid: 8394
Width: 2	Minimum: 10
Decimals: 0	Maximum: 44
Range: 10-44	Mean: 20.5
	Standard deviation: 4.6

Literal question

What was your age at first use?

USED IN THE LAST 12 MONTH (B110III12MONTHS)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 1232
 Invalid: 8120

Literal question

Did you use it in the last 12 months?

Post question

2.No-- >Next substance

Interviewer instructions

No--> Next substance

DAYS USED IN THE LAST 30 DAYS (B110IV30DAYS)**File: DRUG USERS' DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-30

Valid cases: 865
 Invalid: 8487
 Minimum: 1
 Maximum: 30
 Mean: 4.8
 Standard deviation: 4

Literal question

In the past-30 days, how many days did you use it?

Interviewer instructions

*. Code as following (1) Once (2) 2 - 3 days a month (3) About once a week (4) 2 - 3 days a week (5) 4 - 6 days a week (6) Everyday (9) Don't know (0) Never

USUAL METHOD USED BY THE RESPONDENT (B110VUSUALMETHOD)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 948
 Invalid: 8404

Literal question

What is the usual method of use?

Interviewer instructions

** Code as following:
 (1) inject (2) smoke (as in cigarette) (3) eat/drink (4) sniff (5) Tinfoil/chasing (9) don't know

AVERAGE AMOUNT SPENT PER DAY (B110VIAMOUNT)**File: DRUG USERS' DATA****Overview**

AVERAGE AMOUNT SPENT PER DAY (B110VIAMOUNT)**File: DRUG USERS' DATA**

Type: Continuous	Valid cases: 807
Format: numeric	Invalid: 8545
Width: 5	Minimum: 10
Decimals: 0	Maximum: 24000
Range: 10-24000	Mean: 817.7
	Standard deviation: 1875.7

Literal question

What is the average amount you spent per day during the last 30 days on this substance?
(Naira)

EVER USED (B111IEVERUSED)**File: DRUG USERS' DATA****Overview**

Type: Discrete	Valid cases: 4858
Format: numeric	Invalid: 4494
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

Have you ever used LSD (Lysergic Acid Diethylamide)?

Post question

2.No-- >Next substance

Interviewer instructions

No--> Next substance

RESPONDENT AGE AT FIRST USE (B111IAGEOFUSE)**File: DRUG USERS' DATA****Overview**

Type: Continuous	Valid cases: 107
Format: numeric	Invalid: 9245
Width: 2	Minimum: 9
Decimals: 0	Maximum: 40
Range: 9-40	Mean: 21.4
	Standard deviation: 5.7

Literal question

What was your age at first use?

USED IN THE LAST 12 MONTH (B111III12MONTHS)**File: DRUG USERS' DATA****Overview**

Type: Discrete	Valid cases: 408
Format: numeric	Invalid: 8944
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

Did you use it in the last 12 months?

Post question

USED IN THE LAST 12 MONTH (B111III12MONTHS)

File: DRUG USERS' DATA

2.No-- >Next substance

Interviewer instructions

No--> Next substance

DAYS USED IN THE LAST 30 DAYS (B111IV30DAYS)

File: DRUG USERS' DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-30

Valid cases: 78
 Invalid: 9274
 Minimum: 1
 Maximum: 30
 Mean: 4.4
 Standard deviation: 4.5

Literal question

In the past-30 days, how many days did you use it?

Interviewer instructions

*. Code as following (1) Once (2) 2 - 3 days a month (3) About once a week (4) 2 - 3 days a week (5) 4 - 6 days a week (6) Everyday (9) Don't know (0) Never

USUAL METHOD USED BY THE RESPONDENT (B111VUSUALMETHOD)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 177
 Invalid: 9175

Literal question

What is the usual method of use?

Interviewer instructions

** Code as following:
 (1) inject (2) smoke (as in cigarette) (3) eat/drink (4) sniff (5) Tinfoil/chasing (9) don't know

AVERAGE AMOUNT SPENT PER DAY (B111VIAMOUNT)

File: DRUG USERS' DATA

Overview

Type: Continuous
 Format: numeric
 Width: 5
 Decimals: 0
 Range: 50-15000

Valid cases: 78
 Invalid: 9274
 Minimum: 50
 Maximum: 15000
 Mean: 1503.1
 Standard deviation: 2915.1

Literal question

What is the average amount you spent per day during the last 30 days on this substance?
 (Naira)

EVER USED (B112IEVERUSED)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 4835
 Invalid: 4517

Literal question

Have you ever used PCP (Phencyclidine)?

Post question

2.No-- >Next substance

Interviewer instructions

No--> Next substance

RESPONDENT AGE AT FIRST USE (B112IIAGEOFUSE)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 13-32

Valid cases: 51
 Invalid: 9301

Literal question

What was your age at first use?

USED IN THE LAST 12 MONTH (B112III12MONTHS)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 341
 Invalid: 9011

Literal question

Did you use it in the last 12 months?

Post question

2.No-- >Next substance

Interviewer instructions

No--> Next substance

DAYS USED IN THE LAST 30 DAYS (B112IV30DAYS)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 59
 Invalid: 9293

DAYS USED IN THE LAST 30 DAYS (B112IV30DAYS)

File: DRUG USERS' DATA

Literal question

In the past-30 days, how many days did you use it?

Interviewer instructions

*. Code as following (1) Once (2) 2 - 3 days a month (3) About once a week (4) 2 - 3 days a week (5) 4 - 6 days a week (6) Everyday (9) Don't know (0) Never

USUAL METHOD USED BY THE RESPONDENT (B112VUSUALMETHOD)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 147
Invalid: 9205

Literal question

What is the usual method of use?

Interviewer instructions

** Code as following:
(1) inject (2) smoke (as in cigarette) (3) eat/drink (4) sniff (5) Tinfoil/chasing (9) don't know

AVERAGE AMOUNT SPENT PER DAY (B112VIAMOUNT)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 100-7000

Valid cases: 42
Invalid: 9310
Minimum: 100
Maximum: 7000
Mean: 1073.3
Standard deviation: 1502.2

Literal question

What is the average amount you spent per day during the last 30 days on this substance?
(Naira)

EVER USED (B113IEVERUSED)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 5280
Invalid: 4072

Literal question

Have you ever used Solvents/Inhalants (such as glue)?

Post question

2.No-- >Next substance

Interviewer instructions

EVER USED (B113IEVERUSED)

File: DRUG USERS' DATA

No--> Next substance

RESPONDENT AGE AT FIRST USE (B113IIAGEOFUSE)

File: DRUG USERS' DATA

Overview

Type: Continuous	Valid cases: 1171
Format: numeric	Invalid: 8181
Width: 2	Minimum: 10
Decimals: 0	Maximum: 45
Range: 10-45	Mean: 19.3
	Standard deviation: 5

Literal question

What was your age at first use?

USED IN THE LAST 12 MONTH (B113III12MONTHS)

File: DRUG USERS' DATA

Overview

Type: Discrete	Valid cases: 1421
Format: numeric	Invalid: 7931
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

Did you use it in the last 12 months?

Post question

2.No-- >Next substance

Interviewer instructions

No--> Next substance

DAYS USED IN THE LAST 30 DAYS (B113IV30DAYS)

File: DRUG USERS' DATA

Overview

Type: Continuous	Valid cases: 903
Format: numeric	Invalid: 8449
Width: 2	Minimum: 1
Decimals: 0	Maximum: 30
Range: 1-30	Mean: 4.6
	Standard deviation: 3.2

Literal question

In the past-30 days, how many days did you use it?

Interviewer instructions

*. Code as following (1) Once (2) 2 - 3 days a month (3) About once a week (4) 2 - 3 days a week (5) 4 - 6 days a week (6) Everyday (9) Don't know (0) Never

USUAL METHOD USED BY THE RESPONDENT (B113VUSUALMETHOD)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 975
Invalid: 8377

Literal question

What is the usual method of use?

Interviewer instructions

** Code as following:

(1) inject (2) smoke (as in cigarette) (3) eat/drink (4) sniff (5) Tinfoil/chasing (9) don't know

AVERAGE AMOUNT SPENT PER DAY (B113VIAMOUNT)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 5
Decimals: 0
Range: 20-60000

Valid cases: 843
Invalid: 8509
Minimum: 20
Maximum: 60000
Mean: 1814.7
Standard deviation: 6128.3

Literal question

What is the average amount you spent per day during the last 30 days on this substance?
(Naira)

EVER USED (B114IEVERUSED)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 7501
Invalid: 1851

Literal question

Have you ever used Cough syrup (e.g. Coldex)?

Post question

2.No-- >Next substance

Interviewer instructions

No--> Next substance

RESPONDENT AGE AT FIRST USE (B114IIAGEOFUSE)

File: DRUG USERS' DATA

Overview

RESPONDENT AGE AT FIRST USE (B114IIAGEOFUSE)**File: DRUG USERS' DATA**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 7-48

Valid cases: 5576
 Invalid: 3776
 Minimum: 7
 Maximum: 48
 Mean: 20.1
 Standard deviation: 4.7

Literal question

What was your age at first use?

USED IN THE LAST 12 MONTH (B114III12MONTHS)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 5702
 Invalid: 3650

Literal question

Did you use it in the last 12 months?

Post question

2.No-- >Next substance

Interviewer instructions

No--> Next substance

DAYS USED IN THE LAST 30 DAYS (B114IV30DAYS)**File: DRUG USERS' DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-30

Valid cases: 5355
 Invalid: 3997
 Minimum: 1
 Maximum: 30
 Mean: 4.9
 Standard deviation: 3.2

Literal question

In the past-30 days, how many days did you use it?*

Interviewer instructions

*. Code as following (1) Once (2) 2 - 3 days a month (3) About once a week (4) 2 - 3 days a week (5) 4 - 6 days a week (6) Everyday (9) Don't know (0) Never

USUAL METHOD USED BY THE RESPONDENT (B114VUSUALMETHOD)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 5324
 Invalid: 4028

USUAL METHOD USED BY THE RESPONDENT (B114VUSUALMETHOD)

File: DRUG USERS' DATA

Literal question

What is the usual method of use?

Interviewer instructions

** Code as following:

(1) inject (2) smoke (as in cigarette) (3) eat/drink (4) sniff (5) Tinfoil/chasing (9) don't know

AVERAGE AMOUNT SPENT PER DAY (B114VIAMOUNT)

File: DRUG USERS' DATA

Overview

Type: Continuous	Valid cases: 5042
Format: numeric	Invalid: 4310
Width: 6	Minimum: 25
Decimals: 0	Maximum: 100000
Range: 25-100000	Mean: 3048.9
	Standard deviation: 7268.9

Literal question

What is the average amount you spent per day during the last 30 days on this substance?
(Naira)

EVER USED (B115IEVERUSED)

File: DRUG USERS' DATA

Overview

Type: Discrete	Valid cases: 6930
Format: numeric	Invalid: 2422
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

Have you ever used Alcohol?

Post question

2.No-- >Next substance

Interviewer instructions

No--> Next substance

RESPONDENT AGE AT FIRST USE (B115IIAGEOFUSE)

File: DRUG USERS' DATA

Overview

Type: Continuous	Valid cases: 4475
Format: numeric	Invalid: 4877
Width: 2	Minimum: 1
Decimals: 0	Maximum: 30
Range: 1-30	Mean: 17.3
	Standard deviation: 4.3

Literal question

What was your age at first use?

USED IN THE LAST 12 MONTH (B115III12MONTHS)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 4638
 Invalid: 4714

Literal question

Did you use it in the last 12 months?

Post question

2.No-- >Next substance

Interviewer instructions

No--> Next substance

DAYS USED IN THE LAST 30 DAYS (B115IV30DAYS)**File: DRUG USERS' DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-30

Valid cases: 4404
 Invalid: 4948
 Minimum: 1
 Maximum: 30
 Mean: 5.6
 Standard deviation: 4.2

Literal question

In the past-30 days, how many days did you use it?

Interviewer instructions

*. Code as following (1) Once (2) 2 - 3 days a month (3) About once a week (4) 2 - 3 days a week (5) 4 - 6 days a week (6) Everyday (9) Don't know (0) Never

USUAL METHOD USED BY THE RESPONDENT (B115VUSUALMETHOD)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 4283
 Invalid: 5069

Literal question

What is the usual method of use?

Interviewer instructions

** Code as following:

(1) inject (2) smoke (as in cigarette) (3) eat/drink (4) sniff (5) Tinfoil/chasing (9) don't know

AVERAGE AMOUNT SPENT PER DAY (B115VIAMOUNT)**File: DRUG USERS' DATA****Overview**

AVERAGE AMOUNT SPENT PER DAY (B115VIAMOUNT)**File: DRUG USERS' DATA**

Type: Continuous	Valid cases: 4187
Format: numeric	Invalid: 5165
Width: 5	Minimum: 10
Decimals: 0	Maximum: 60000
Range: 10-60000	Mean: 1655
	Standard deviation: 3572.3

Literal question

What is the average amount you spent per day during the last 30 days on this substance?
(Naira)

EVER USED (B116IEVERUSED)**File: DRUG USERS' DATA****Overview**

Type: Discrete	Valid cases: 4358
Format: numeric	Invalid: 4994
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

Have you ever used Maltranal?

Post question

2.No-- >Next substance

Interviewer instructions

No--> Next substance

RESPONDENT AGE AT FIRST USE (B116IIAGEOFUSE)**File: DRUG USERS' DATA****Overview**

Type: Discrete	Valid cases: 40
Format: numeric	Invalid: 9312
Width: 2	Minimum: 9
Decimals: 0	Maximum: 27
Range: 9-27	Mean: 19.2
	Standard deviation: 4.3

Literal question

What was your age at first use?

USED IN THE LAST 12 MONTH (B116III12MONTHS)**File: DRUG USERS' DATA****Overview**

Type: Discrete	Valid cases: 337
Format: numeric	Invalid: 9015
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

Did you use it in the last 12 months?

Post question

USED IN THE LAST 12 MONTH (B116III12MONTHS)

File: DRUG USERS' DATA

2.No-- >Next substance

Interviewer instructions

No--> Next substance

DAYS USED IN THE LAST 30 DAYS (B116IV30DAYS)

File: DRUG USERS' DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-30

Valid cases: 57
 Invalid: 9295
 Minimum: 1
 Maximum: 30
 Mean: 6.1
 Standard deviation: 7

Literal question

In the past-30 days, how many days did you use it?

Interviewer instructions

*. Code as following (1) Once (2) 2 - 3 days a month (3) About once a week (4) 2 - 3 days a week (5) 4 - 6 days a week (6) Everyday (9) Don't know (0) Never

USUAL METHOD USED BY THE RESPONDENT (B116VUSUALMETHOD)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 143
 Invalid: 9209

Literal question

What is the usual method of use?**

Interviewer instructions

** Code as following:
 (1) inject (2) smoke (as in cigarette) (3) eat/drink (4) sniff (5) Tinfoil/chasing (9) don't know

AVERAGE AMOUNT SPENT PER DAY (B116VIAMOUNT)

File: DRUG USERS' DATA

Overview

Type: Continuous
 Format: numeric
 Width: 5
 Decimals: 0
 Range: 100-12000

Valid cases: 44
 Invalid: 9308
 Minimum: 100
 Maximum: 12000
 Mean: 1876.1
 Standard deviation: 2348.6

Literal question

What is the average amount you spent per day during the last 30 days on this substance?
 (Naira)

EVER USED (B117IEVERUSED)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 353
 Invalid: 0

Literal question

Have you ever used Others (specify)?

Interviewer instructions

No--> Next substance

RESPONDENT AGE AT FIRST USE (B117IIAGEOFUSE)

File: DRUG USERS' DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-49

Valid cases: 635
 Invalid: 8717
 Minimum: 1
 Maximum: 49
 Mean: 19.8
 Standard deviation: 6.3

Literal question

What was your age at first use?

USED IN THE LAST 12 MONTH (B117III12MONTHS)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 671
 Invalid: 8681

Literal question

Did you use it in the last 12 months?

Interviewer instructions

No--> Next substance

DAYS USED IN THE LAST 30 DAYS (B117IV30DAYS)

File: DRUG USERS' DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-30

Valid cases: 605
 Invalid: 8747
 Minimum: 1
 Maximum: 30
 Mean: 5.2
 Standard deviation: 3.6

Literal question

In the past-30 days, how many days did you use it?

Interviewer instructions

DAYS USED IN THE LAST 30 DAYS (B117IV30DAYS)

File: DRUG USERS' DATA

*. Code as following (1) Once (2) 2 - 3 days a month (3) About once a week (4) 2 - 3 days a week (5) 4 - 6 days a week (6) Everyday (9) Don't know (0) Never

USUAL METHOD USED BY THE RESPONDENT (B117VUSUALMETHOD)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 1
Range: 1-9

Valid cases: 586
Invalid: 8766

Literal question

What is the usual method of use?

Interviewer instructions

** Code as following:

(1) inject (2) smoke (as in cigarette) (3) eat/drink (4) sniff (5) Tinfoil/chasing (9) don't know

AVERAGE AMOUNT SPENT PER DAY (B117VIAMOUNT)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 6
Decimals: 0
Range: 5-100000

Valid cases: 546
Invalid: 8806
Minimum: 5
Maximum: 100000
Mean: 1237.5
Standard deviation: 5319.9

Literal question

What is the average amount you spent per day during the last 30 days on this substance?
(Naira)

DRUG FIRST USED (B2FIRST_USE)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 23

Valid cases: 8889
Invalid: 0

Literal question

What was the drug you first used?

DID YOU CONTINUE AFTER USING IT FOR THE FIRST TIME (B3CONTINUE)

File: DRUG USERS' DATA

Overview

DID YOU CONTINUE AFTER USING IT FOR THE FIRST TIME (B3CONTINUE)

File: DRUG USERS' DATA

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 9068
Invalid: 284

Literal question

After using for the first time, did you continue to use that drug?

WHY CONTINUE (B4.WHYCONTINUE)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 22

Valid cases: 2804
Invalid: 0

Literal question

If you continued to use the drug, why?

DRUGS THAT CAUSE MORE HARM (B5.MOST_HARM)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-16

Valid cases: 5984
Invalid: 3368

Literal question

Of the drugs you have used recently, which has caused you the most harm or problems?

Interviewer instructions

(CHECK ONLY ONE DRUG)

PROBLEMS CAUSED BY THESE DRUGS (B6.HOW)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 160

Valid cases: 6362

Literal question

How did the drug cause problems?

EVER DONATED OR SOLD BLOOD? (B7DONATEDBLOOD)

File: DRUG USERS' DATA

Overview

EVER DONATED OR SOLD BLOOD? (B7DONATEDBLOOD)

File: DRUG USERS' DATA

Type: Discrete
 Format: character
 Width: 1

Valid cases: 9095
 Invalid: 0

Literal question

Have you ever donated or sold your blood?

Post question

If NEVER and NR, skip to Question no.8

EVER INJECTED DRUGS? (B8EVERINJECT)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 9026
 Invalid: 326

Literal question

Have you ever injected drugs (not for medical purposes)?

Post question

IF YES, skip QB9 and ask Q B10

IF NO, ask Q 9 and GO TO SECTION D - CONTACT WITH DRUG USERS

WHY DONT INJECT DRUGS (B9.1HIV)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 3614
 Invalid: 5738

Pre question

Can you tell me why you don't inject drugs ?

Literal question

Is it To avoid getting infected with HIV, Hepatitis ?

Interviewer instructions

READ ALL OPTIONS AND PROBE IF NECESSARY

WHY DONT INJECT DRUGS (B9.2SCARED)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 3890
 Invalid: 5462

Pre question

Can you tell me why you don't inject drugs ?

WHY DONT INJECT DRUGS (B9.2SCARED)

File: DRUG USERS' DATA

Literal question

Is it Scared of injecting?

Interviewer instructions

READ ALL OPTIONS AND PROBE IF NECESSARY

WHY DONT INJECT DRUGS (B9.3DONTKNOW)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 3571
 Invalid: 5781

Pre question

Can you tell me why you don't inject drugs ?

Literal question

Is it Don't know how to inject?

Interviewer instructions

READ ALL OPTIONS AND PROBE IF NECESSARY

WHY DONT INJECT DRUGS (B9.4PARTNERNOTINJECTING)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 3421
 Invalid: 5931

Pre question

Can you tell me why you don't inject drugs ?

Literal question

Friend or partner not injecting?

Interviewer instructions

READ ALL OPTIONS AND PROBE IF NECESSARY

WHY DONT INJECT DRUGS (B9.5OTHER)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: character
 Width: 33

Valid cases: 356
 Invalid: 0

Pre question

Can you tell me why you don't inject drugs ?

Literal question

Other reasons (specify)

Interviewer instructions

WHY DONT INJECT DRUGS (B9.50THER)

File: DRUG USERS' DATA

READ ALL OPTIONS AND PROBE IF NECESSARY

AGE AT FIRST INJECTED DRUGS (B10AGEOF_INJECT)

File: DRUG USERS' DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-50

Valid cases: 2070
 Invalid: 7282
 Minimum: 1
 Maximum: 50
 Mean: 21
 Standard deviation: 5.2

Literal question

How old were you when you first injected any drug?

INJECTED IN LAST 12 MONTH? (B10AIN12MONTH)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 2776
 Invalid: 6576

Literal question

Have you injected drugs in the last 12 months?

Post question

If yes to both or Q.10.b GO TO SECTION C - INJECTING DRUG USE, IF YES in Q. B10.a and NO I n B10 b then GO TO SECTION D

INJECTED IN THE LAST 6 MONTH? (B10BIN6MONTH)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 2695
 Invalid: 6657

Literal question

Have you injected drugs in the last 6 months?

Post question

If yes to both or Q.10.b GO TO SECTION C - INJECTING DRUG USE, IF YES in Q. B10.a and NO I n B10 b then GO TO SECTION D

WHY HAVEN`T INJECTED DRUGS IN THE LAST 6 MONTH (B11.1AVOIDHIV)

File: DRUG USERS' DATA

WHY HAVEN`T INJECTED DRUGS IN THE LAST 6 MONTH (B11.1AVOIDHIV)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 354
Invalid: 8998

Pre question

Can you tell me why you haven't injected drugs in the last 6 months?

Literal question

To avoid getting infected with HIV, Hepatitis?

Interviewer instructions

READ ALL OPTIONS AND PROBE IF NECESSARY

WHY HAVEN`T INJECTED DRUGS IN THE LAST 6 MONTH (B11.2NOVIENS11.3INFECTED)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 313
Invalid: 9039

Pre question

Can you tell me why you haven't injected drugs in the last 6 months?

Literal question

Don't have any veins or places left to inject?

Interviewer instructions

READ ALL OPTIONS AND PROBE IF NECESSARY

WHY HAVEN`T INJECTED DRUGS IN THE LAST 6 MONTH (B11.3INFECTED)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 295
Invalid: 9057

Pre question

Can you tell me why you haven't injected drugs in the last 6 months?

Literal question

I am already infected with HIV or Hepatitis and want to protect myself or others?

Interviewer instructions

READ ALL OPTIONS AND PROBE IF NECESSARY

WHY HAVEN'T INJECTED DRUGS IN THE LAST 6 MONTH (B11.4PARTNER)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 318
Invalid: 9034

Pre question

Can you tell me why you haven't injected drugs in the last 6 months?

Literal question

Friend or partner not injecting?

Interviewer instructions

READ ALL OPTIONS AND PROBE IF NECESSARY

WHY HAVEN'T INJECTED DRUGS IN THE LAST 6 MONTH (B11.5OTHER)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 46

Valid cases: 62
Invalid: 0

Pre question

Can you tell me why you haven't injected drugs in the last 6 months?

Literal question

Other reasons (specify)?

Interviewer instructions

READ ALL OPTIONS AND PROBE IF NECESSARY

OFTEN INJECT DRUGS (C1FREQINJECT)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Valid cases: 2014
Invalid: 7338

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

Literal question

In the last six months, on the average, how often did you inject drugs?

TIMES INJECTED DRUGS IN A DAY (C2PAST6MNTHS)

File: DRUG USERS' DATA

Overview

TIMES INJECTED DRUGS IN A DAY (C2PAST6MNTHS)**File: DRUG USERS' DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2010
 Invalid: 7342

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

Literal question

On a typical day when you injected in the past 6 months, how many times did you inject drugs?

DRUG INJECTED IN THE PAST 6 MONTH (C3AHEROIN)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 1272
 Invalid: 8080

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In the last six months, which of the following drugs did you inject?

Literal question

Heroin

Interviewer instructions

READ ALL DRUG TYPES ONE BY ONE AND CHECK MORE THAN ONE CATEGORY IF NEEDED

DRUG INJECTED IN THE PAST 6 MONTH (C3BMETHAMPHETAMINE)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 919
 Invalid: 8433

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In the last six months, which of the following drugs did you inject?

Literal question

Methamphetamine (crystal or powder)

Interviewer instructions

READ ALL DRUG TYPES ONE BY ONE AND CHECK MORE THAN ONE CATEGORY IF NEEDED

DRUG INJECTED IN THE PAST 6 MONTH (C3CCOCAINE)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 1240
 Invalid: 8112

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In the last six months, which of the following drugs did you inject?

Literal question

Cocaine

Interviewer instructions

READ ALL DRUG TYPES ONE BY ONE AND CHECK MORE THAN ONE CATEGORY IF NEEDED

DRUG INJECTED IN THE PAST 6 MONTH (C3DTRANQUILIZER)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 1067
 Invalid: 8285

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In the last six months, which of the following drugs did you inject?

Literal question

Tranquilizer (such as Bromazepam, valium, tropium, calmpose)

Interviewer instructions

READ ALL DRUG TYPES ONE BY ONE AND CHECK MORE THAN ONE CATEGORY IF NEEDED

DRUG INJECTED IN THE PAST 6 MONTH (C3EPAINKILLER)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 1421
 Invalid: 7931

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In the last six months, which of the following drugs did you inject?

Literal question

PainKillers or analgesics (such as Tramadaol, Morphine, Pethidine, Pentazocine)

Interviewer instructions

DRUG INJECTED IN THE PAST 6 MONTH (C3EPAINKILLER)

File: DRUG USERS' DATA

READ ALL DRUG TYPES ONE BY ONE AND CHECK MORE THAN ONE CATEGORY IF NEEDED

DRUG INJECTED IN THE PAST 6 MONTH (C3FAMPHETAMINE)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 914
 Invalid: 8438

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In the last six months, which of the following drugs did you inject?

Literal question

Amphetamine such as Dexedrine or Adderall

Interviewer instructions

READ ALL DRUG TYPES ONE BY ONE AND CHECK MORE THAN ONE CATEGORY IF NEEDED

DRUG INJECTED IN THE PAST 6 MONTH (C3GMETHAMPHETAMINETAB)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 919
 Invalid: 8433

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In the last six months, which of the following drugs did you inject?

Literal question

Methamphetamine tablets such as Pervitin, Methedrine, or Desoxyn

Interviewer instructions

READ ALL DRUG TYPES ONE BY ONE AND CHECK MORE THAN ONE CATEGORY IF NEEDED

DRUG INJECTED IN THE PAST 6 MONTH (C3HOTHERSPECIFY)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: character
 Width: 8

Valid cases: 23
 Invalid: 0

Pre question

DRUG INJECTED IN THE PAST 6 MONTH (C3HOTHERSPECIFY)**File: DRUG USERS' DATA**

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In the last six months, which of the following drugs did you inject?

Literal question

Others (specify)

Interviewer instructions

READ ALL DRUG TYPES ONE BY ONE AND CHECK MORE THAN ONE CATEGORY IF NEEDED

PLACE INJECTED DRUGS (C4.1WHERE LIVE)**File: DRUG USERS' DATA****Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 1446
Invalid: 7906

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In the last 6 months have you ever injected drugs at

Literal question

Place where you live

Interviewer instructions

Read from the list below and check as many responses as appropriate

PLACE INJECTED DRUGS (C4.2SEXPARTNER)**File: DRUG USERS' DATA****Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 833
Invalid: 8519

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In the last 6 months have you ever injected drugs at

Literal question

At the home of your sex partner

Interviewer instructions

Read from the list below and check as many responses as appropriate

PLACE INJECTED DRUGS (C4.3SOMEONE ELSE)**File: DRUG USERS' DATA****Overview**

PLACE INJECTED DRUGS (C4.3SOMEONEELSE)**File: DRUG USERS' DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 1153
 Invalid: 8199

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In the last 6 months have you ever injected drugs at

Literal question

Someone else's house or apartment where you don't live (friend / relative)

Interviewer instructions

Read from the list below and check as many responses as appropriate

PLACE INJECTED DRUGS (C4.4DRUGDEALER)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 1008
 Invalid: 8344

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In the last 6 months have you ever injected drugs at

Literal question

Drug Dealers house or apartment

Interviewer instructions

Read from the list below and check as many responses as appropriate

PLACE INJECTED DRUGS (C4.5ABANDBUILD)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 1063
 Invalid: 8289

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In the last 6 months have you ever injected drugs at

Literal question

Abandoned building

Interviewer instructions

Read from the list below and check as many responses as appropriate

PLACE INJECTED DRUGS (C4.6BAR_ENTER)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 776
 Invalid: 8576

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In the last 6 months have you ever injected drugs at

Literal question

Bar/Entertainment venue

Interviewer instructions

Read from the list below and check as many responses as appropriate

PLACE INJECTED DRUGS (C4.7STREET_TOIL)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 862
 Invalid: 8490

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In the last 6 months have you ever injected drugs at

Literal question

On the street, in a park, alley or public toilets

Interviewer instructions

Read from the list below and check as many responses as appropriate

PLACE INJECTED DRUGS (C4.8JAIL_PRIS)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 657
 Invalid: 8695

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In the last 6 months have you ever injected drugs at

Literal question

Jail/prison

Interviewer instructions

PLACE INJECTED DRUGS (C4.8JAIL_PRIS)

File: DRUG USERS' DATA

Read from the list below and check as many responses as appropriate

PLACE INJECTED DRUGS (C4.9OTHERS)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 17

Valid cases: 71
Invalid: 0

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In the last 6 months have you ever injected drugs at

Literal question

Other specify

Interviewer instructions

Read from the list below and check as many responses as appropriate

PLACE MOSTLY INJECTED DRUGS (C5.WHERE)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 10

Valid cases: 1686
Invalid: 0

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

Literal question

Of these places, where do you inject most often?

FREQUENCY OF INJECTING DRUGS WITH OTHER PEOPLE (C6FREQINJECT)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Valid cases: 1783
Invalid: 7569

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

Literal question

In the last six months, how often did you inject with other people who were also injecting drugs at the same time you were?

Interviewer instructions

Never (Go to Q 9)

PEOPLE EVER INJECTED DRUGS WITH (C7.1SPOUSE)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 1002
 Invalid: 8350

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

Additionally, in the last 6 months, have you ever injected drugs with

Literal question

Spouse/Partner

Interviewer instructions

Read the list one by one and check as many responses as appropriate

PEOPLE EVER INJECTED DRUGS WITH (C7.2FRIENDS)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 1547
 Invalid: 7805

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

Additionally, in the last 6 months, have you ever injected drugs with

Literal question

With friends or acquaintances

Interviewer instructions

Read the list one by one and check as many responses as appropriate

PEOPLE EVER INJECTED DRUGS WITH (C7.3UNKNOWN)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 1112
 Invalid: 8240

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

Additionally, in the last 6 months, have you ever injected drugs with

Literal question

With people you don't know

Interviewer instructions

PEOPLE EVER INJECTED DRUGS WITH (C7.3UNKNOWN)**File: DRUG USERS' DATA**

Read the list one by one and check as many responses as appropriate

PEOPLE EVER INJECTED DRUGS WITH (C7.4FAMILY)**File: DRUG USERS' DATA****Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 1043
Invalid: 8309

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

Additionally, in the last 6 months, have you ever injected drugs with

Literal question

Family member

Interviewer instructions

Read the list one by one and check as many responses as appropriate

PEOPLE EVER INJECTED DRUGS WITH (C7.5OTHER)**File: DRUG USERS' DATA****Overview**

Type: Discrete
Format: character
Width: 17

Valid cases: 34
Invalid: 0

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

Additionally, in the last 6 months, have you ever injected drugs with

Literal question

Other specify

Interviewer instructions

Read the list one by one and check as many responses as appropriate

WHO MOST OFTEN DID YOU INJECT DRUGS (C8INJECTWITHMOST)**File: DRUG USERS' DATA****Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1567
Invalid: 7785

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

WHO MOST OFTEN DID YOU INJECT DRUGS (C8INJECTWITHMOST)

File: DRUG USERS' DATA

Literal question

In the last 6 months, who did you inject drugs with MOST OFTEN

Interviewer instructions

Ask as open-ended question, don't read the list, check the most appropriate response

ITEM USED WHEN INJECTING DRUGS (C9.1DRAWNDRUGS)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 1928
Invalid: 0

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In the last six months, when you injected drugs, how often did you use any of the following items with other people or after other people had used them?

Literal question

Drawn drugs from the same cooker (bottle cap, spoon, etc)

Interviewer instructions

Read the list and check as many as applicable

ITEM USED WHEN INJECTING DRUGS (C9.2COTTONSWAB)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1884
Invalid: 7468

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In the last six months, when you injected drugs, how often did you use any of the following items with other people or after other people had used them?

Literal question

Used the same cotton swab

Interviewer instructions

Read the list and check as many as applicable

ITEM USED WHEN INJECTING DRUGS (C9.3RINSEWATER)

File: DRUG USERS' DATA

Overview

ITEM USED WHEN INJECTING DRUGS (C9.3RINSEWATER)**File: DRUG USERS' DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 1926
 Invalid: 7426

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In the last six months, when you injected drugs, how often did you use any of the following items with other people or after other people had used them?

Literal question

Used the same rinse water (water to clean injections, needles)

Interviewer instructions

Read the list and check as many as applicable

TIMES INJECTED DRUGS WITH NEEDLE OR SYRINGE USED BY SOMEONE ELSE (C10INJECTAFTER)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2021
 Invalid: 7331

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

Literal question

In the last six months, how often did you inject with a needle or syringe after someone else had used it?

Post question

If the answer of Q 10 and Q 11 is NR/DK then go to the Q 14

HOW OFTEN IS YOUR SYRINGE USED BY SOMEONEELSE (C11AFTERYOU)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2008
 Invalid: 7344

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

Literal question

In the last six months, how often did someone else use a syringe or a needle after you had already used it?

Post question

If the answer of Q 10 and Q 11 is NR/DK then go to the Q 14

REASONS FOR SHARING SYRINGE (C12AONENEEDLE)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 729
 Invalid: 8623

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In the last six months, what were the reasons for sharing a needle or syringe with others?

Literal question

Did you use the same needle because: There was only one needle available

Interviewer instructions

Read all the options and check as many responses

REASONS FOR SHARING SYRINGE (C12BNEEDED)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 599
 Invalid: 8753

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In the last six months, what were the reasons for sharing a needle or syringe with others?

Literal question

Did you use the same needle because: You needed help injecting

Interviewer instructions

Read all the options and check as many responses

REASONS FOR SHARING SYRINGE (C12CHELPPINGOTHER)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 619
 Invalid: 8733

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In the last six months, what were the reasons for sharing a needle or syringe with others?

Literal question

Did you use the same needle because: Someone else needed help injecting

Interviewer instructions

REASONS FOR SHARING SYRINGE (C12CHELPINGOTHER)

File: DRUG USERS' DATA

Read all the options and check as many responses

REASONS FOR SHARING SYRINGE (C12DTRUSTEDFRIEND)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 671
 Invalid: 8681

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In the last six months, what were the reasons for sharing a needle or syringe with others?

Literal question

Did you use the same needle because: You were injecting with people you trust (sex partner, lover, or friend)

Interviewer instructions

Read all the options and check as many responses

REASONS FOR SHARING SYRINGE (C12EUPSET)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 572
 Invalid: 8780

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In the last six months, what were the reasons for sharing a needle or syringe with others?

Literal question

Did you use the same needle because: People get upset if you don't use the same needle or syringe

Interviewer instructions

Read all the options and check as many responses

REASONS FOR SHARING SYRINGE (C12FCLOGGED_NEEDLE)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 557
 Invalid: 8795

Pre question

REASONS FOR SHARING SYRINGE (C12FCLOGGED_NEEDLE)**File: DRUG USERS' DATA**

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In the last six months, what were the reasons for sharing a needle or syringe with others?

Literal question

Did you use the same needle because: The needle had been clogged

Interviewer instructions

Read all the options and check as many responses

REASONS FOR SHARING SYRINGE (C12GBROKE)**File: DRUG USERS' DATA****Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 570
Invalid: 8782

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In the last six months, what were the reasons for sharing a needle or syringe with others?

Literal question

Did you use the same needle because: The needle you had was broke or dull

Interviewer instructions

Read all the options and check as many responses

REASONS FOR SHARING SYRINGE (C12HCLEANED)**File: DRUG USERS' DATA****Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 661
Invalid: 8691

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In the last six months, what were the reasons for sharing a needle or syringe with others?

Literal question

Did you use the same needle because: The needle had been cleaned

Interviewer instructions

Read all the options and check as many responses

REASONS FOR SHARING SYRINGE (C12IURGENTNEED)**File: DRUG USERS' DATA****Overview**

REASONS FOR SHARING SYRINGE (C12IURGENTNEED)**File: DRUG USERS' DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 650
 Invalid: 8702

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In the last six months, what were the reasons for sharing a needle or syringe with others?

Literal question

Did you use the same needle because: You had an urgent need to take the drug

Interviewer instructions

Read all the options and check as many responses

REASONS FOR SHARING SYRINGE (C12JOTHER)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: character
 Width: 19

Valid cases: 3
 Invalid: 0

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In the last six months, what were the reasons for sharing a needle or syringe with others?

Literal question

Did you use the same needle because: Other (specify)

Interviewer instructions

Read all the options and check as many responses

HOW OFTEN IS NEEDLE CLEANED AFTER USED BY SOMEONE ELSE (C13AWATER)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 767
 Invalid: 8585

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In the last six months of injecting drugs, when you used a needle that was used before you by someone else, how often did you clean it with

Literal question

only cold water

Interviewer instructions

Read the list and check as applicable

HOW OFTEN IS NEEDLE CLEANED AFTER USED BY SOMEONE ELSE (C13BBLEACH)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 692
Invalid: 8660

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In the last six months of injecting drugs, when you used a needle that was used before you by someone else, how often did you clean it with

Literal question

Bleach(chlorine)

Interviewer instructions

Read the list and check as applicable

HOW OFTEN IS NEEDLE CLEANED AFTER USED BY SOMEONE ELSE (C13CSPIRIT)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 718
Invalid: 8634

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In the last six months of injecting drugs, when you used a needle that was used before you by someone else, how often did you clean it with

Literal question

Spirit/ Rubbing alcohol

Interviewer instructions

Read the list and check as applicable

HOW OFTEN IS NEEDLE CLEANED AFTER USED BY SOMEONE ELSE (C13DBOILINGWATER)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 705
Invalid: 8647

Pre question

HOW OFTEN IS NEEDLE CLEANED AFTER USED BY SOMEONE ELSE (C13DBOILINGWATER)

File: DRUG USERS' DATA

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In the last six months of injecting drugs, when you used a needle that was used before you by someone else, how often did you clean it with

Literal question

Boiling water

Interviewer instructions

Read the list and check as applicable

HOW OFTEN IS NEEDLE CLEANED AFTER USED BY SOMEONE ELSE (C13EPAPER)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 770
Invalid: 8582

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In the last six months of injecting drugs, when you used a needle that was used before you by someone else, how often did you clean it with

Literal question

Paper/Tissue paper/ cloth

Interviewer instructions

Read the list and check as applicable

HOW OFTEN IS NEEDLE CLEANED AFTER USED BY SOMEONE ELSE (C13FOTHERSPECIFY)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 14

Valid cases: 28
Invalid: 0

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In the last six months of injecting drugs, when you used a needle that was used before you by someone else, how often did you clean it with

Literal question

Other (specify)

Interviewer instructions

Read the list and check as applicable

FREQUENCY OF GETTING NEW SYRINGE FOR INJECTION IN A MONTH (C14NEWNEEDLE)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 1846
Invalid: 0

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

Literal question

During the last 6 months, when you injected drugs, how often did you get new needles/syringes in a month?

FREQUENCY OF USING ONE BRAND OF NEEDLE IN A MONTH (C15FREQ)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 2

Valid cases: 1988
Invalid: 0

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

Literal question

In the last six months, once you started using a brand new needle, how many times did you use it for:(times)

Interviewer instructions

(77) Use set only once (88)No response, (99)Don't Know

EASE OF GETTING NEW NEEDLE IN THE LAST 6 MONTH (C16EASE)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 1956
Invalid: 0

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

Literal question

In the last 6 months when you wanted to inject drugs, how easy was it for you to get new sterile needles when you needed them, would you say.

WAYS OF GETTING NEW NEEDLE (C17MOSTNEW)

File: DRUG USERS' DATA

Overview

WAYS OF GETTING NEW NEEDLE (C17MOSTNEW)**File: DRUG USERS' DATA**

Type: Discrete
 Format: character
 Width: 60

Valid cases: 1901
 Invalid: 0

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

Literal question

During the last 6 months where have you gotten MOST of your new or unused syringes or needles

Interviewer instructions

Ask as an open ended question write the response on the space

PERSONS C OLLECTED NEEDLE FROM (C18.1SPOUSE)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 1142
 Invalid: 8210

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In addition, during the last 6 months have you gotten your new or unused syringe or needles from?

Literal question

Wife/ husband or sex partner

PERSONS C OLLECTED NEEDLE FROM (C18.2FAMILY)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 1180
 Invalid: 8172

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In addition, during the last 6 months have you gotten your new or unused syringe or needles from?

Literal question

From a family member or a relative

PERSONS C OLLECTED NEEDLE FROM (C18.3FRIEND)**File: DRUG USERS' DATA****Overview**

PERSONS C OLLECTED NEEDLE FROM (C18.3FRIEND)**File: DRUG USERS' DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 1340
 Invalid: 8012

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In addition, during the last 6 months have you gotten your new or unused syringe or needles from?

Literal question

From a friend or an acquaintance

PERSONS C OLLECTED NEEDLE FROM (C18.4PHARMACY)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 1672
 Invalid: 7680

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In addition, during the last 6 months have you gotten your new or unused syringe or needles from?

Literal question

From a pharmacy

Interviewer instructions

skip Q. 20 and 21

PERSONS C OLLECTED NEEDLE FROM (C18.5OUTREACH)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 1206
 Invalid: 8146

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In addition, during the last 6 months have you gotten your new or unused syringe or needles from?

Literal question

From a outreach worker

Interviewer instructions

skip Q20

PERSONS C OLLECTED NEEDLE FROM (C18.6DIC)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 1170
 Invalid: 8182

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In addition, during the last 6 months have you gotten your new or unused syringe or needles from?

Literal question

From a drop-in centre

Interviewer instructions

skip Q.21

PERSONS C OLLECTED NEEDLE FROM (C18.7ANOTHER)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 1236
 Invalid: 8116

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In addition, during the last 6 months have you gotten your new or unused syringe or needles from?

Literal question

From another injector (needle dealer)

PERSONS C OLLECTED NEEDLE FROM (C18.8DEALER)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 1249
 Invalid: 8103

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In addition, during the last 6 months have you gotten your new or unused syringe or needles from?

Literal question

From a drug dealer

PERSONS COLLECTED NEEDLE FROM (C18.9OTHERSSPECIFY)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: character
 Width: 14

Valid cases: 16
 Invalid: 0

Pre question

I am now going to ask you about injecting drug use. Again may I remind you that this is a confidential interview and your answers will in no way be linked to you.

In addition, during the last 6 months have you gotten your new or unused syringe or needles from?

Literal question

Other (specify)

TOTAL PEOPLE HAD PERSONAL CONTACT WITH (D1ACANNABIS)

File: DRUG USERS' DATA

Overview

Type: Continuous
 Format: numeric
 Width: 5
 Decimals: 0
 Range: 1-10000

Valid cases: 6357
 Invalid: 2995
 Minimum: 1
 Maximum: 10000
 Mean: 88.3
 Standard deviation: 313.7

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many drug users have you had personal contact with uses cannabis

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH (D1APERCENTAGE)

File: DRUG USERS' DATA

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-500

Valid cases: 1992
 Invalid: 7360
 Minimum: 1
 Maximum: 500
 Mean: 55.4
 Standard deviation: 37.2

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of people you had personal contact with who use cannabis

Interviewer instructions

PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH (D1APERCENTAGE)

File: DRUG USERS' DATA

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF WOMEN (D1BWOMEN)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 5
Decimals: 0
Range: 1-30000

Valid cases: 5250
Invalid: 4102
Minimum: 1
Maximum: 30000
Mean: 40.4
Standard deviation: 430.9

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users were women?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF WOMEN (D1BPERCENTAGE)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 4

Valid cases: 1938
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

What Percentage were women

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF INJECTORS (D1CINJECTOR)

File: DRUG USERS' DATA

Overview

NO. OF INJECTORS (D1CINJECTOR)**File: DRUG USERS' DATA**

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-400

Valid cases: 866
 Invalid: 8486
 Minimum: 1
 Maximum: 400
 Mean: 15.4
 Standard deviation: 26.4

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users were injectors

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF INJECTORS (D1CPERCENTAGE)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: character
 Width: 3

Valid cases: 399
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the injectors.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D1DTREATED)**File: DRUG USERS' DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2000

Valid cases: 968
 Invalid: 8384
 Minimum: 1
 Maximum: 2000
 Mean: 11.7
 Standard deviation: 66.9

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users have been for treatment in Govt. run treatment facility?

Interviewer instructions

NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D1DTREATED)

File: DRUG USERS' DATA

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D1DPERCENTAGE)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 4

Valid cases: 275
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of those treated in Govt. run facility.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF PEOPLE REGISTERED BY NGO (D1ENGO)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-100

Valid cases: 453
Invalid: 8899
Minimum: 1
Maximum: 100
Mean: 8.2
Standard deviation: 12.2

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users may have been registered by NGOs or private clinic?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE REGISTERD BY NGO (D1EPERCENTAGE)

File: DRUG USERS' DATA

Overview

PERCENTAGE OF PEOPLE REGISTERED BY NGO (D1EPERCENTAGE)

File: DRUG USERS' DATA

Type: Discrete
Format: character
Width: 4

Valid cases: 107
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of those registered by NGO or clinic.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF UTERLIZED SERVICE OF NELDEA (D1FNDLEA)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-300

Valid cases: 883
Invalid: 8469
Minimum: 1
Maximum: 300
Mean: 9.8
Standard deviation: 21.2

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users may have utilized the services of a NDLEA Counselling Centre?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF UTERLIZED OF NELDEA (D1FPERC)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 3

Valid cases: 293
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of utilized services in Nigeria.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

TOTAL PEOPLE HAD PERSONAL CONTACT WITH (D2AMETH)**File: DRUG USERS' DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-1000

Valid cases: 292
 Invalid: 9060
 Minimum: 1
 Maximum: 1000
 Mean: 26.2
 Standard deviation: 64.5

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many drug users have you had personal contact with uses methamphetamine (crystal or powder)

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH (D2APERCENTAGE)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: character
 Width: 4

Valid cases: 86
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of people you had personal contact with who use methamphetamine (crystal or powder)

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF WOMEN (D2BWOMEN)**File: DRUG USERS' DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-200

Valid cases: 209
 Invalid: 9143
 Minimum: 1
 Maximum: 200
 Mean: 9
 Standard deviation: 17.1

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

NO. OF WOMEN (D2BWOMEN)**File: DRUG USERS' DATA**

How many of these drug users were women?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF WOMEN (D2PERCENTAGE)**File: DRUG USERS' DATA****Overview**

Type: Discrete
Format: character
Width: 4

Valid cases: 50
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF INJECTORS (D2CINJECTOR)**File: DRUG USERS' DATA****Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-70

Valid cases: 117
Invalid: 9235
Minimum: 1
Maximum: 70
Mean: 16.6
Standard deviation: 17.5

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users were injectors

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF INJECTORS (D2CPERCENTAGE)**File: DRUG USERS' DATA****Overview**

PERCENTAGE OF INJECTORS (D2CPERCENTAGE)

File: DRUG USERS' DATA

Type: Discrete
 Format: character
 Width: 4

Valid cases: 30
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D2DTREATED)

File: DRUG USERS' DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-22

Valid cases: 57
 Invalid: 9295
 Minimum: 1
 Maximum: 22
 Mean: 4.6
 Standard deviation: 4.5

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users have been for treatment in Govt. run treatment facility?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D2DPERCENTAGE)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: character
 Width: 2

Valid cases: 53
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D2DPERCENTAGE)

File: DRUG USERS' DATA

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF PEOPLE REGISTERED BY NGO (D2ENGO)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-30

Valid cases: 58
Invalid: 9294
Minimum: 1
Maximum: 30
Mean: 6.6
Standard deviation: 7.8

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users may have been registered by NGOs or private clinic?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE REGISTERED BY NGO (D2EPERCENTAGE)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 2

Valid cases: 40
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF UTILIZED SERVICE OF NELDEA (D2FNDLEA)

File: DRUG USERS' DATA

Overview

NO. OF UTERLIZED SERVICE OF NELDEA (D2FNDLEA)**File: DRUG USERS' DATA**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-20

Valid cases: 50
 Invalid: 9302
 Minimum: 1
 Maximum: 20
 Mean: 3.5
 Standard deviation: 3.8

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users may have utilized the services of a NDLEA Counselling Centre?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF UTERLIZED OF NELDEA (D2FPERCENTAGE)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: character
 Width: 2

Valid cases: 14
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

TOTAL PEOPLE HAD PERSONAL CONTACT WITH (D3ACOCAINE)**File: DRUG USERS' DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2000

Valid cases: 1918
 Invalid: 7434
 Minimum: 1
 Maximum: 2000
 Mean: 37.5
 Standard deviation: 114.3

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many drug users have you had personal contact with uses Cocaine

Interviewer instructions

TOTAL PEOPLE HAD PERSONAL CONTACT WITH (D3ACOCAINE)**File: DRUG USERS' DATA**

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH (D3APERCENTAGE)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: character
 Width: 3

Valid cases: 830
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of people you had personal contact with who use cocaine

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF WOMEN (D3BWOMEN)**File: DRUG USERS' DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-1000

Valid cases: 1485
 Invalid: 7867
 Minimum: 1
 Maximum: 1000
 Mean: 14.1
 Standard deviation: 48.4

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users were women?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF WOMEN (D3BPERCENTAGE)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: character
 Width: 4

Valid cases: 702
 Invalid: 0

PERCENTAGE OF WOMEN (D3BPERCENTAGE)

File: DRUG USERS' DATA

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF INJECTORS (D3CINJECTOR)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-120

Valid cases: 687
Invalid: 8665
Minimum: 1
Maximum: 120
Mean: 17.6
Standard deviation: 20.5

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users were injectors

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF INJECTORS (D3CPERCENTAGE)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 4

Valid cases: 409
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D3DTREATED)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-110

Valid cases: 251
Invalid: 9101
Minimum: 1
Maximum: 110
Mean: 7
Standard deviation: 12.7

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users have been for treatment in Govt. run treatment facility?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D3DPERCENTAGE)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 4

Valid cases: 150
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF PEOPLE REGISTERED BY NGO (D3ENGO)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-100

Valid cases: 198
Invalid: 9154
Minimum: 1
Maximum: 100
Mean: 9.4
Standard deviation: 12.6

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

NO. OF PEOPLE REGISTERED BY NGO (D3ENGO)

File: DRUG USERS' DATA

Literal question

How many of these drug users may have been registered by NGOs or private clinic?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE REGISTERED BY NGO (D3EPERCENTAGE)

File: DRUG USERS' DATA

Overview

Type: Discrete

Format: character

Width: 2

Valid cases: 64

Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF UTERLIZED SERVICE OF NELDEA (D3FNDLEA)

File: DRUG USERS' DATA

Overview

Type: Continuous

Format: numeric

Width: 3

Decimals: 0

Range: 1-200

Valid cases: 214

Invalid: 9138

Minimum: 1

Maximum: 200

Mean: 6.8

Standard deviation: 15.6

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users may have utilized the services of a NDLEA Counselling Centre?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF UTERLIZED OF NELDEA (D3FPERCENTAGE)

File: DRUG USERS' DATA

Overview

PERCENTAGE OF UTERLIZED OF NELDEA (D3FPERCENTAGE)

File: DRUG USERS' DATA

Type: Discrete
 Format: character
 Width: 4

Valid cases: 119
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

TOTAL PEOPLE HAD PERSONAL CONTACT WITH (D4ACRACKCOCAINE)

File: DRUG USERS' DATA

Overview

Type: Continuous
 Format: numeric
 Width: 5
 Decimals: 0
 Range: 1-20000

Valid cases: 2181
 Invalid: 7171
 Minimum: 1
 Maximum: 20000
 Mean: 59.6
 Standard deviation: 494.5

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many drug users have you had personal contact with uses Crack Cocaine

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH (D4APERCENTAGE)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: character
 Width: 4

Valid cases: 529
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of people you had personal contact with who use crack cocaine

Interviewer instructions

PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH (D4APERCENTAGE)

File: DRUG USERS' DATA

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF WOMEN (D4BWOMEN)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 1-4000

Valid cases: 1830
Invalid: 7522
Minimum: 1
Maximum: 4000
Mean: 16.7
Standard deviation: 99.4

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users were women?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF WOMEN (D4BPERCENTAGE)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 4

Valid cases: 469
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF INJECTORS (D4CINJECTOR)

File: DRUG USERS' DATA

Overview

NO. OF INJECTORS (D4CINJECTOR)**File: DRUG USERS' DATA**

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-100

Valid cases: 488
 Invalid: 8864
 Minimum: 1
 Maximum: 100
 Mean: 11.6
 Standard deviation: 14.7

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users were injectors

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF INJECTORS (D4CPERCENTAGE)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: character
 Width: 4

Valid cases: 159
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D4DTREATED)**File: DRUG USERS' DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-100

Valid cases: 279
 Invalid: 9073
 Minimum: 1
 Maximum: 100
 Mean: 5.7
 Standard deviation: 9

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users have been for treatment in Govt. run treatment facility?

Interviewer instructions

NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D4DTREATED)

File: DRUG USERS' DATA

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D4DPERCENTAGE)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 4

Valid cases: 115
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF PEOPLE REGISTERED BY NGO (D4ENGO)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-80

Valid cases: 239
Invalid: 9113
Minimum: 1
Maximum: 80
Mean: 8.6
Standard deviation: 10.9

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users may have been registered by NGOs or private clinic?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE REGISTERD BY NGO (D4EPERCENTAGE)

File: DRUG USERS' DATA

Overview

PERCENTAGE OF PEOPLE REGISTERED BY NGO (D4EPERCENTAGE)

File: DRUG USERS' DATA

Type: Discrete
Format: character
Width: 2

Valid cases: 74
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF UTILIZED SERVICE OF NELDEA (D4FNDLEA)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-200

Valid cases: 270
Invalid: 9082
Minimum: 1
Maximum: 200
Mean: 6.6
Standard deviation: 15.7

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users may have utilized the services of a NDLEA Counselling Centre?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF UTILIZED OF NELDEA (D4FPERCENTAGE)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 3

Valid cases: 124
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

TOTAL PEOPLE HAD PERSONAL CONTACT WITH (D5AESCTASY)

File: DRUG USERS' DATA

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-1000

Valid cases: 1078
 Invalid: 8274
 Minimum: 1
 Maximum: 1000
 Mean: 28.8
 Standard deviation: 63.7

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many drug users have you had personal contact with uses Ecstasy

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH (D5APERCENTAGE)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: character
 Width: 4

Valid cases: 204
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of people you had personal contact with who use ecstasy

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF WOMEN (D5BWOMEN)

File: DRUG USERS' DATA

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-500

Valid cases: 754
 Invalid: 8598
 Minimum: 1
 Maximum: 500
 Mean: 18.8
 Standard deviation: 36.1

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

NO. OF WOMEN (D5BWOMEN)**File: DRUG USERS' DATA**

How many of these drug users were women?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF WOMEN (D5BPERCENTAGE)**File: DRUG USERS' DATA****Overview**

Type: Discrete
Format: character
Width: 4

Valid cases: 197
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF INJECTORS (D5CINJECTOR)**File: DRUG USERS' DATA****Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-81

Valid cases: 178
Invalid: 9174
Minimum: 1
Maximum: 81
Mean: 13
Standard deviation: 15.7

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users were injectors

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF INJECTORS (D5CPERCENTAGE)**File: DRUG USERS' DATA****Overview**

PERCENTAGE OF INJECTORS (D5CPERCENTAGE)**File: DRUG USERS' DATA**

Type: Discrete
 Format: character
 Width: 3

Valid cases: 82
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D5DTREATED)**File: DRUG USERS' DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-78

Valid cases: 93
 Invalid: 9259
 Minimum: 1
 Maximum: 78
 Mean: 13.2
 Standard deviation: 18.3

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users have been for treatment in Govt. run treatment facility?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D5DPERC)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: character
 Width: 3

Valid cases: 208
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D5DPERC)

File: DRUG USERS' DATA

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF PEOPLE REGISTERED BY NGO (D5ENGO)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-40

Valid cases: 61
Invalid: 9291
Minimum: 1
Maximum: 40
Mean: 8.7
Standard deviation: 9.5

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users may have been registered by NGOs or private clinic?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE REGISTERED BY NGO (D5EPERC)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 2

Valid cases: 138
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF UTERLIZED SERVICE OF NELDEA (D5FNDLEA)

File: DRUG USERS' DATA

Overview

NO. OF UTERLIZED SERVICE OF NELDEA (D5FNDLEA)**File: DRUG USERS' DATA**

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-100

Valid cases: 81
 Invalid: 9271
 Minimum: 1
 Maximum: 100
 Mean: 4.9
 Standard deviation: 11.4

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users may have utilized the services of a NDLEA Counselling Centre?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF UTERLIZED OF NELDEA (D5FPERC)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: character
 Width: 2

Valid cases: 50
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

TOTAL PEOPLE HAD PERSONAL CONTACT WITH (D6ATRANQUILIZERS)**File: DRUG USERS' DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-3000

Valid cases: 2831
 Invalid: 6521
 Minimum: 1
 Maximum: 3000
 Mean: 65
 Standard deviation: 160.9

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many drug users have you had personal contact with uses Tranquilizers (such as Bromazepam, valium, tropium, calmpose)

TOTAL PEOPLE HAD PERSONAL CONTACT WITH (D6ATRANQUILIZERS)

File: DRUG USERS' DATA

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH (D6APERC)

File: DRUG USERS' DATA

Overview

Type: Discrete

Format: character

Width: 5

Valid cases: 819

Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of people you had personal contact with who use Tranquilizers (such as Bromazepam, valium, tropium, calmpose)

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF WOMEN (D6BWOMEN)

File: DRUG USERS' DATA

Overview

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 1-1000

Valid cases: 2311

Invalid: 7041

Minimum: 1

Maximum: 1000

Mean: 37.5

Standard deviation: 100.6

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users were women?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF WOMEN (D6BPERC)

File: DRUG USERS' DATA

Overview

PERCENTAGE OF WOMEN (D6BPERC)**File: DRUG USERS' DATA**

Type: Discrete
Format: character
Width: 4

Valid cases: 741
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF INJECTORS (D6CINJECTOR)**File: DRUG USERS' DATA****Overview**

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 1-1500

Valid cases: 723
Invalid: 8629
Minimum: 1
Maximum: 1500
Mean: 23.6
Standard deviation: 88

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users were injectors

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF INJECTORS (D6CPERC)**File: DRUG USERS' DATA****Overview**

Type: Discrete
Format: character
Width: 4

Valid cases: 263
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D6DTREATED)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-150

Valid cases: 436
Invalid: 8916
Minimum: 1
Maximum: 150
Mean: 9.1
Standard deviation: 16

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users have been for treatment in Govt. run treatment facility?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D6DPERC)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 4

Valid cases: 136
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF PEOPLE REGISTERED BY NGO (D6ENGO)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-80

Valid cases: 137
Invalid: 9215
Minimum: 1
Maximum: 80
Mean: 6.7
Standard deviation: 10.1

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

NO. OF PEOPLE REGISTERED BY NGO (D6ENGO)

File: DRUG USERS' DATA

Literal question

How many of these drug users may have been registered by NGOs or private clinic?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE REGISTERED BY NGO (D6EPERC)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: character
 Width: 2

Valid cases: 28
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF UTERLIZED SERVICE OF NELDEA (D6FNDLEA)

File: DRUG USERS' DATA

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-150

Valid cases: 337
 Invalid: 9015
 Minimum: 1
 Maximum: 150
 Mean: 5.8
 Standard deviation: 11.1

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users may have utilized the services of a NDLEA Counselling Centre?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF UTERLIZED OF NELDEA (D6FPERC)

File: DRUG USERS' DATA

Overview

PERCENTAGE OF UTERLIZED OF NELDEA (D6FPERC)**File: DRUG USERS' DATA**

Type: Discrete
 Format: character
 Width: 2

Valid cases: 83
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

TOTAL PEOPLE HAD PERSONAL CONTACT WITH (D7AMALTRANAL)**File: DRUG USERS' DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-1000

Valid cases: 20
 Invalid: 9332
 Minimum: 1
 Maximum: 1000
 Mean: 71
 Standard deviation: 220.7

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many drug users have you had personal contact with uses Maltranal

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH (D7APERC)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: character
 Width: 2

Valid cases: 9
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of people you had personal contact with who use maltranal

Interviewer instructions

PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH (D7APERC)

File: DRUG USERS' DATA

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF WOMEN (D7BWOMEN)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-250

Valid cases: 15
Invalid: 9337
Minimum: 1
Maximum: 250
Mean: 63.6
Standard deviation: 64.3

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users were women?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF WOMEN (D7BPERC)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 2

Valid cases: 10
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF INJECTORS (D7CINJECTOR)

File: DRUG USERS' DATA

Overview

NO. OF INJECTORS (D7CINJECTOR)**File: DRUG USERS' DATA**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-80

Valid cases: 9
 Invalid: 9343
 Minimum: 1
 Maximum: 80
 Mean: 36.3
 Standard deviation: 33.2

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users were injectors

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF INJECTORS (D7CPERC)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: character
 Width: 2

Valid cases: 5
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D7DTREATED)**File: DRUG USERS' DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 7-500

Valid cases: 7
 Invalid: 9345
 Minimum: 7
 Maximum: 500
 Mean: 113.1
 Standard deviation: 174

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users have been for treatment in Govt. run treatment facility?

Interviewer instructions

NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D7DTREATED)

File: DRUG USERS' DATA

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D7DPERC)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 3

Valid cases: 213
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF PEOPLE REGISTERED BY NGO (D7ENGO)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 3-100

Valid cases: 8
Invalid: 9344
Minimum: 3
Maximum: 100
Mean: 39.5
Standard deviation: 39.6

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users may have been registered by NGOs or private clinic?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE REGISTERD BY NGO (D7EPERC)

File: DRUG USERS' DATA

Overview

PERCENTAGE OF PEOPLE REGISTERED BY NGO (D7Eperc)**File: DRUG USERS' DATA**

Type: Discrete
 Format: character
 Width: 3

Valid cases: 202
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF UTILIZED SERVICE OF NELDEA (D7FNDLEA)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 10-25

Valid cases: 2
 Invalid: 9350

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users may have utilized the services of a NDLEA Counselling Centre?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF UTILIZED OF NELDEA (D7Fperc)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 1
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

TOTAL PEOPLE HAD PERSONAL CONTACT WITH (D8AALCOHOL)

File: DRUG USERS' DATA

Overview

Type: Continuous
 Format: numeric
 Width: 5
 Decimals: 0
 Range: 1-30000

Valid cases: 3891
 Invalid: 5461
 Minimum: 1
 Maximum: 30000
 Mean: 116.6
 Standard deviation: 663

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many drug users have you had personal contact with uses Alcohol

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH (D8APERC)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: character
 Width: 4

Valid cases: 1562
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of people you had personal contact with who use alcohol

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF WOMEN (D8BWOMEN)

File: DRUG USERS' DATA

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-8000

Valid cases: 3488
 Invalid: 5864
 Minimum: 1
 Maximum: 8000
 Mean: 46.8
 Standard deviation: 226.1

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

NO. OF WOMEN (D8BWOMEN)**File: DRUG USERS' DATA**

How many of these drug users were women?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF WOMEN (D1BPERC)**File: DRUG USERS' DATA****Overview**

Type: Discrete
Format: character
Width: 4

Valid cases: 1528
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF INJECTORS (D8CINJECTOR)**File: DRUG USERS' DATA****Overview**

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-300

Valid cases: 380
Invalid: 8972
Minimum: 1
Maximum: 300
Mean: 21.6
Standard deviation: 29.5

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users were injectors

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF INJECTORS (D8CPERC)**File: DRUG USERS' DATA****Overview**

PERCENTAGE OF INJECTORS (D8CPERC)**File: DRUG USERS' DATA**

Type: Discrete
Format: character
Width: 2

Valid cases: 192
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D8DTREATED)**File: DRUG USERS' DATA****Overview**

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-165

Valid cases: 302
Invalid: 9050
Minimum: 1
Maximum: 165
Mean: 13.2
Standard deviation: 21.6

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users have been for treatment in Govt. run treatment facility?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D8DPERC)**File: DRUG USERS' DATA****Overview**

Type: Discrete
Format: character
Width: 3

Valid cases: 330
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D8DPERC)

File: DRUG USERS' DATA

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF PEOPLE REGISTERED BY NGO (D8ENGO)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-400

Valid cases: 133
Invalid: 9219
Minimum: 1
Maximum: 400
Mean: 14.7
Standard deviation: 38.6

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users may have been registered by NGOs or private clinic?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE REGISTERED BY NGO (D8EPERC)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 4

Valid cases: 236
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF UTERLIZED SERVICE OF NELDEA (D8FNDLEA)

File: DRUG USERS' DATA

Overview

NO. OF UTERLIZED SERVICE OF NELDEA (D8FNDLEA)**File: DRUG USERS' DATA**

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-200

Valid cases: 121
 Invalid: 9231
 Minimum: 1
 Maximum: 200
 Mean: 6.9
 Standard deviation: 20.7

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users may have utilized the services of a NDLEA Counselling Centre?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF UTERLIZED OF NELDEA (D8FPERC)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: character
 Width: 3

Valid cases: 70
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

TOTAL PEOPLE HAD PERSONAL CONTACT WITH (D9APAINKILLERS)**File: DRUG USERS' DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 5
 Decimals: 0
 Range: 1-10000

Valid cases: 4950
 Invalid: 4402
 Minimum: 1
 Maximum: 10000
 Mean: 59.5
 Standard deviation: 238.7

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many drug users have you had personal contact with uses Painkillers or analgesics (such as Tramadol, Morphine, Pethidine, Pentazocine)

TOTAL PEOPLE HAD PERSONAL CONTACT WITH (D9APAINKILLERS)

File: DRUG USERS' DATA

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH (D9APERC)

File: DRUG USERS' DATA

Overview

Type: Discrete

Format: character

Width: 4

Valid cases: 1597

Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of people you had personal contact with who use) painkillers or analgesics (such as Tramadol, Morphine, Pethidine, Pentazocine)

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF WOMEN (D9BWOMEN)

File: DRUG USERS' DATA

Overview

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 1-5000

Valid cases: 3744

Invalid: 5608

Minimum: 1

Maximum: 5000

Mean: 35.6

Standard deviation: 150.6

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users were women?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF WOMEN (D9BPERC)

File: DRUG USERS' DATA

Overview

PERCENTAGE OF WOMEN (D9BPERC)**File: DRUG USERS' DATA**

Type: Discrete
Format: character
Width: 4

Valid cases: 1481
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF INJECTORS (D9CINJECTOR)**File: DRUG USERS' DATA****Overview**

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 1-1500

Valid cases: 1156
Invalid: 8196
Minimum: 1
Maximum: 1500
Mean: 24.6
Standard deviation: 54.2

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users were injectors

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF INJECTORS (D9CPERC)**File: DRUG USERS' DATA****Overview**

Type: Discrete
Format: character
Width: 4

Valid cases: 493
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D9DTREATED)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-400

Valid cases: 644
Invalid: 8708
Minimum: 1
Maximum: 400
Mean: 12.5
Standard deviation: 32.2

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users have been for treatment in Govt. run treatment facility?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D9DPERC)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 4

Valid cases: 183
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF PEOPLE REGISTERED BY NGO (D9ENGO)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 5
Decimals: 0
Range: 1-42776

Valid cases: 262
Invalid: 9090
Minimum: 1
Maximum: 42776
Mean: 171.9
Standard deviation: 2642.3

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

NO. OF PEOPLE REGISTERED BY NGO (D9ENGO)

File: DRUG USERS' DATA

Literal question

How many of these drug users may have been registered by NGOs or private clinic?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE REGISTERED BY NGO (D9EPERC)

File: DRUG USERS' DATA

Overview

Type: Discrete

Format: character

Width: 2

Valid cases: 67

Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF UTERLIZED SERVICE OF NELDEA (D9FNDLEA)

File: DRUG USERS' DATA

Overview

Type: Continuous

Format: numeric

Width: 3

Decimals: 0

Range: 1-200

Valid cases: 471

Invalid: 8881

Minimum: 1

Maximum: 200

Mean: 6.6

Standard deviation: 13.9

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users may have utilized the services of a NDLEA Counselling Centre?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF UTERLIZED OF NELDEA (D9FPERC)

File: DRUG USERS' DATA

Overview

PERCENTAGE OF UTERLIZED OF NELDEA (D9FPERC)**File: DRUG USERS' DATA**

Type: Discrete
 Format: character
 Width: 3

Valid cases: 165
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

TOTAL PEOPLE HAD PERSONAL CONTACT WITH (D10AAMPHETAMINE)**File: DRUG USERS' DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-500

Valid cases: 404
 Invalid: 8948
 Minimum: 1
 Maximum: 500
 Mean: 21.5
 Standard deviation: 38.1

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many drug users have you had personal contact with uses Amphetamines such as Dexedrine or Adderall

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH (D10APER)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: character
 Width: 2

Valid cases: 92
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of people you had personal contact with who use amphetamines such as Dexedrine or Adderall

Interviewer instructions

PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH (D10APERC)

File: DRUG USERS' DATA

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF WOMEN (D10BWOMEN)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-200

Valid cases: 210
Invalid: 9142
Minimum: 1
Maximum: 200
Mean: 14.7
Standard deviation: 23.5

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users were women?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF WOMEN (D10BPERC)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 2

Valid cases: 67
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF INJECTORS (D10CINJECTOR)

File: DRUG USERS' DATA

Overview

NO. OF INJECTORS (D10CINJECTOR)**File: DRUG USERS' DATA**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-91

Valid cases: 89
 Invalid: 9263
 Minimum: 1
 Maximum: 91
 Mean: 26
 Standard deviation: 20.9

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users were injectors

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF INJECTORS (D10CPERC)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: character
 Width: 2

Valid cases: 28
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D10DTREATED)**File: DRUG USERS' DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-72

Valid cases: 48
 Invalid: 9304
 Minimum: 1
 Maximum: 72
 Mean: 18
 Standard deviation: 21.1

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users have been for treatment in Govt. run treatment facility?

Interviewer instructions

NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D10DTREATED)

File: DRUG USERS' DATA

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D10DPERC)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 2

Valid cases: 4
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF PEOPLE REGISTERED BY NGO (D10ENGO)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-30

Valid cases: 28
Invalid: 9324
Minimum: 1
Maximum: 30
Mean: 6.9
Standard deviation: 5.5

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users may have been registered by NGOs or private clinic?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE REGISTERD BY NGO (D10EPERC)

File: DRUG USERS' DATA

Overview

PERCENTAGE OF PEOPLE REGISTERED BY NGO (D10EPERC)**File: DRUG USERS' DATA**

Type: Discrete
 Format: character
 Width: 2

Valid cases: 3
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF UTILIZED SERVICE OF NELDEA (D10FNDLEA)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Valid cases: 22
 Invalid: 9330

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users may have utilized the services of a NDLEA Counselling Centre?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF UTILIZED OF NELDEA (D10FPERC)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: character
 Width: 2

Valid cases: 4
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

TOTAL PEOPLE HAD PERSONAL CONTACT WITH (D11AMETAMPHETAMINE)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-150

Valid cases: 183
Invalid: 9169
Minimum: 1
Maximum: 150
Mean: 25
Standard deviation: 28.7

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many drug users have you had personal contact with uses Methamphetamine tablets such as Pervitin, Methedrine, or Desoxyn

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH (D11APERC)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 2

Valid cases: 72
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of people you had personal contact with who use methamphetamine tablets such as Pervitin, Methedrine, or Desoxyn

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF WOMEN (D11BWOMEN)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-79

Valid cases: 135
Invalid: 9217
Minimum: 1
Maximum: 79
Mean: 9.3
Standard deviation: 12.3

Pre question

NO. OF WOMEN (D11BWOMEN)**File: DRUG USERS' DATA**

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users were women?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF WOMEN (D11BPERC)**File: DRUG USERS' DATA****Overview**

Type: Discrete
Format: character
Width: 2

Valid cases: 46
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF INJECTORS (D11CINJECTOR)**File: DRUG USERS' DATA****Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-60

Valid cases: 43
Invalid: 9309
Minimum: 1
Maximum: 60
Mean: 24
Standard deviation: 17.8

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users were injectors

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF INJECTORS (D11CPERC)**File: DRUG USERS' DATA**

PERCENTAGE OF INJECTORS (D11CPERC)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 3

Valid cases: 15
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D11DTREATED)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-65

Valid cases: 34
Invalid: 9318
Minimum: 1
Maximum: 65
Mean: 7.7
Standard deviation: 14.2

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users have been for treatment in Govt. run treatment facility?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D11DPERC)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 2

Valid cases: 19
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D11DPERC)

File: DRUG USERS' DATA

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF PEOPLE REGISTERED BY NGO (D11ENGO)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-50

Valid cases: 30
Invalid: 9322
Minimum: 1
Maximum: 50
Mean: 7.9
Standard deviation: 10.1

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users may have been registered by NGOs or private clinic?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE REGISTERED BY NGO (D11EPERC)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 2

Valid cases: 17
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF UTILIZED SERVICE OF NELDEA (D11FNDLEA)

File: DRUG USERS' DATA

Overview

NO. OF UTERLIZED SERVICE OF NELDEA (D11FNDLEA)**File: DRUG USERS' DATA**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-35

Valid cases: 27
 Invalid: 9325
 Minimum: 1
 Maximum: 35
 Mean: 4.6
 Standard deviation: 8.1

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users may have utilized the services of a NDLEA Counselling Centre?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF UTERLIZED OF NELDEA (D11FPERC)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: character
 Width: 2

Valid cases: 18
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

TOTAL PEOPLE HAD PERSONAL CONTACT WITH (D12AHEROIN)**File: DRUG USERS' DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-7020

Valid cases: 2045
 Invalid: 7307
 Minimum: 1
 Maximum: 7020
 Mean: 49.6
 Standard deviation: 240.6

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many drug users have you had personal contact with uses Heroin

Interviewer instructions

TOTAL PEOPLE HAD PERSONAL CONTACT WITH (D12AHEROIN)**File: DRUG USERS' DATA**

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH (D12APERC)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: character
 Width: 4

Valid cases: 381
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of people you had personal contact with who use heroin

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF WOMEN (D12BWOMEN)**File: DRUG USERS' DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2000

Valid cases: 1476
 Invalid: 7876
 Minimum: 1
 Maximum: 2000
 Mean: 18.1
 Standard deviation: 83.8

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users were women?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF WOMEN (D12BPERC)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: character
 Width: 4

Valid cases: 317
 Invalid: 0

PERCENTAGE OF WOMEN (D12BPERC)**File: DRUG USERS' DATA****Pre question**

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF INJECTORS (D12CINJECTOR)**File: DRUG USERS' DATA****Overview**

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-100

Valid cases: 582
Invalid: 8770
Minimum: 1
Maximum: 100
Mean: 17
Standard deviation: 20.3

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users were injectors

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF INJECTORS (D12CPERC)**File: DRUG USERS' DATA****Overview**

Type: Discrete
Format: character
Width: 3

Valid cases: 206
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D12DTREATED)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-100

Valid cases: 178
Invalid: 9174
Minimum: 1
Maximum: 100
Mean: 9.9
Standard deviation: 18.1

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users have been for treatment in Govt. run treatment facility?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D12DPERC)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 2

Valid cases: 78
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF PEOPLE REGISTERED BY NGO (D12ENGO)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-80

Valid cases: 163
Invalid: 9189
Minimum: 1
Maximum: 80
Mean: 9.4
Standard deviation: 11.1

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

NO. OF PEOPLE REGISTERED BY NGO (D12ENGO)

File: DRUG USERS' DATA

Literal question

How many of these drug users may have been registered by NGOs or private clinic?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE REGISTERED BY NGO (D12EPERC)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 2

Valid cases: 72
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF UTERLIZED SERVICE OF NELDEA (D12FNDLEA)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 1-1000

Valid cases: 157
Invalid: 9195
Minimum: 1
Maximum: 1000
Mean: 16.2
Standard deviation: 90.2

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users may have utilized the services of a NDLEA Counselling Centre?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF UTERLIZED OF NELDEA (D12FPERC)

File: DRUG USERS' DATA

Overview

PERCENTAGE OF UTERLIZED OF NELDEA (D12FPERC)**File: DRUG USERS' DATA**

Type: Discrete
Format: character
Width: 3

Valid cases: 78
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

TOTAL PEOPLE HAD PERSONAL CONTACT WITH (D13ALSD)**File: DRUG USERS' DATA****Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-60

Valid cases: 104
Invalid: 9248
Minimum: 1
Maximum: 60
Mean: 10.5
Standard deviation: 12.2

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many drug users have you had personal contact with uses LSD (Lysergic Acid Diethylamide)

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH (D13APERC)**File: DRUG USERS' DATA****Overview**

Type: Discrete
Format: character
Width: 2

Valid cases: 6
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of people you had personal contact with who use lsd (Lysergic Acid Diethylamide)

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF WOMEN (D13BWOMEN)

File: DRUG USERS' DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-40

Valid cases: 66
 Invalid: 9286
 Minimum: 1
 Maximum: 40
 Mean: 4.8
 Standard deviation: 7.4

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users were women?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF WOMEN (D13BPERC)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: character
 Width: 2

Valid cases: 4
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF INJECTORS (D13CINJECTOR)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Valid cases: 15
 Invalid: 9337

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users were injectors

Interviewer instructions

NO. OF INJECTORS (D13CINJECTOR)

File: DRUG USERS' DATA

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF INJECTORS (D13CPERC)

File: DRUG USERS' DATA

Overview

Type: Discrete

Format: character

Width: 2

Valid cases: 2

Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D13DTREATED)

File: DRUG USERS' DATA

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-3

Valid cases: 17

Invalid: 9335

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users have been for treatment in Govt. run treatment facility?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D13DPERC)

File: DRUG USERS' DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 0

Invalid: 0

PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D13DPERC)

File: DRUG USERS' DATA

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF PEOPLE REGISTERED BY NGO (D13ENGO)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 2-5

Valid cases: 2
Invalid: 9350

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users may have been registered by NGOs or private clinic?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE REGISTERD BY NGO (D13EPERC)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 0
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF UTERLIZED SERVICE OF NELDEA (D13FNDLEA)**File: DRUG USERS' DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-120

Valid cases: 30
 Invalid: 9322
 Minimum: 1
 Maximum: 120
 Mean: 5.8
 Standard deviation: 21.6

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users may have utilized the services of a NDLEA Counselling Centre?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF UTERLIZED OF NELDEA (D13FPERC)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

TOTAL PEOPLE HAD PERSONAL CONTACT WITH (D14APCP)**File: DRUG USERS' DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-1000

Valid cases: 53
 Invalid: 9299
 Minimum: 1
 Maximum: 1000
 Mean: 56.2
 Standard deviation: 189.9

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many drug users have you had personal contact with uses PCP (Phencyclidine)

Interviewer instructions

TOTAL PEOPLE HAD PERSONAL CONTACT WITH (D14APCP)**File: DRUG USERS' DATA**

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH (D14APER)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: character
 Width: 2

Valid cases: 13
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of people you had personal contact with who use pc (Phencyclidine)

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF WOMEN (D14BWOMEN)**File: DRUG USERS' DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-300

Valid cases: 42
 Invalid: 9310
 Minimum: 1
 Maximum: 300
 Mean: 22.1
 Standard deviation: 54.6

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users were women?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF WOMEN (D14BPERC)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: character
 Width: 2

Valid cases: 11
 Invalid: 0

PERCENTAGE OF WOMEN (D14BPERC)**File: DRUG USERS' DATA****Pre question**

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF INJECTORS (D14CINJECTOR)**File: DRUG USERS' DATA****Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-35

Valid cases: 8
Invalid: 9344
Minimum: 1
Maximum: 35
Mean: 12.4
Standard deviation: 13.1

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users were injectors

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF INJECTORS (D1CPERC)**File: DRUG USERS' DATA****Overview**

Type: Discrete
Format: character
Width: 2

Valid cases: 8
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D14DTREATED)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 2-40

Valid cases: 10
Invalid: 9342
Minimum: 2
Maximum: 40
Mean: 13.8
Standard deviation: 14.7

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users have been for treatment in Govt. run treatment facility?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D14DPERC)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 3

Valid cases: 31
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF PEOPLE REGISTERED BY NGO (D14ENGO)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 2-40

Valid cases: 6
Invalid: 9346
Minimum: 2
Maximum: 40
Mean: 18.7
Standard deviation: 18.2

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

NO. OF PEOPLE REGISTERED BY NGO (D14ENGO)

File: DRUG USERS' DATA

Literal question

How many of these drug users may have been registered by NGOs or private clinic?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE REGISTERED BY NGO (D14EPERC)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: character
 Width: 2

Valid cases: 15
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF UTERLIZED SERVICE OF NELDEA (D14FNDLEA)

File: DRUG USERS' DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-50

Valid cases: 9
 Invalid: 9343
 Minimum: 1
 Maximum: 50
 Mean: 15.8
 Standard deviation: 22.1

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users may have utilized the services of a NDLEA Counselling Centre?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF UTERLIZED OF NELDEA (D14FPERC)

File: DRUG USERS' DATA

Overview

PERCENTAGE OF UTERLIZED OF NELDEA (D14FPERC)**File: DRUG USERS' DATA**

Type: Discrete
 Format: character
 Width: 2

Valid cases: 12
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

TOTAL PEOPLE HAD PERSONAL CONTACT WITH (D15ASOLVENTS)**File: DRUG USERS' DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-800

Valid cases: 1364
 Invalid: 7988
 Minimum: 1
 Maximum: 800
 Mean: 28
 Standard deviation: 71.1

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many drug users have you had personal contact with uses Solvents/Inhalants (such as glue)

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH (D15APERC)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: character
 Width: 4

Valid cases: 348
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of people you had personal contact with who use solvents/Inhalants (such as glue)

Interviewer instructions

PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH (D15APERC)

File: DRUG USERS' DATA

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF WOMEN (D15BWOMEN)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-600

Valid cases: 731
Invalid: 8621
Minimum: 1
Maximum: 600
Mean: 16.4
Standard deviation: 46.6

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users were women?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF WOMEN (D15BPERC)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 4

Valid cases: 260
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF INJECTORS (D15CINJECTOR)

File: DRUG USERS' DATA

Overview

NO. OF INJECTORS (D15CINJECTOR)**File: DRUG USERS' DATA**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-85

Valid cases: 160
 Invalid: 9192
 Minimum: 1
 Maximum: 85
 Mean: 14.9
 Standard deviation: 17

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users were injectors

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF INJECTORS (D15CPERC)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: character
 Width: 3

Valid cases: 79
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D15DTREATED)**File: DRUG USERS' DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-65

Valid cases: 112
 Invalid: 9240
 Minimum: 1
 Maximum: 65
 Mean: 10.6
 Standard deviation: 14.7

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users have been for treatment in Govt. run treatment facility?

Interviewer instructions

NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D15DTREATED)

File: DRUG USERS' DATA

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D15DPERC)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 3

Valid cases: 286
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF PEOPLE REGISTERED BY NGO (D15ENGO)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-70

Valid cases: 68
Invalid: 9284
Minimum: 1
Maximum: 70
Mean: 7.4
Standard deviation: 9.1

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users may have been registered by NGOs or private clinic?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE REGISTERD BY NGO (D15EPERC)

File: DRUG USERS' DATA

Overview

PERCENTAGE OF PEOPLE REGISTERED BY NGO (D15EPERC)**File: DRUG USERS' DATA**

Type: Discrete
 Format: character
 Width: 3

Valid cases: 219
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF UTILIZED SERVICE OF NELDEA (D15FNDLEA)**File: DRUG USERS' DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-80

Valid cases: 135
 Invalid: 9217
 Minimum: 1
 Maximum: 80
 Mean: 5.2
 Standard deviation: 9.6

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users may have utilized the services of a NDLEA Counselling Centre?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF UTILIZED OF NELDEA (D15FPERC)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: character
 Width: 2

Valid cases: 63
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

TOTAL PEOPLE HAD PERSONAL CONTACT WITH (D16ACOUGHSYRUP)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 4

Valid cases: 4465
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many drug users have you had personal contact with uses Cough syrup (e.g. Coldex)

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH (D16APERC)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 4

Valid cases: 1339
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of people you had personal contact with who use cough syrup (e.g. Coldex)

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF WOMEN (D16BWOMEN)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 4

Valid cases: 3725
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users were women?

Interviewer instructions

NO. OF WOMEN (D16BWOMEN)**File: DRUG USERS' DATA**

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF WOMEN (D16BPERC)**File: DRUG USERS' DATA****Overview**

Type: Discrete

Format: character

Width: 4

Valid cases: 1242

Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF INJECTORS (D16CINJECTOR)**File: DRUG USERS' DATA****Overview**

Type: Discrete

Format: character

Width: 3

Valid cases: 610

Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users were injectors

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF INJECTORS (D16CPERC)**File: DRUG USERS' DATA****Overview**

Type: Discrete

Format: character

Width: 3

Valid cases: 196

Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

PERCENTAGE OF INJECTORS (D16CPERC)

File: DRUG USERS' DATA

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D16DTREATED)

File: DRUG USERS' DATA

Overview

Type: Discrete

Format: character

Width: 3

Valid cases: 492

Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users have been for treatment in Govt. run treatment facility?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D16DPERC)

File: DRUG USERS' DATA

Overview

Type: Discrete

Format: character

Width: 3

Valid cases: 138

Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF PEOPLE REGISTERED BY NGO (D16ENGO)

File: DRUG USERS' DATA

Overview

NO. OF PEOPLE REGISTERED BY NGO (D16ENGO)**File: DRUG USERS' DATA**

Type: Discrete
Format: character
Width: 2

Valid cases: 228
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users may have been registered by NGOs or private clinic?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE REGISTERED BY NGO (D16EPERC)**File: DRUG USERS' DATA****Overview**

Type: Discrete
Format: character
Width: 3

Valid cases: 80
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF UTILIZED SERVICE OF NDLEA (D16FNDLEA)**File: DRUG USERS' DATA****Overview**

Type: Discrete
Format: character
Width: 3

Valid cases: 441
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users may have utilized the services of a NDLEA Counselling Centre?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF UTERLIZED OF NELDEA (D16FPERC)**File: DRUG USERS' DATA****Overview**

Type: Discrete
Format: character
Width: 3

Valid cases: 156
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

OTHER DRUGS (D17AOTHERSPECIFY)**File: DRUG USERS' DATA****Overview**

Type: Discrete
Format: character
Width: 19

Valid cases: 294
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many drug users have you had personal contact with uses Others (specify)

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

TOTAL PEOPLE HAD PERSONAL CONTACT WITH (D17APERC)**File: DRUG USERS' DATA****Overview**

Type: Discrete
Format: character
Width: 3

Valid cases: 43
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of people you had personal contact with who use others (specify)

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE HAD PERSONAL CONTACT WITH (D17BWOMEN)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 3

Valid cases: 345
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF WOMEN (D17BPERC)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 3

Valid cases: 28
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users were women?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF WOMEN (D17CINJECTOR)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 3

Valid cases: 45
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF INJECTORS (D17CPERC)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: character
 Width: 2

Valid cases: 14
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users were injectors

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF INJECTORS (D17DTREATED)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: character
 Width: 2

Valid cases: 21
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D17DPERC)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: character
 Width: 3

Valid cases: 8
 Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users have been for treatment in Govt. run treatment facility?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE TREATED IN GOVT. RUN FACILITIES (D17ENGO)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 2

Valid cases: 4
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

NO. OF PEOPLE REGISTERED BY NGO (D17FNDLEA)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 2

Valid cases: 21
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

How many of these drug users may have utilized the services of a NDLEA Counselling Centre?

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

PERCENTAGE OF PEOPLE REGISTERD BY NGO (D17FPERC)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 2

Valid cases: 5
Invalid: 0

Pre question

Now, I would like you to help me as best you can with the following information. Can you please now tell me about ALL drug users who may be your family member, friends, acquaintances and other people that you PERSONALLY KNOW in the last year who live in the same geographic area. Kindly think and answer the next questions as best as you can.

Literal question

Percentage of the number above.

Interviewer instructions

FOR EACH DRUG ASK

TRY TO GET RESPONDENT TO ANSWER THE BELOW QUESTIONS. ACCEPT ANSWERS LIKE "1 IN 10", "1 IN 3" AND SO ON IF THE RESPONDENT DOES NOT KNOW ACTUAL NUMBERS WRITE IN PERCENTAGES.

EVER RECIEVED TREATMENT (E1EVER_RECEIVED)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 8664
 Invalid: 688

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

Have you ever received treatment for a drug problem?

Post question

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

DRUGS RECIEVED TREATMENT (E2.1CANNABIS)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 580
 Invalid: 8772

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

If yes, have you ever received treatment for Cannabis (herb or resin)

IN THE LAST SIX MONTH (E2.1.6CANNABIS)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-6

Valid cases: 489
 Invalid: 8863

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

In the past 6 mos?

DRUGS RECIEVED TREATMENT (E2.2METAMPHETAMINE)

File: DRUG USERS' DATA

Overview

DRUGS RECIEVED TREATMENT (E2.2METAMPHETAMINE)**File: DRUG USERS' DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 517
 Invalid: 8835

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

If yes, have you ever received treatment for Methamphetamine (crystal or powder)

IN THE LAST SIX MONTH (E2.2.6MONTHS)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 61
 Invalid: 9291
 Minimum: 1
 Maximum: 2
 Mean: 1.2
 Standard deviation: 0.4

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

In the past 6 mos?

DRUGS RECIEVED TREATMENT (E2.3COCAINE)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 524
 Invalid: 8828

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

If yes, have you ever received treatment for Cocaine

IN THE LAST SIX MONTH (E2.3.6MONTHS)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 107
 Invalid: 9245
 Minimum: 1
 Maximum: 4
 Mean: 1.3
 Standard deviation: 0.5

IN THE LAST SIX MONTH (E2.3.6MONTHS)

File: DRUG USERS' DATA

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

In the past 6 mos?

DRUGS RECIEVED TREATMENT (E2.4CRACK_COCAIN)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 564
Invalid: 8788

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

If yes, have you ever received treatment for Crack cocaine

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

IN THE LAST SIX MONTH (E2.4.6MONTHS)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 135
Invalid: 9217
Minimum: 1
Maximum: 3
Mean: 1.3
Standard deviation: 0.5

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

In the past 6 mos?

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

DRUGS RECIEVED TREATMENT (E2.5ECSTACY)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 452
Invalid: 8900

Pre question

DRUGS RECIEVED TREATMENT (E2.5ECSTACY)**File: DRUG USERS' DATA**

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

If yes, have you ever received treatment for Ecstasy

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

IN THE LAST SIX MONTH (E2.5.6MONTH)**File: DRUG USERS' DATA****Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 483
Invalid: 8869
Minimum: 1
Maximum: 2
Mean: 1.2
Standard deviation: 0.4

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

In the past 6 mos?

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

DRUGS RECIEVED TREATMENT (E2.6TRANQUILLIZERS)**File: DRUG USERS' DATA****Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 90
Invalid: 9262

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

If yes, have you ever received treatment for Tranquilizers (such as Bromazepam, valium, tropium, calmpose)

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

IN THE LAST SIX MONTH (E2.6.6MONTHS)**File: DRUG USERS' DATA****Overview**

IN THE LAST SIX MONTH (E2.6.6MONTHS)**File: DRUG USERS' DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 439
 Invalid: 8913
 Minimum: 1
 Maximum: 2
 Mean: 1
 Standard deviation: 0.2

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

In the past 6 mos?

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

DRUGS RECIEVED TREATMENT (E2.7MALTRANAL)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 54
 Invalid: 9298

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

If yes, have you ever received treatment for Maltranal

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

IN THE LAST SIX MONTH (E2.7.6MONTHS)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 494
 Invalid: 8858
 Minimum: 1
 Maximum: 2
 Mean: 1.2
 Standard deviation: 0.4

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

In the past 6 mos?

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

DRUGS RECIEVED TREATMENT (E2.8ALCHOL)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 90
 Invalid: 9262

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

If yes, have you ever received treatment for Alcohol

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

IN THE LAST SIX MONTH (E2.8.6MONTHS)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 595
 Invalid: 8757
 Minimum: 1
 Maximum: 2
 Mean: 1.4
 Standard deviation: 0.5

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

In the past 6 mos?

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

DRUGS RECIEVED TREATMENT (E2.9PAINKILLER)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 177
 Invalid: 9175

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

If yes, have you ever received treatment for Painkillers or analgesics (such as Tramadol, Morphine, Pethidine, Pentazocine)

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

IN THE LAST SIX MONTH (E2.9.6MONTH)**File: DRUG USERS' DATA****Overview**

Type: Discrete	Valid cases: 436
Format: numeric	Invalid: 8916
Width: 1	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	Standard deviation: 0.2

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

In the past 6 mos?

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

DRUGS RECIEVED TREATMENT (E2.10AMPHEATAMINE)**File: DRUG USERS' DATA****Overview**

Type: Discrete	Valid cases: 60
Format: numeric	Invalid: 9292
Width: 1	
Decimals: 0	
Range: 1-2	

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

If yes, have you ever received treatment for Amphetamines such as Dexedrine or Adderall

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

IN THE LAST SIX MONTH (E2.10.6MONTHS)**File: DRUG USERS' DATA****Overview**

Type: Discrete	Valid cases: 60
Format: numeric	Invalid: 9292
Width: 1	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	Mean: 1.2
	Standard deviation: 0.4

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

In the past 6 mos?

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

DRUGS RECIEVED TREATMENT (E2.11METHAMPHETAMINE)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 433
 Invalid: 8919

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

If yes, have you ever received treatment for Methamphetamine tablets such as Pervitin, Methedrine, or Desoxyn

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

IN THE LAST SIX MONTH (E2.11.6MONTHS)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 54
 Invalid: 9298
 Minimum: 1
 Maximum: 2
 Mean: 1.1
 Standard deviation: 0.3

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

In the past 6 mos?

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

DRUGS RECIEVED TREATMENT (E2.12HEOIN)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 559
 Invalid: 8793

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

If yes, have you ever received treatment for Heroin

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

IN THE LAST SIX MONTH (E2.12.6MONTHS)**File: DRUG USERS' DATA****Overview**

Type: Discrete	Valid cases: 124
Format: numeric	Invalid: 9228
Width: 1	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	Mean: 1.4
	Standard deviation: 0.5

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

In the past 6 mos?

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

DRUGS RECIEVED TREATMENT (E2.13LSD)**File: DRUG USERS' DATA****Overview**

Type: Discrete	Valid cases: 431
Format: numeric	Invalid: 8921
Width: 1	
Decimals: 0	
Range: 1-2	

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

If yes, have you ever received treatment for LSD (Lysergic Acid Diethylamide)

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

IN THE LAST SIX MONTH (E2.13.6MONTH)**File: DRUG USERS' DATA****Overview**

Type: Discrete	Valid cases: 51
Format: numeric	Invalid: 9301
Width: 1	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	Mean: 1.1
	Standard deviation: 0.2

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

In the past 6 mos?

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

DRUGS RECIEVED TREATMENT (E2.14PCP)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 425
 Invalid: 8927

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

If yes, have you ever received treatment for PCP (Phencyclidine)

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

IN THE LAST SIX MONTH (E2.14.6MONTH)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-6

Valid cases: 50
 Invalid: 9302
 Minimum: 1
 Maximum: 6
 Mean: 1.1
 Standard deviation: 0.7

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

In the past 6 mos?

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

DRUGS RECIEVED TREATMENT (E2.15SOLVENT)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 435
 Invalid: 8917

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

If yes, have you ever received treatment for Solvents/Inhalants (such as glue)

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

IN THE LAST SIX MONTH (E2.15.6MONTH)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 58
 Invalid: 9294
 Minimum: 1
 Maximum: 2
 Mean: 1.1
 Standard deviation: 0.3

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

In the past 6 mos?

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

DRUGS RECIEVED TREATMENT (E2.16COUGH)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 505
 Invalid: 8847

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

If yes, have you ever received treatment for Cough syrup (e.g. Coldex)

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

IN THE LAST SIX MONTH (E2.16.6MONTH)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-6

Valid cases: 118
 Invalid: 9234
 Minimum: 1
 Maximum: 6
 Mean: 1.3
 Standard deviation: 0.6

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

In the past 6 mos?

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

OTHER DRUGS (E2.17OTHERS)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 32
 Invalid: 9320

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

Name of the other drug

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

DRUGS RECIEVED TREATMENT (E2.17OTHERSPECIFY)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Valid cases: 0
 Invalid: 9352

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

If yes, have you ever received treatment for Others (specify)

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

IN THE LAST SIX MONTH (E2.17.6MONTH)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 69
 Invalid: 9283
 Minimum: 1
 Maximum: 7
 Mean: 1.2
 Standard deviation: 0.8

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

In the past 6 mos?

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

AGE AT FIRST TREATMENT (E3AGEAT1TREATMENT)**File: DRUG USERS' DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 7-56

Valid cases: 999
 Invalid: 8353
 Minimum: 7
 Maximum: 56
 Mean: 24.8
 Standard deviation: 6.8

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

How old were you when you first had treatment for any drug problem?

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

FREQUENCY OF TREATMENT (E4TOTALTIMES)**File: DRUG USERS' DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-44

Valid cases: 1059
 Invalid: 8293
 Minimum: 1
 Maximum: 44
 Mean: 2
 Standard deviation: 2.6

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

In total, how many times in your life have you been treated for drug problems?

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

PLACED OF TREATMENT (E5.1GOVT)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 789
 Invalid: 8563

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

Of the times you have been treated, were you treated at Govt. hospital?

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

PLACED OF TREATMENT (E5.1GOVTTIMES)**File: DRUG USERS' DATA****Overview**

Type: Discrete	Valid cases: 497
Format: numeric	Invalid: 8855
Width: 2	Minimum: 1
Decimals: 0	Maximum: 18
Range: 1-18	Mean: 1.7
	Standard deviation: 1.5

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

Times

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

PLACED OF TREATMENT (E5.2PRIVATE)**File: DRUG USERS' DATA****Overview**

Type: Discrete	Valid cases: 702
Format: numeric	Invalid: 8650
Width: 1	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

Of the times you have been treated, were you treated at NGO run treatment facility?

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

PLACED OF TREATMENT (E5.2TIMES)**File: DRUG USERS' DATA****Overview**

Type: Continuous	Valid cases: 299
Format: numeric	Invalid: 9053
Width: 2	Minimum: 1
Decimals: 0	Maximum: 25
Range: 1-25	Mean: 1.8
	Standard deviation: 2.6

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

Times

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

PLACED OF TREATMENT (E5.3NGO)**File: DRUG USERS' DATA****Overview**

Type: Discrete	Valid cases: 558
Format: numeric	Invalid: 8794
Width: 1	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

Of the times you have been treated, were you treated at NGO run treatment facility?

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

PLACED OF TREATMENT (E5.3TIMES)**File: DRUG USERS' DATA****Overview**

Type: Discrete	Valid cases: 102
Format: numeric	Invalid: 9250
Width: 2	Minimum: 1
Decimals: 0	Maximum: 15
Range: 1-15	Mean: 1.6
	Standard deviation: 1.7

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

Times

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

PLACED OF TREATMENT (E5.4AT_HOME)**File: DRUG USERS' DATA****Overview**

Type: Discrete	Valid cases: 405
Format: numeric	Invalid: 8947
Width: 1	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

Of the times you have been treated, were you treated at home?

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

PLACED OF TREATMENT (E5.4TIMES)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 119
 Invalid: 9233
 Minimum: 1
 Maximum: 7
 Mean: 1.5
 Standard deviation: 1.1

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

Times

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

PLACED OF TREATMENT (E5.5OTHERS)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: character
 Width: 22

Valid cases: 25
 Invalid: 0

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

Of the times you have been treated, were you treated at others (Specify)

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

PLACED OF TREATMENT (E5.5TIMES)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-5

Valid cases: 76
 Invalid: 9276

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

Times

Interviewer instructions

IF 'NO' SKIP TO SECTION F: SERVICE UTILIZATION

MONTH GONE FOR TREATMENT AFTER USING DRUGS (E6HOWLONG)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-511

Valid cases: 908
Invalid: 8444
Minimum: 1
Maximum: 511
Mean: 42.9
Standard deviation: 59.9

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

How long after you had first started using drug did you go for treatment?

Post question

99 if Don't Know

MONTH GONE FOR TREATMENT AFTER INJECTING DRUGS (E7HOWLONGID)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 3

Valid cases: 874
Invalid: 0

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

And how long after you had first started injecting drugs, did you go for treatment?

Interviewer instructions

Put 88 if never injected and 99 if Don't Know

GONE FOR TREATMENT IN THE LAST 12 MONTH (E8TX_DU)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4

Valid cases: 1152
Invalid: 8200

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

During the last 12 months, have you received treatment for drug use problems?

PRIMARY DRUG ABUSE (E9_1CANNABIS)

File: DRUG USERS' DATA

PRIMARY DRUG ABUSE (E9_1CANNABIS)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 319
 Invalid: 9033

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

If so, what was your primary drug of abuse?

Literal question

Cannabis (herb or resin)

Interviewer instructions

READ OUT ALL DRUGS ONE BY ONE AND CHECK MORE THAN ONE BOX IF NECESSARY

IF RESPONDENT HAS NOT RECEIVED TREATMENT IN THE LAST 12 MONTHS, GO TO SECTION F

PRIMARY DRUG ABUSE (E9_2METH.CRYSTALOR_POWDER)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 258
 Invalid: 9094
 Minimum: 1
 Maximum: 2

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

If so, what was your primary drug of abuse?

Literal question

Methamphetamine (crystal or powder)

Interviewer instructions

READ OUT ALL DRUGS ONE BY ONE AND CHECK MORE THAN ONE BOX IF NECESSARY

IF RESPONDENT HAS NOT RECEIVED TREATMENT IN THE LAST 12 MONTHS, GO TO SECTION F

PRIMARY DRUG ABUSE (E9_3COCAINE)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 283
 Invalid: 9069
 Minimum: 1
 Maximum: 2

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

If so, what was your primary drug of abuse?

PRIMARY DRUG ABUSE (E9_3COCAINE)

File: DRUG USERS' DATA

Literal question

Cocaine

Interviewer instructions

READ OUT ALL DRUGS ONE BY ONE AND CHECK MORE THAN ONE BOX IF NECESSARY

IF RESPONDENT HAS NOT RECEIVED TREATMENT IN THE LAST 12 MONTHS, GO TO SECTION F

PRIMARY DRUG ABUSE (E9_4CRACKCOCAINE)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 302
 Invalid: 9050
 Minimum: 1
 Maximum: 2

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

If so, what was your primary drug of abuse?

Literal question

Crack cocaine

Interviewer instructions

READ OUT ALL DRUGS ONE BY ONE AND CHECK MORE THAN ONE BOX IF NECESSARY

IF RESPONDENT HAS NOT RECEIVED TREATMENT IN THE LAST 12 MONTHS, GO TO SECTION F

PRIMARY DRUG ABUSE (E9_5ECSTACY)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 234
 Invalid: 9118
 Minimum: 1
 Maximum: 2

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

If so, what was your primary drug of abuse?

Literal question

Ecstasy

Interviewer instructions

READ OUT ALL DRUGS ONE BY ONE AND CHECK MORE THAN ONE BOX IF NECESSARY

IF RESPONDENT HAS NOT RECEIVED TREATMENT IN THE LAST 12 MONTHS, GO TO SECTION F

PRIMARY DRUG ABUSE (E9_6TRANQUILIZERS)

File: DRUG USERS' DATA

PRIMARY DRUG ABUSE (E9_6TRANQUILIZERS)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 256
 Invalid: 9096
 Minimum: 1
 Maximum: 2

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

If so, what was your primary drug of abuse?

Literal question

Tranquilizers (such as Bromazepam, valium, tropium, calmpose)

Interviewer instructions

READ OUT ALL DRUGS ONE BY ONE AND CHECK MORE THAN ONE BOX IF NECESSARY

IF RESPONDENT HAS NOT RECEIVED TREATMENT IN THE LAST 12 MONTHS, GO TO SECTION F

PRIMARY DRUG ABUSE (E9_7PAINKILLERS)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 311
 Invalid: 9041
 Minimum: 1
 Maximum: 2

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

If so, what was your primary drug of abuse?

Literal question

Painkillers or analgesics (such as Tramadol, Morphine, Pethidine, Pentazocine)

Interviewer instructions

READ OUT ALL DRUGS ONE BY ONE AND CHECK MORE THAN ONE BOX IF NECESSARY

IF RESPONDENT HAS NOT RECEIVED TREATMENT IN THE LAST 12 MONTHS, GO TO SECTION F

PRIMARY DRUG ABUSE (E9_8ALCOHOL)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 269
 Invalid: 9083
 Minimum: 1
 Maximum: 2

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

If so, what was your primary drug of abuse?

PRIMARY DRUG ABUSE (E9_8ALCOHOL)

File: DRUG USERS' DATA

Literal question

Alcohol

Interviewer instructions

READ OUT ALL DRUGS ONE BY ONE AND CHECK MORE THAN ONE BOX IF NECESSARY

IF RESPONDENT HAS NOT RECEIVED TREATMENT IN THE LAST 12 MONTHS, GO TO SECTION F

PRIMARY DRUG ABUSE (E9_9AMPHETAMINES)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 231
 Invalid: 9121
 Minimum: 1
 Maximum: 2

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

If so, what was your primary drug of abuse?

Literal question

Amphetamines such as Dexedrine or Adderall

Interviewer instructions

READ OUT ALL DRUGS ONE BY ONE AND CHECK MORE THAN ONE BOX IF NECESSARY

IF RESPONDENT HAS NOT RECEIVED TREATMENT IN THE LAST 12 MONTHS, GO TO SECTION F

PRIMARY DRUG ABUSE (E9_10METH.TABS)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 243
 Invalid: 9109
 Minimum: 1
 Maximum: 2

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

If so, what was your primary drug of abuse?

Literal question

Methamphetamine tablets such as Pervitin, Methedrine, or Desoxyn

Interviewer instructions

READ OUT ALL DRUGS ONE BY ONE AND CHECK MORE THAN ONE BOX IF NECESSARY

IF RESPONDENT HAS NOT RECEIVED TREATMENT IN THE LAST 12 MONTHS, GO TO SECTION F

PRIMARY DRUG ABUSE (E9_11HEROIN)

File: DRUG USERS' DATA

PRIMARY DRUG ABUSE (E9_11HEROIN)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 299
 Invalid: 9053
 Minimum: 1
 Maximum: 2

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

If so, what was your primary drug of abuse?

Literal question

Heroin

Interviewer instructions

READ OUT ALL DRUGS ONE BY ONE AND CHECK MORE THAN ONE BOX IF NECESSARY

IF RESPONDENT HAS NOT RECEIVED TREATMENT IN THE LAST 12 MONTHS, GO TO SECTION F

PRIMARY DRUG ABUSE (E9_12COUGHSYRUP)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 275
 Invalid: 9077

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

If so, what was your primary drug of abuse?

Literal question

Cough syrup (e.g. Coldex)

Interviewer instructions

READ OUT ALL DRUGS ONE BY ONE AND CHECK MORE THAN ONE BOX IF NECESSARY

IF RESPONDENT HAS NOT RECEIVED TREATMENT IN THE LAST 12 MONTHS, GO TO SECTION F

PRIMARY DRUG ABUSE (E9_13OTHERS)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: character
 Width: 8

Valid cases: 4
 Invalid: 0

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

If so, what was your primary drug of abuse?

Literal question

Others (specify)

PRIMARY DRUG ABUSE (E9_13OTHERS)

File: DRUG USERS' DATA

Interviewer instructions

READ OUT ALL DRUGS ONE BY ONE AND CHECK MORE THAN ONE BOX IF NECESSARY

IF RESPONDENT HAS NOT RECEIVED TREATMENT IN THE LAST 12 MONTHS, GO TO SECTION F

NO. OF TIMES RECIEVED TREATMENT (E10APRIVATEHOSP)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-14

Valid cases: 183
 Invalid: 9169

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

How many times and for how long did you receive treatment in any of these types of treatment centres?

Literal question

No. of times received treatment in Private Hospital/Clinic

NO. OF DAYS SPENT FOR TREATMENT (E11APRIV)

File: DRUG USERS' DATA

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-210

Valid cases: 135
 Invalid: 9217
 Minimum: 1
 Maximum: 210
 Mean: 11.8
 Standard deviation: 31

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

How many times and for how long did you receive treatment in any of these types of treatment centres?

Literal question

Time spent in treatment for last episode (in days) in Private Hospital/Clinic

NO. OF TIMES RECIEVED TREATMENT (E10BPSYCHIATRIC)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-8

Valid cases: 49
 Invalid: 9303

Pre question

NO. OF TIMES RECIEVED TREATMENT (E10BPSYCHIATRIC)**File: DRUG USERS' DATA**

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

How many times and for how long did you receive treatment in any of these types of treatment centres?

Literal question

No. of times received treatment in Psychiatric hospital

NO. OF DAYS SPENT FOR TREATMENT (E11BPSY)**File: DRUG USERS' DATA****Overview**

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-120

Valid cases: 53
Invalid: 9299
Minimum: 1
Maximum: 120
Mean: 20.7
Standard deviation: 32.6

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

How many times and for how long did you receive treatment in any of these types of treatment centres?

Literal question

Time spent in treatment for last episode (in days) in Psychiatric hospital

NO. OF TIMES RECIEVED TREATMENT (E10CGOVERNMET)**File: DRUG USERS' DATA****Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-14

Valid cases: 241
Invalid: 9111

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

How many times and for how long did you receive treatment in any of these types of treatment centres?

Literal question

No. of times received treatment in Other Government Hospitals

NO. OF DAYS SPENT FOR TREATMENT (E11CGOVERNMENT)**File: DRUG USERS' DATA****Overview**

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-146

Valid cases: 229
Invalid: 9123
Minimum: 1
Maximum: 146
Mean: 6.3
Standard deviation: 12.2

NO. OF DAYS SPENT FOR TREATMENT (E11CGOVERNMENT)

File: DRUG USERS' DATA

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

How many times and for how long did you receive treatment in any of these types of treatment centres?

Literal question

Time spent in treatment for last episode (in days) in Other Government Hospitals

NO. OF TIMES RECIEVED TREATMENT (E10DNGO)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-90

Valid cases: 62
Invalid: 9290
Minimum: 1
Maximum: 90
Mean: 3.5
Standard deviation: 11.5

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

How many times and for how long did you receive treatment in any of these types of treatment centres?

Literal question

No. of times received treatment in NGO/Treatment Centre

NO. OF DAYS SPENT FOR TREATMENT (E11DNGO)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-88

Valid cases: 68
Invalid: 9284
Minimum: 1
Maximum: 88
Mean: 6
Standard deviation: 13.4

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

How many times and for how long did you receive treatment in any of these types of treatment centres?

Literal question

Time spent in treatment for last episode (in days) in NGO/Treatment Centre

NO. OF TIMES RECIEVED TREATMENT (E10EHOME)

File: DRUG USERS' DATA

Overview

NO. OF TIMES RECIEVED TREATMENT (E10EHOME)**File: DRUG USERS' DATA**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-16

Valid cases: 61
 Invalid: 9291

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

How many times and for how long did you receive treatment in any of these types of treatment centres?

Literal question

No. of times received treatment in Home treatment

NO. OF DAYS SPENT FOR TREATMENT (E11EHOME)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-14

Valid cases: 52
 Invalid: 9300

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

How many times and for how long did you receive treatment in any of these types of treatment centres?

Literal question

Time spent in treatment for last episode (in days) in Home treatment

NO. OF TIMES RECIEVED TREATMENT (E10FFAITH)**File: DRUG USERS' DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-45

Valid cases: 16
 Invalid: 9336
 Minimum: 1
 Maximum: 45
 Mean: 4.5
 Standard deviation: 10.9

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

How many times and for how long did you receive treatment in any of these types of treatment centres?

Literal question

No. of times received treatment in Faith Based Treatment Centre

NO. OF DAYS SPENT FOR TREATMENT (E11FFAITH)**File: DRUG USERS' DATA****Overview**

NO. OF DAYS SPENT FOR TREATMENT (E11FFAITH)**File: DRUG USERS' DATA**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-21

Valid cases: 19
 Invalid: 9333

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

How many times and for how long did you receive treatment in any of these types of treatment centres?

Literal question

Time spent in treatment for last episode (in days) in Faith Based Treatment Centre

NO. OF TIMES RECIEVED TREATMENT (E10GOTHERS)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Valid cases: 0
 Invalid: 9352

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

How many times and for how long did you receive treatment in any of these types of treatment centres?

Literal question

No. of times received treatment in Other (specify)

NO. OF DAYS SPENT FOR TREATMENT (E11GOTHERS)**File: DRUG USERS' DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-91

Valid cases: 30
 Invalid: 9322
 Minimum: 1
 Maximum: 91
 Mean: 8
 Standard deviation: 16.8

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

How many times and for how long did you receive treatment in any of these types of treatment centres?

Literal question

Time spent in treatment for last episode (in days) in Other (specify)

TREATMENT SERVICES RECIEVED AT RECENT (E12.1DETOXIFICATIN)**File: DRUG USERS' DATA****Overview**

TREATMENT SERVICES RECIEVED AT RECENT (E12.1DETOXIFICATIN)

File: DRUG USERS' DATA

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 355
Invalid: 8997

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

At the most recent (treatment), did you receive any of the following services?

Literal question

Detoxification

TIMES OF TREATMENT RECIEVED (E12.1TIMES)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 153
Invalid: 9199

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

How many times

TREATMENT SERVICES RECIEVED AT RECENT (E12.2COUNSELLING)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 456
Invalid: 8896

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

At the most recent (treatment), did you receive any of the following services?

Literal question

Counselling (including psychotherapy)

TIMES OF TREATMENT RECIEVED (E12.2TIMES)

File: DRUG USERS' DATA

Overview

TIMES OF TREATMENT RECIEVED (E12.2TIMES)**File: DRUG USERS' DATA**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-12

Valid cases: 223
 Invalid: 9129

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

How many times

TREATMENT SERVICES RECIEVED AT RECENT (E12.3RELAPSE)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 359
 Invalid: 8993

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

At the most recent (treatment), did you receive any of the following services?

Literal question

Relapse prevention training

TIMES OF TREATMENT RECIEVED (E12.3TIMES)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 93
 Invalid: 9259

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

How many times

TREATMENT SERVICES RECIEVED AT RECENT (E12.4SELF_HELP)**File: DRUG USERS' DATA****Overview**

TREATMENT SERVICES RECIEVED AT RECENT (E12.4SELF_HELP)

File: DRUG USERS' DATA

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 344
Invalid: 9008

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

At the most recent (treatment), did you receive any of the following services?

Literal question

Self-help groups

TIMES OF TREATMENT RECIEVED (E12.4TIMES)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 68
Invalid: 9284

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

How many times

TREATMENT SERVICES RECIEVED AT RECENT (E12.5REHAB)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 342
Invalid: 9010

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

At the most recent (treatment), did you receive any of the following services?

Literal question

Social rehabilitation

TIMES OF TREATMENT RECIEVED (E12.5TIMES)

File: DRUG USERS' DATA

Overview

TIMES OF TREATMENT RECIEVED (E12.5TIMES)**File: DRUG USERS' DATA**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-22

Valid cases: 86
 Invalid: 9266
 Minimum: 1
 Maximum: 22
 Mean: 1.6
 Standard deviation: 2.3

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

How many times

TREATMENT SERVICES RECIEVED AT RECENT (E12.6HIV)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 367
 Invalid: 8985

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

At the most recent (treatment), did you receive any of the following services?

Literal question

HIV testing and counselling

TIMES OF TREATMENT RECIEVED (E12.6TIMES)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 103
 Invalid: 9249

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

How many times

TREATMENT SERVICES RECIEVED AT RECENT (E12.7ART)**File: DRUG USERS' DATA****Overview**

TREATMENT SERVICES RECIEVED AT RECENT (E12.7ART)**File: DRUG USERS' DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 288
 Invalid: 9064

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

At the most recent (treatment), did you receive any of the following services?

Literal question

Referral to ART

TIMES OF TREATMENT RECIEVED (E12.7TIMES)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: character
 Width: 2

Valid cases: 35
 Invalid: 0

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

How many times

TREATMENT SERVICES RECIEVED AT RECENT (E12.8OTHERSPECIFY)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: character
 Width: 20

Valid cases: 13
 Invalid: 0

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

At the most recent (treatment), did you receive any of the following services?

Literal question

Other specify

TIMES OF TREATMENT RECIEVED (E12.8OTHERSTIMES)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 92
 Invalid: 9260

TIMES OF TREATMENT RECIEVED (E12.8OTHERSTIMES)

File: DRUG USERS' DATA

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

How many times

EXTENT OF NEED FOR TREATMENT (E13TREATMENTNEED)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 851
Invalid: 8501

Pre question

Now, I am going to ask you questions about your treatment history. Please think now about all the treatment you have EVER had for drug problems, if any.

Literal question

To what extent would you say that you are currently in need of treatment for your drug use problem?

EVER WANT HELP HEPL FOR TREATMENT (F1WANTEDTREATMENT)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 8637
Invalid: 715

Pre question

Now I am going to ask you some questions on your utilization of different services for problem drug users that may be available in your area

Literal question

Have you ever wanted to get help/treatment for your drug problems but was unable to?

Post question

IF 'YES' ASK - [CHECK AS MANY BOXES AS NECESSARY] IF NO GO TO QF3

REASON THAT PREVENT FROM TREATMENT (F2AFEAR)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 2148
Invalid: 7204

Pre question

REASON THAT PREVENT FROM TREATMENT (F2AFEAR)**File: DRUG USERS' DATA**

Now I am going to ask you some questions on your utilization of different services for problem drug users that may be available in your area

What was the main thing(s) that prevented you from getting treatment?

Literal question

Fear of registration

REASON THAT PREVENT FROM TREATMENT (F2BTRUST)**File: DRUG USERS' DATA****Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 1799
Invalid: 7553

Pre question

Now I am going to ask you some questions on your utilization of different services for problem drug users that may be available in your area

What was the main thing(s) that prevented you from getting treatment?

Literal question

Don't trust government facilities

REASON THAT PREVENT FROM TREATMENT (F2C_AFFORD)**File: DRUG USERS' DATA****Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 2420
Invalid: 6932

Pre question

Now I am going to ask you some questions on your utilization of different services for problem drug users that may be available in your area

What was the main thing(s) that prevented you from getting treatment?

Literal question

Can't afford to pay for treatment / too expensive

REASON THAT PREVENT FROM TREATMENT (F2D_SLOTS)**File: DRUG USERS' DATA****Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 1802
Invalid: 7550

Pre question

REASON THAT PREVENT FROM TREATMENT (F2D_SLOTS)

File: DRUG USERS' DATA

Now I am going to ask you some questions on your utilization of different services for problem drug users that may be available in your area

What was the main thing(s) that prevented you from getting treatment?

Literal question

No treatment slots available

REASON THAT PREVENT FROM TREATMENT (F2E_REGIME)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 1716
Invalid: 7636

Pre question

Now I am going to ask you some questions on your utilization of different services for problem drug users that may be available in your area

What was the main thing(s) that prevented you from getting treatment?

Literal question

Dislike treatment regime

REASON THAT PREVENT FROM TREATMENT (F2F_FACILITY_STAFF)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 1673
Invalid: 7679

Pre question

Now I am going to ask you some questions on your utilization of different services for problem drug users that may be available in your area

What was the main thing(s) that prevented you from getting treatment?

Literal question

Dislike treatment facility staff

REASON THAT PREVENT FROM TREATMENT (F2G_LACK_INPATIENT_TX)

File: DRUG USERS' DATA

Overview

REASON THAT PREVENT FROM TREATMENT (F2G_LACK_INPATIENT_TX)

File: DRUG USERS' DATA

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 1662
Invalid: 7690

Pre question

Now I am going to ask you some questions on your utilization of different services for problem drug users that may be available in your area

What was the main thing(s) that prevented you from getting treatment?

Literal question

Local specialized treatment services do not have inpatient treatment

REASON THAT PREVENT FROM TREATMENT (F2H_LACK_INFORMATION)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 2030
Invalid: 7322

Pre question

Now I am going to ask you some questions on your utilization of different services for problem drug users that may be available in your area

What was the main thing(s) that prevented you from getting treatment?

Literal question

Didn't have information about local treatment services

REASON THAT PREVENT FROM TREATMENT (F2ISTIGMA)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 2246
Invalid: 7106

Pre question

Now I am going to ask you some questions on your utilization of different services for problem drug users that may be available in your area

What was the main thing(s) that prevented you from getting treatment?

Literal question

Fear of stigma

REASON THAT PREVENT FROM TREATMENT (F2J_NOT_AVAILABLE)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 1873
Invalid: 7479

Pre question

Now I am going to ask you some questions on your utilization of different services for problem drug users that may be available in your area

What was the main thing(s) that prevented you from getting treatment?

Literal question

Treatment services not available in my area

REASON THAT PREVENT FROM TREATMENT (F2KOTHER_SPECIFY)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 51

Valid cases: 42
Invalid: 0

Pre question

Now I am going to ask you some questions on your utilization of different services for problem drug users that may be available in your area

What was the main thing(s) that prevented you from getting treatment?

Literal question

Other specify

EXTENT OF GETTING TREATMENT (F3EASE)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Valid cases: 8599
Invalid: 753

Pre question

Now I am going to ask you some questions on your utilization of different services for problem drug users that may be available in your area

Literal question

How easy or difficult would you say it is for drug users in your area to get treatment for drug problems?

WORKER SPOKEN ABOUT DRUGS (F4OUTREACH)

File: DRUG USERS' DATA

Overview

WORKER SPOKEN ABOUT DRUGS (F4OUTREACH)**File: DRUG USERS' DATA**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 8694
 Invalid: 0

Pre question

Now I am going to ask you some questions on your utilization of different services for problem drug users that may be available in your area

Literal question

Is there any outreach worker in your area who has spoken to you about drugs?

EVER ARRESTED (G1EVER_ARRESTED)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 8991
 Invalid: 361

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Literal question

Have you ever been arrested for a drug-related offence?

Post question

IF NO go to Q.G8b OTHER OFFENCES

AGE OF FIRST ARREST (G2ARRESTAGE)**File: DRUG USERS' DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 10-54

Valid cases: 1913
 Invalid: 7439
 Minimum: 10
 Maximum: 54
 Mean: 23.7
 Standard deviation: 6.2

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Literal question

How old were you when you were first arrested for a drug-related offence?

DURATION OF FIRST ARREST AFTER FIRST USED DRUGS (MONTHS) (G3MONTHFIRSTDRUGARREST)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: character
 Width: 2

Valid cases: 436
 Invalid: 0

DURATION OF FIRST ARREST AFTER FIRST USED DRUGS (MONTHS) (G3MONTHFIRSTDRUGARREST)

File: DRUG USERS' DATA

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Literal question

How long after you first started using drugs were you first arrested for a drug related offence? in MONTHS

DURATION OF FIRST ARREST AFTER FIRST USED DRUGS (YEARS) (G3YEARFIRSTDRUGARREST)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 2

Valid cases: 1526
Invalid: 0

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Literal question

How long after you first started using drugs were you first arrested for a drug related offence? in YEARS

DURATION OF FIRST ARREST AFTER FIRST INJECTING DRUGS (MONTH) (G4MONTHFIRSTINJECTING)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 2

Valid cases: 328
Invalid: 0

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Literal question

How long after you first started injecting were you first arrested for a drug related offence? in MONTHS

DURATION OF FIRST ARREST AFTER FIRST INJECTING DRUGS (YEARS) (G4YEARFIRSTINJECTING)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 2

Valid cases: 608
Invalid: 0

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Literal question

How long after you first started injecting were you first arrested for a drug related offence? in YEARS

TIMES ARRESTED IN LIFE (G5TIMESARRESTED)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: character
 Width: 2

Valid cases: 1738
 Invalid: 0

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Literal question

How many times in your life have you been arrested for a drug-related offence?

TIME IN LIFE SPENT IN PRISON (DAYS) (G6DAYSPRISONTIME)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: character
 Width: 3

Valid cases: 485
 Invalid: 0

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Literal question

Approximately how many days have you spent in prison during your lifetime while arrested for a drug-related offence?

TIME IN LIFE SPENT IN PRISON (MONTHS) (G6MONTHPRISONTIME)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: character
 Width: 2

Valid cases: 360
 Invalid: 0

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Literal question

Approximately how many months have you spent in prison during your lifetime while arrested for a drug-related offence?

TIME IN LIFE SPENT IN PRISON (YEARS) (G6YEARPRISONTIME)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: character
 Width: 2

Valid cases: 151
 Invalid: 0

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Literal question

Approximately how many years have you spent in prison during your lifetime while arrested for a drug-related offence?

TIMES SPENT IN CUSTODY IF LAW ENFORCEMENT (DAYS) (G7DAYSTOTAL)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 3

Valid cases: 1334
Invalid: 0

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Literal question

In total, approximately how many days have you spent in custody of law enforcement agencies during your lifetime for drug related offences (e.g., lockup)?

TIMES SPENT IN CUSTODY IF LAW ENFORCEMENT (MONTHS) (G7MONTHSTOTAL)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 2

Valid cases: 421
Invalid: 0

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Literal question

In total, approximately how many months have you spent in custody of law enforcement agencies during your lifetime for drug related offences (e.g., lockup)?

TIMES SPENT IN CUSTODY IF LAW ENFORCEMENT (YEARS) (G7YEARSTOTAL)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 2

Valid cases: 96
Invalid: 0

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Literal question

In total, approximately how many years have you spent in custody of law enforcement agencies during your lifetime for drug related offences (e.g., lockup)?

OFFENCE ARRESTED FOR (G8.APOSSESSION)

File: DRUG USERS' DATA

Overview

OFFENCE ARRESTED FOR (G8.APOSSESSION)**File: DRUG USERS' DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 1428
 Invalid: 7924

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Which of the following offences have you ever been arrested for?

Literal question

Possession of illegal drugs

Interviewer instructions

READ ALL OFFENCES AND CHECK ALL APPLICABLE

INCASE PERSON IS ARRESTED FOR USING DRUG, ASK Q G8.A, OTHERWISE SKIP TO G8.B

OFFENCE ARRESTED FOR (G8.BSELLING)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 877
 Invalid: 8475

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Which of the following offences have you ever been arrested for?

Literal question

Selling illegal drugs

Interviewer instructions

READ ALL OFFENCES AND CHECK ALL APPLICABLE

INCASE PERSON IS ARRESTED FOR USING DRUG, ASK Q G8.A, OTHERWISE SKIP TO G8.B

OFFENCE ARRESTED FOR (G8.CTRAFFICKING)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 793
 Invalid: 8559

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Which of the following offences have you ever been arrested for?

Literal question

Trafficking illegal drugs

OFFENCE ARRESTED FOR (G8.CTRAFFICKING)

File: DRUG USERS' DATA

Interviewer instructions

READ ALL OFFENCES AND CHECK ALL APPLICABLE

INCASE PERSON IS ARRESTED FOR USING DRUG, ASK Q G8.A, OTHERWISE SKIP TO G8.B

OFFENCE ARRESTED FOR (G8.DUSING)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 1313
 Invalid: 8039

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Which of the following offences have you ever been arrested for?

Literal question

Using drugs

Interviewer instructions

READ ALL OFFENCES AND CHECK ALL APPLICABLE

INCASE PERSON IS ARRESTED FOR USING DRUG, ASK Q G8.A, OTHERWISE SKIP TO G8.B

OFFENCE ARRESTED FOR (G8.EBURGLARY)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 766
 Invalid: 8586

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Which of the following offences have you ever been arrested for?

Literal question

Burglary

Interviewer instructions

READ ALL OFFENCES AND CHECK ALL APPLICABLE

INCASE PERSON IS ARRESTED FOR USING DRUG, ASK Q G8.A, OTHERWISE SKIP TO G8.B

OFFENCE ARRESTED FOR (G.8.FSEXWORK)

File: DRUG USERS' DATA

Overview

OFFENCE ARRESTED FOR (G.8.FSEXWORK)**File: DRUG USERS' DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 770
 Invalid: 8582

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Which of the following offences have you ever been arrested for?

Literal question

Sex work

Interviewer instructions

READ ALL OFFENCES AND CHECK ALL APPLICABLE

INCASE PERSON IS ARRESTED FOR USING DRUG, ASK Q G8.A, OTHERWISE SKIP TO G8.B

OFFENCE ARRESTED FOR (G8.GSHOP)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 762
 Invalid: 8590

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Which of the following offences have you ever been arrested for?

Literal question

Shop lifting

Interviewer instructions

READ ALL OFFENCES AND CHECK ALL APPLICABLE

INCASE PERSON IS ARRESTED FOR USING DRUG, ASK Q G8.A, OTHERWISE SKIP TO G8.B

OFFENCE ARRESTED FOR (G.8HTHEFT)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 825
 Invalid: 8527

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Which of the following offences have you ever been arrested for?

Literal question

Theft

OFFENCE ARRESTED FOR (G.8HTHEFT)

File: DRUG USERS' DATA

Interviewer instructions

READ ALL OFFENCES AND CHECK ALL APPLICABLE

INCASE PERSON IS ARRESTED FOR USING DRUG, ASK Q G8.A, OTHERWISE SKIP TO G8.B

OFFENCE ARRESTED FOR (G8.IOTHER_SPECIFY)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Valid cases: 0
 Invalid: 9352

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Which of the following offences have you ever been arrested for?

Literal question

Other (specify)

Interviewer instructions

READ ALL OFFENCES AND CHECK ALL APPLICABLE

INCASE PERSON IS ARRESTED FOR USING DRUG, ASK Q G8.A, OTHERWISE SKIP TO G8.B

DRUGS ARRESTED FOR USING (G8A1CANNABIS)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 1396
 Invalid: 7956

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Which drugs were you arrested for using [or in possession of]

Literal question

Cannabis (herb or resin)

Interviewer instructions

READ OUT ALL DRUGS ONE BY ONE AND CHECK MORE THAN ONE BOX IF NECESSARY

DRUGS ARRESTED FOR USING (G8A2METHAMPHETAMINE)

File: DRUG USERS' DATA

Overview

DRUGS ARRESTED FOR USING (G8A2METHAMPHETAMINE)**File: DRUG USERS' DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 723
 Invalid: 8629

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Which drugs were you arrested for using [or in possession of]

Literal question

Methamphetamine (crystal or powder)

Interviewer instructions

READ OUT ALL DRUGS ONE BY ONE AND CHECK MORE THAN ONE BOX IF NECESSARY

DRUGS ARRESTED FOR USING (G8A3COCAINE)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 720
 Invalid: 8632

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Which drugs were you arrested for using [or in possession of]

Literal question

Cocaine

Interviewer instructions

READ OUT ALL DRUGS ONE BY ONE AND CHECK MORE THAN ONE BOX IF NECESSARY

DRUGS ARRESTED FOR USING (G8A4CRACKCOCAINE)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 237
 Invalid: 9115

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Which drugs were you arrested for using [or in possession of]

Literal question

Crack cocaine

Interviewer instructions

READ OUT ALL DRUGS ONE BY ONE AND CHECK MORE THAN ONE BOX IF NECESSARY

DRUGS ARRESTED FOR USING (G8A5ECSTACY)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 697
 Invalid: 8655

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Which drugs were you arrested for using [or in possession of]

Literal question

Ecstasy

Interviewer instructions

READ OUT ALL DRUGS ONE BY ONE AND CHECK MORE THAN ONE BOX IF NECESSARY

DRUGS ARRESTED FOR USING (G8A6TRANQUILIZER)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 724
 Invalid: 8628

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Which drugs were you arrested for using [or in possession of]

Literal question

Tranquilizers (such as Bromazepam, valium, tropium, calmpose)

Interviewer instructions

READ OUT ALL DRUGS ONE BY ONE AND CHECK MORE THAN ONE BOX IF NECESSARY

DRUGS ARRESTED FOR USING (G8A7TRANQUILIZER)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 689
 Invalid: 8663

Literal question

Maltranal

DRUGS ARRESTED FOR USING (G8A8ALCOHOL)**File: DRUG USERS' DATA****Overview**

DRUGS ARRESTED FOR USING (G8A8ALCOHOL)**File: DRUG USERS' DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 693
 Invalid: 8659

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Which drugs were you arrested for using [or in possession of]

Literal question

Alcohol

Interviewer instructions

READ OUT ALL DRUGS ONE BY ONE AND CHECK MORE THAN ONE BOX IF NECESSARY

DRUGS ARRESTED FOR USING (G8A9PAINKILLERS)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 786
 Invalid: 8566

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Which drugs were you arrested for using [or in possession of]

Literal question

Painkillers or analgesics (such as Tramadol, Morphine, Pethidine, Pentazocine)

Interviewer instructions

READ OUT ALL DRUGS ONE BY ONE AND CHECK MORE THAN ONE BOX IF NECESSARY

DRUGS ARRESTED FOR USING (G8A10AMPHETAMINE)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 681
 Invalid: 8671

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Which drugs were you arrested for using [or in possession of]

Literal question

Amphetamines such as Dexedrine or Adderall

Interviewer instructions

READ OUT ALL DRUGS ONE BY ONE AND CHECK MORE THAN ONE BOX IF NECESSARY

DRUGS ARRESTED FOR USING (G8A11METH)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 673
 Invalid: 8679

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Which drugs were you arrested for using [or in possession of]

Literal question

Methamphetamine tablets such as Pervitin, Methedrine, or Desoxyn

Interviewer instructions

READ OUT ALL DRUGS ONE BY ONE AND CHECK MORE THAN ONE BOX IF NECESSARY

DRUGS ARRESTED FOR USING (G8A12HEROIN)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 787
 Invalid: 8565

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Which drugs were you arrested for using [or in possession of]

Literal question

Heroin

Interviewer instructions

READ OUT ALL DRUGS ONE BY ONE AND CHECK MORE THAN ONE BOX IF NECESSARY

DRUGS ARRESTED FOR USING (G8A13LSD)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 676
 Invalid: 8676

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Which drugs were you arrested for using [or in possession of]

Literal question

LSD (Lysergic Acid Diethylamide)

Interviewer instructions

DRUGS ARRESTED FOR USING (G8A13LSD)**File: DRUG USERS' DATA**

READ OUT ALL DRUGS ONE BY ONE AND CHECK MORE THAN ONE BOX IF NECESSARY

DRUGS ARRESTED FOR USING (G8A14PCP)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 663
 Invalid: 8689

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Which drugs were you arrested for using [or in possession of]

Literal question

PCP (Phencyclidine)

Interviewer instructions

READ OUT ALL DRUGS ONE BY ONE AND CHECK MORE THAN ONE BOX IF NECESSARY

DRUGS ARRESTED FOR USING (G8A15SOLVENTS)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 674
 Invalid: 8678

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Which drugs were you arrested for using [or in possession of]

Literal question

Solvents/Inhalants (such as glue)

Interviewer instructions

READ OUT ALL DRUGS ONE BY ONE AND CHECK MORE THAN ONE BOX IF NECESSARY

DRUGS ARRESTED FOR USING (G8A16COUGHSYRUP)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 838
 Invalid: 8514

Pre question

DRUGS ARRESTED FOR USING (G8A16COUGHSYRUP)**File: DRUG USERS' DATA**

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Which drugs were you arrested for using [or in possession of]

Literal question

Cough syrup (e.g. Coldex)

Interviewer instructions

READ OUT ALL DRUGS ONE BY ONE AND CHECK MORE THAN ONE BOX IF NECESSARY

DRUGS ARRESTED FOR USING (G8A17OTHERSPECIFY)**File: DRUG USERS' DATA****Overview**

Type: Discrete

Format: character

Width: 8

Valid cases: 22

Invalid: 0

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Which drugs were you arrested for using [or in possession of]

Literal question

Others (specify)

Interviewer instructions

READ OUT ALL DRUGS ONE BY ONE AND CHECK MORE THAN ONE BOX IF NECESSARY

OFFENCE ARRESTED FOR (G8BABURGLARY)**File: DRUG USERS' DATA****Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-2

Valid cases: 415

Invalid: 8937

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Have you been arrested for any of the following offences?

Literal question

Burglary

Interviewer instructions

ASK Q.8B ONLY IF ANSWERED "NO" IN Q.1 ABOVE, OTHERWISE SKIP THIS QUESTION

READ ALL OFFENCES AND CHECK ALL APPLICABLE

OFFENCE ARRESTED FOR (G8BBPROSTITUTION)**File: DRUG USERS' DATA****Overview**

OFFENCE ARRESTED FOR (G8BBPROSTITUTION)**File: DRUG USERS' DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 441
 Invalid: 8911

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Have you been arrested for any of the following offences?

Literal question

Prostitution

Interviewer instructions

ASK Q.8B ONLY IF ANSWERED "NO" IN Q.1 ABOVE, OTHERWISE SKIP THIS QUESTION

READ ALL OFFENCES AND CHECK ALL APPLICABLE

OFFENCE ARRESTED FOR (G8BCSHOPIFTING)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 425
 Invalid: 8927

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Have you been arrested for any of the following offences?

Literal question

Shop lifting

Interviewer instructions

ASK Q.8B ONLY IF ANSWERED "NO" IN Q.1 ABOVE, OTHERWISE SKIP THIS QUESTION

READ ALL OFFENCES AND CHECK ALL APPLICABLE

OFFENCE ARRESTED FOR (G8BDTHEFT)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 395
 Invalid: 8957

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Have you been arrested for any of the following offences?

Literal question

Theft

OFFENCE ARRESTED FOR (G8BDTHEFT)

File: DRUG USERS' DATA

Interviewer instructions

ASK Q.8B ONLY IF ANSWERED "NO" IN Q.1 ABOVE, OTHERWISE SKIP THIS QUESTION

READ ALL OFFENCES AND CHECK ALL APPLICABLE

OFFENCE ARRESTED FOR (G8BOTHERS)

File: DRUG USERS' DATA

Overview

Type: Discrete

Format: character

Width: 36

Valid cases: 190

Invalid: 0

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Have you been arrested for any of the following offences?

Literal question

Others (specify)

Interviewer instructions

ASK Q.8B ONLY IF ANSWERED "NO" IN Q.1 ABOVE, OTHERWISE SKIP THIS QUESTION

READ ALL OFFENCES AND CHECK ALL APPLICABLE

ARRESTED IN LAST 12 MONTH (G9ARRESTING12)

File: DRUG USERS' DATA

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-2

Valid cases: 5357

Invalid: 3995

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Literal question

Have you been arrested in the last 12 months for a drug-related offence?

Post question

(if 'no' skip to g10, if 'yes', ask the following questions)

Interviewer instructions

IF 'NO' SKIP TO G10, IF 'YES', ASK THE FOLLOWING QUESTIONS

TIMES ARRESTED IN LAST 12 MONTH (G9ATIMESARRESTEDIN12)

File: DRUG USERS' DATA

Overview

TIMES ARRESTED IN LAST 12 MONTH (G9ATIMESARRESTEDIN12)

File: DRUG USERS' DATA

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-50

Valid cases: 768
Invalid: 8584
Minimum: 1
Maximum: 50
Mean: 1.8
Standard deviation: 3

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Literal question

In all, how many times have you been arrested in the last 12 months for such a drug-related offence?

DURATION SPENT IN PRISON (DAYS) (G9BDAYSTOTALPRISON)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 2

Valid cases: 369
Invalid: 0

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Literal question

In total, how many days have you spent in prison while arrested for such a drug-related offence in the last 12 months?

DURATION SPENT IN PRISON (MONTH) (G9BMONTHSTOTAL)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-44

Valid cases: 108
Invalid: 9244
Minimum: 1
Maximum: 44
Mean: 6.5
Standard deviation: 8.1

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Literal question

In total, how many months have you spent in prison while arrested for such a drug-related offence in the last 12 months?

DURATION SPENT IN PRISON (YEARS) (G9BYEARTOTAL)

File: DRUG USERS' DATA

Overview

DURATION SPENT IN PRISON (YEARS) (G9BYEARTOTAL)

File: DRUG USERS' DATA

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-49

Valid cases: 59
 Invalid: 9293
 Minimum: 1
 Maximum: 49
 Mean: 9
 Standard deviation: 9.8

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Literal question

In total, how many years have you spent in prison while arrested for such a drug-related offence in the last 12 months?

DAYS SPENT IN CUSTODY FOR DRUG RELATED OFFENCE (G9CTOTALCUSTODY)

File: DRUG USERS' DATA

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-475

Valid cases: 573
 Invalid: 8779
 Minimum: 1
 Maximum: 475
 Mean: 16.3
 Standard deviation: 38.3

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Literal question

In total, how many days have you spent in custody after being arrested for a drug-related offence in the last 12 months?

Interviewer instructions

If DD is unknown code 99 and for YY unknown code 9999

SEX IN CUSTODY (G10CUSTODYSEX)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 4226
 Invalid: 5126

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Literal question

Have you ever had sex while held in custody, jail, or prison?

CONDOM USE IN JAIL/PRISON/CUSTODY (G11CUSTODYCONDOM)

File: DRUG USERS' DATA

CONDOM USE IN JAIL/PRISON/CUSTODY (G11CUSTODYCONDOM)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1443
Invalid: 7909

Pre question

I will now ask you some questions about your arrests and imprisonment, i.e. if you have been arrested or imprisoned. Again, as I have said before, all of our discussion will be anonymous and confidential.

Literal question

When you had sex while you were in these jail/prison/custody, did you ever use condoms?

AGE AT FIRST USE (H1AGEFIRSTSEX)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: character
Width: 2

Valid cases: 8098
Invalid: 0

Pre question

We are now almost at the end of our questionnaire. In the previous sections I asked you questions about your injection drug use and sharingAs sexual lifestyle can also be risk behaviour for HIV or Hepatitis infections, in this section I will ask you some questions regarding your sex lifestyle. As I had said in the beginning of the interview, if you do not feel comfortable in answering any of the questions in this section, you may refuse to answer them.

Literal question

How old were you the first time you had sex?

NEVER SEX (NEVERSEX)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 99-99

Valid cases: 419
Invalid: 8933

Literal question

NEVER HAD SEX

Post question

(GO TO SECTION I)

Interviewer instructions

99 NEVER HAD SEX (GO TO SECTION I)

WITH WHOM FIRST SEX (H2WHOWITH)

File: DRUG USERS' DATA

Overview

WITH WHOM FIRST SEX (H2WHOWITH)**File: DRUG USERS' DATA**

Type: Discrete
 Format: character
 Width: 27

Valid cases: 900
 Invalid: 0

Pre question

We are now almost at the end of our questionnaire. In the previous sections I asked you questions about your injection drug use and sharing. As sexual lifestyle can also be risk behaviour for HIV or Hepatitis infections, in this section I will ask you some questions regarding your sex lifestyle. As I had said in the beginning of the interview, if you do not feel comfortable in answering any of the questions in this section, you may refuse to answer them.

Literal question

Was this person your?

Interviewer instructions

Read all the choices

INCREASE OR DECREASE IN PARTNERS WHEN USING DRUGS (H3SEXPARTNERS)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 7784
 Invalid: 1568

Pre question

We are now almost at the end of our questionnaire. In the previous sections I asked you questions about your injection drug use and sharing. As sexual lifestyle can also be risk behaviour for HIV or Hepatitis infections, in this section I will ask you some questions regarding your sex lifestyle. As I had said in the beginning of the interview, if you do not feel comfortable in answering any of the questions in this section, you may refuse to answer them.

Literal question

When you began to use drugs did the number of partners you had sex with increase or decrease?

Interviewer instructions

Read the responses

SEX WITH DRUG USERS (H4HADSEX)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 8074
 Invalid: 1278

Pre question

We are now almost at the end of our questionnaire. In the previous sections I asked you questions about your injection drug use and sharing. As sexual lifestyle can also be risk behaviour for HIV or Hepatitis infections, in this section I will ask you some questions regarding your sex lifestyle. As I had said in the beginning of the interview, if you do not feel comfortable in answering any of the questions in this section, you may refuse to answer them.

Literal question

Have you ever had sex with other people who use drugs or inject drugs?

FREQUENCY OF SEX IN LAST 6 MONTH (H5SEXFREQ)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-8

Valid cases: 7761
 Invalid: 1591

Pre question

We are now almost at the end of our questionnaire. In the previous sections I asked you questions about your injection drug use and sharingAs sexual lifestyle can also be risk behaviour for HIV or Hepatitis infections, in this section I will ask you some questions regarding your sex lifestyle. As I had said in the beginning of the interview, if you do not feel comfortable in answering any of the questions in this section, you may refuse to answer them.

Now, I would like to ask about your sex activity in the last 6 months

Literal question

In the last six months, how often have you had sex?

FREQUENCY OF SEX WITH WOMEN (H6WOMEN)**File: DRUG USERS' DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-999

Valid cases: 7993
 Invalid: 1359
 Minimum: 1
 Maximum: 999
 Mean: 290.2
 Standard deviation: 402

Pre question

As sexual lifestyle can also be risk behaviour for HIV or Hepatitis infections, in this section I will ask you some questions regarding your sex lifestyle. As I had said in the beginning of the interview, if you do not feel comfortable in answering any of the questions in this section, you may refuse to answer them.

Now, I would like to ask about your sex activity in the last 6 months

Literal question

In the last six months, how many women have you had sex with?

Interviewer instructions

If none write 777, if unknown write 999, if refused write 888

FREQUENCY OF SEX WITH MEN (H6AMEN)**File: DRUG USERS' DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-999

Valid cases: 7706
 Invalid: 1646
 Minimum: 1
 Maximum: 999
 Mean: 685.1
 Standard deviation: 276.8

Pre question

As sexual lifestyle can also be risk behaviour for HIV or Hepatitis infections, in this section I will ask you some questions regarding your sex lifestyle. As I had said in the beginning of the interview, if you do not feel comfortable in answering any of the questions in this section, you may refuse to answer them.

Now, I would like to ask about your sex activity in the last 6 months

Literal question

FREQUENCY OF SEX WITH MEN (H6AMEN)**File: DRUG USERS' DATA**

In the last six months, how many men have you had sex with?

Interviewer instructions

If none write 777, if unknown write 999, if refused write 888

FREQUENCY OF REGULAR SEX PARTNERS (H7NOREGULARSEX)**File: DRUG USERS' DATA****Overview**

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-999

Valid cases: 8002
Invalid: 1350
Minimum: 1
Maximum: 999
Mean: 225
Standard deviation: 372.3

Pre question

As sexual lifestyle can also be risk behaviour for HIV or Hepatitis infections, in this section I will ask you some questions regarding your sex lifestyle. As I had said in the beginning of the interview, if you do not feel comfortable in answering any of the questions in this section, you may refuse to answer them.

Now, I would like to ask about your sex activity in the last 6 months

Now, I would like to know if you have any steady sex partner(s)

Literal question

In the last six months, how many regular, steady sex partners have you had?

Post question

if none write 777 and go to Q10

Interviewer instructions

If none write 777 and go to Q10, if unknown write 999, if refused write 888

FREQUENCY OF CONDOM USE (H8CONDOMUSE)**File: DRUG USERS' DATA****Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 7180
Invalid: 2172

Pre question

As sexual lifestyle can also be risk behaviour for HIV or Hepatitis infections, in this section I will ask you some questions regarding your sex lifestyle. As I had said in the beginning of the interview, if you do not feel comfortable in answering any of the questions in this section, you may refuse to answer them.

Now, I would like to ask about your sex activity in the last 6 months

Literal question

In the last six months, how often did you or your steady partner(s) use a condom while you were having penetrative sex?

ATTRIBUTE OF STEADY SEX PARTNERS (H9.1USED DRUGS)**File: DRUG USERS' DATA****Overview**

ATTRIBUTE OF STEADY SEX PARTNERS (H9.1USED DRUGS)**File: DRUG USERS' DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 7151
 Invalid: 2201

Pre question

As sexual lifestyle can also be risk behaviour for HIV or Hepatitis infections, in this section I will ask you some questions regarding your sex lifestyle. As I had said in the beginning of the interview, if you do not feel comfortable in answering any of the questions in this section, you may refuse to answer them.

As far as you know, have any of these steady sex partner(s)

Literal question

Used drug in the last 12 months

Interviewer instructions

Read the options one by one and check the appropriate response/s

ATTRIBUTE OF STEADY SEX PARTNERS (H9.2INJECTED)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 6969
 Invalid: 2383

Pre question

As sexual lifestyle can also be risk behaviour for HIV or Hepatitis infections, in this section I will ask you some questions regarding your sex lifestyle. As I had said in the beginning of the interview, if you do not feel comfortable in answering any of the questions in this section, you may refuse to answer them.

As far as you know, have any of these steady sex partner(s)

Literal question

Injected drugs in the last twelve months

Interviewer instructions

Read the options one by one and check the appropriate response/s

ATTRIBUTE OF STEADY SEX PARTNERS (H9.3EVERINJECT)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 7061
 Invalid: 2291

Pre question

As sexual lifestyle can also be risk behaviour for HIV or Hepatitis infections, in this section I will ask you some questions regarding your sex lifestyle. As I had said in the beginning of the interview, if you do not feel comfortable in answering any of the questions in this section, you may refuse to answer them.

As far as you know, have any of these steady sex partner(s)

Literal question

Ever injected drugs

Interviewer instructions

ATTRIBUTE OF STEADY SEX PARTNERS (H9.3EVERINJECT)

File: DRUG USERS' DATA

Read the options one by one and check the appropriate response/s

ATTRIBUTE OF STEADY SEX PARTNERS (H9.4EVERSEX)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 7066
 Invalid: 2286

Pre question

As sexual lifestyle can also be risk behaviour for HIV or Hepatitis infections, in this section I will ask you some questions regarding your sex lifestyle. As I had said in the beginning of the interview, if you do not feel comfortable in answering any of the questions in this section, you may refuse to answer them.

As far as you know, have any of these steady sex partner(s)

Literal question

Ever had sex with other men/women

Interviewer instructions

Read the options one by one and check the appropriate response/s

ATTRIBUTE OF STEADY SEX PARTNERS (H9.5HIVPOSITIVE)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 6917
 Invalid: 2435

Pre question

As sexual lifestyle can also be risk behaviour for HIV or Hepatitis infections, in this section I will ask you some questions regarding your sex lifestyle. As I had said in the beginning of the interview, if you do not feel comfortable in answering any of the questions in this section, you may refuse to answer them.

As far as you know, have any of these steady sex partner(s)

Literal question

Ever been told that they were HIV positive

Interviewer instructions

Read the options one by one and check the appropriate response/s

FREQUENCY OF OTHER SEX PARTNERS (H10OTHERSEX)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-999

Valid cases: 7660
 Invalid: 1692

Pre question

FREQUENCY OF OTHER SEX PARTNERS (H10OTHERSEX)

File: DRUG USERS' DATA

As sexual lifestyle can also be risk behaviour for HIV or Hepatitis infections, in this section I will ask you some questions regarding your sex lifestyle. As I had said in the beginning of the interview, if you do not feel comfortable in answering any of the questions in this section, you may refuse to answer them.

Now I would like to know if you have sex with any other people than your steady partner

Literal question

In the last six months, how many other sex partner(s), i.e., other than your regular or steady partner/s have you had?

Post question

If none write 777 and go to Q13

Interviewer instructions

If none write 777 and go to Q13, if unknown write 999, if refused write 888

FREQUENCY OF CONDOM USE BY OTHER SEX PARTNERS (H11CONDOMWITH_OTHER)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 5625
Invalid: 3727

Pre question

As sexual lifestyle can also be risk behaviour for HIV or Hepatitis infections, in this section I will ask you some questions regarding your sex lifestyle. As I had said in the beginning of the interview, if you do not feel comfortable in answering any of the questions in this section, you may refuse to answer them.

Literal question

In the last six months, how often did you or your other partner(s) use a condom while you were having penetrative sex?

ATTRIBUTE OF OTHER SEX PARTNERS (H12.1USED_DRUGS)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 5311
Invalid: 4041

Pre question

As sexual lifestyle can also be risk behaviour for HIV or Hepatitis infections, in this section I will ask you some questions regarding your sex lifestyle. As I had said in the beginning of the interview, if you do not feel comfortable in answering any of the questions in this section, you may refuse to answer them.

As far as you know, have any of these other sex partner(s)

Literal question

Used drug in the last 12 months

Interviewer instructions

Read the options

ATTRIBUTE OF OTHER SEX PARTNERS (H12.2INJECTED)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 5608
 Invalid: 3744

Pre question

As sexual lifestyle can also be risk behaviour for HIV or Hepatitis infections, in this section I will ask you some questions regarding your sex lifestyle. As I had said in the beginning of the interview, if you do not feel comfortable in answering any of the questions in this section, you may refuse to answer them.

As far as you know, have any of these other sex partner(s)

Literal question

Injected drugs in the last twelve months

Interviewer instructions

Read the options

ATTRIBUTE OF OTHER SEX PARTNERS (H12.3EVERINJECT)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 5603
 Invalid: 3749

Pre question

As sexual lifestyle can also be risk behaviour for HIV or Hepatitis infections, in this section I will ask you some questions regarding your sex lifestyle. As I had said in the beginning of the interview, if you do not feel comfortable in answering any of the questions in this section, you may refuse to answer them.

As far as you know, have any of these other sex partner(s)

Literal question

Ever injected drugs

Interviewer instructions

Read the options

ATTRIBUTE OF OTHER SEX PARTNERS (H12.4EVERSEX)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 5594
 Invalid: 3758

Pre question

As sexual lifestyle can also be risk behaviour for HIV or Hepatitis infections, in this section I will ask you some questions regarding your sex lifestyle. As I had said in the beginning of the interview, if you do not feel comfortable in answering any of the questions in this section, you may refuse to answer them.

As far as you know, have any of these other sex partner(s)

Literal question

ATTRIBUTE OF OTHER SEX PARTNERS (H12.4EVERSEX)**File: DRUG USERS' DATA**

Ever had sex with other men/women

Interviewer instructions

Read the options

ATTRIBUTE OF OTHER SEX PARTNERS (H12.5HIVPOSITIVE)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 5591
 Invalid: 3761

Pre question

As sexual lifestyle can also be risk behaviour for HIV or Hepatitis infections, in this section I will ask you some questions regarding your sex lifestyle. As I had said in the beginning of the interview, if you do not feel comfortable in answering any of the questions in this section, you may refuse to answer them.

As far as you know, have any of these other sex partner(s)

Literal question

Ever been told that they were HIV positive

Interviewer instructions

Read the options

GIVE OR RECIEVE DRUGS FOR SEX (H13ADRGs)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 6979
 Invalid: 2373

Pre question

As sexual lifestyle can also be risk behaviour for HIV or Hepatitis infections, in this section I will ask you some questions regarding your sex lifestyle. As I had said in the beginning of the interview, if you do not feel comfortable in answering any of the questions in this section, you may refuse to answer them.

Literal question

During the last six months Did you give drugs to have sex?

Interviewer instructions

Read each question and write responses

TIMES OF RECIEVE OR GIVE (H13AHOW_MANY)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-16

Valid cases: 1807
 Invalid: 7545

TIMES OF RECIEVE OR GIVE (H13AHOW_MANY)

File: DRUG USERS' DATA

Pre question

As sexual lifestyle can also be risk behaviour for HIV or Hepatitis infections, in this section I will ask you some questions regarding your sex lifestyle. As I had said in the beginning of the interview, if you do not feel comfortable in answering any of the questions in this section, you may refuse to answer them.

Literal question

If yes, how many partners did you have?

GIVE OR RECIEVE DRUGS FOR SEX (H13BMONEY)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 6741
Invalid: 2611

Pre question

As sexual lifestyle can also be risk behaviour for HIV or Hepatitis infections, in this section I will ask you some questions regarding your sex lifestyle. As I had said in the beginning of the interview, if you do not feel comfortable in answering any of the questions in this section, you may refuse to answer them.

Literal question

During the last six months Did you give money to have sex?

Interviewer instructions

Read each question and write responses

TIMES OF RECIEVE OR GIVE (H13BHOWMANY)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-999

Valid cases: 2446
Invalid: 6906
Minimum: 1
Maximum: 999
Mean: 3.1
Standard deviation: 20.3

Pre question

As sexual lifestyle can also be risk behaviour for HIV or Hepatitis infections, in this section I will ask you some questions regarding your sex lifestyle. As I had said in the beginning of the interview, if you do not feel comfortable in answering any of the questions in this section, you may refuse to answer them.

Literal question

If yes, how many partners did you have?

GIVE OR RECIEVE DRUGS FOR SEX (H13CRECEIVEDRUGS)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 6675
Invalid: 2677

GIVE OR RECIEVE DRUGS FOR SEX (H13CRECEIVEDRUGS)

File: DRUG USERS' DATA

Pre question

As sexual lifestyle can also be risk behaviour for HIV or Hepatitis infections, in this section I will ask you some questions regarding your sex lifestyle. As I had said in the beginning of the interview, if you do not feel comfortable in answering any of the questions in this section, you may refuse to answer them.

Literal question

During the last six months Did you receive drugs to have sex?

Interviewer instructions

Read each question and write responses

TIMES OF RECIEVE OR GIVE (H13CHOWMANY)

File: DRUG USERS' DATA

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-999

Valid cases: 1483
Invalid: 7869
Minimum: 1
Maximum: 999
Mean: 3
Standard deviation: 26

Pre question

As sexual lifestyle can also be risk behaviour for HIV or Hepatitis infections, in this section I will ask you some questions regarding your sex lifestyle. As I had said in the beginning of the interview, if you do not feel comfortable in answering any of the questions in this section, you may refuse to answer them.

Literal question

If yes, how many partners did you have?

GIVE OR RECIEVE DRUGS FOR SEX (H13DRECEIVEDRUGS)

File: DRUG USERS' DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 6625
Invalid: 2727

Pre question

As sexual lifestyle can also be risk behaviour for HIV or Hepatitis infections, in this section I will ask you some questions regarding your sex lifestyle. As I had said in the beginning of the interview, if you do not feel comfortable in answering any of the questions in this section, you may refuse to answer them.

Literal question

During the last six months Did you receive money to have sex?

Interviewer instructions

Read each question and write responses

TIMES OF RECIEVE OR GIVE (H13DHOWMANY)

File: DRUG USERS' DATA

Overview

TIMES OF RECIEVE OR GIVE (H13DHOWMANY)**File: DRUG USERS' DATA**

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-999

Valid cases: 1494
 Invalid: 7858
 Minimum: 1
 Maximum: 999
 Mean: 4.7
 Standard deviation: 44.9

Pre question

As sexual lifestyle can also be risk behaviour for HIV or Hepatitis infections, in this section I will ask you some questions regarding your sex lifestyle. As I had said in the beginning of the interview, if you do not feel comfortable in answering any of the questions in this section, you may refuse to answer them.

Literal question

If yes, how many partners did you have?

FREQUENCY OF CONDOM USE WITH OTHER SEX PARTNERS (H14CONDOMUSE)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 6899
 Invalid: 2453

Pre question

As sexual lifestyle can also be risk behaviour for HIV or Hepatitis infections, in this section I will ask you some questions regarding your sex lifestyle. As I had said in the beginning of the interview, if you do not feel comfortable in answering any of the questions in this section, you may refuse to answer them.

Literal question

On these occasions, how often did you or these partners use condoms while you were having penetrative sex?

RELATIONSHIP WITH LAST SEX PARTNER (H15RELATIONSHIP)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 7402
 Invalid: 1950

Pre question

As sexual lifestyle can also be risk behaviour for HIV or Hepatitis infections, in this section I will ask you some questions regarding your sex lifestyle. As I had said in the beginning of the interview, if you do not feel comfortable in answering any of the questions in this section, you may refuse to answer them.

Literal question

How would you describe your relationship with the last person you had sex with?

Interviewer instructions

READ ALL OPTIONS, CHECK one category

CONDOM USE BY LAST SEX PARTNERS (H16LASTTIME)**File: DRUG USERS' DATA**

CONDOM USE BY LAST SEX PARTNERS (H16LASTTIME)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 7789
 Invalid: 1563

Pre question

As sexual lifestyle can also be risk behaviour for HIV or Hepatitis infections, in this section I will ask you some questions regarding your sex lifestyle. As I had said in the beginning of the interview, if you do not feel comfortable in answering any of the questions in this section, you may refuse to answer them.

Literal question

The last time you had sex, did you or the person you were with use a condom?

EVER DIAGNOSE FOR ANY DISEASE (H17AHEPB)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 8070
 Invalid: 1282

Pre question

As sexual lifestyle can also be risk behaviour for HIV or Hepatitis infections, in this section I will ask you some questions regarding your sex lifestyle. As I had said in the beginning of the interview, if you do not feel comfortable in answering any of the questions in this section, you may refuse to answer them.

Literal question

Have you ever been diagnosed or told by a health professional that you have Hepatitis B

EVER DIAGNOSE FOR ANY DISEASE (H17BHEPC)

File: DRUG USERS' DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 8144
 Invalid: 1208

Pre question

As sexual lifestyle can also be risk behaviour for HIV or Hepatitis infections, in this section I will ask you some questions regarding your sex lifestyle. As I had said in the beginning of the interview, if you do not feel comfortable in answering any of the questions in this section, you may refuse to answer them.

Literal question

Have you ever been diagnosed or told by a health professional that you have Hepatitis C

EVER DIAGNOSE FOR ANY DISEASE (H17CHIV)

File: DRUG USERS' DATA

Overview

EVER DIAGNOSE FOR ANY DISEASE (H17CHIV)**File: DRUG USERS' DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 8138
 Invalid: 1214

Pre question

As sexual lifestyle can also be risk behaviour for HIV or Hepatitis infections, in this section I will ask you some questions regarding your sex lifestyle. As I had said in the beginning of the interview, if you do not feel comfortable in answering any of the questions in this section, you may refuse to answer them.

Literal question

Have you ever been diagnosed or told by a health professional that you have HIV/AIDS

EVER DIAGNOSE FOR ANY DISEASE (H17DOTHERSTI)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 0
 Invalid: 9352

Pre question

As sexual lifestyle can also be risk behaviour for HIV or Hepatitis infections, in this section I will ask you some questions regarding your sex lifestyle. As I had said in the beginning of the interview, if you do not feel comfortable in answering any of the questions in this section, you may refuse to answer them.

Literal question

Have you ever been diagnosed or told by a health professional that you have Other sexually transmitted disease (specify)

EVER DIAGNOSE FOR ANY DISEASE (H17ETB)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 8100
 Invalid: 1252

Pre question

As sexual lifestyle can also be risk behaviour for HIV or Hepatitis infections, in this section I will ask you some questions regarding your sex lifestyle. As I had said in the beginning of the interview, if you do not feel comfortable in answering any of the questions in this section, you may refuse to answer them.

Literal question

Have you ever been diagnosed or told by a health professional that you have Tuberculosis

MAIN DRUGS OUT OF CONTROL (I1OUTOFCONTROL)**File: DRUG USERS' DATA****Overview**

MAIN DRUGS OUT OF CONTROL (I1OUTOFCONTROL)**File: DRUG USERS' DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 9122
 Invalid: 230

Pre question

Think of the main drug that has caused you problems over the last 12 months. Could you tell me whether at any time in these past 12 months, how often...

Literal question

Did you ever think that your [main drug] use was out of control?

Interviewer instructions

check with earlier question on consistency

MAIN DRUGS OUT OF CONTROL (I2ANXIOUS)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 9157
 Invalid: 195

Pre question

Think of the main drug that has caused you problems over the last 12 months. Could you tell me whether at any time in these past 12 months, how often...

Literal question

Did the prospect of not taking any [main drug] make you anxious or worried?

Interviewer instructions

check with earlier question on consistency

MAIN DRUGS OUT OF CONTROL (I3WORRY)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 9152
 Invalid: 200

Pre question

Think of the main drug that has caused you problems over the last 12 months. Could you tell me whether at any time in these past 12 months, how often...

Literal question

Did you worry about your [main drug] use?

Interviewer instructions

check with earlier question on consistency

MAIN DRUGS OUT OF CONTROL (I4WISHTOSTOP)**File: DRUG USERS' DATA**

MAIN DRUGS OUT OF CONTROL (I4WISHTOSTOP)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 9162
 Invalid: 190

Pre question

Think of the main drug that has caused you problems over the last 12 months. Could you tell me whether at any time in these past 12 months, how often...

Literal question

Did you wish you could stop taking [main drug]?

Interviewer instructions

check with earlier question on consistency

MAIN DRUGS OUT OF CONTROL (I5DIFFICULTY)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 9152
 Invalid: 200

Pre question

Think of the main drug that has caused you problems over the last 12 months. Could you tell me whether at any time in these past 12 months, how often...

Literal question

How difficult would you find it to stop or go without [main drug]

Interviewer instructions

check with earlier question on consistency

RELIABILITY (RELIABILITYOFINFORMATION)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 8530
 Invalid: 822

Literal question

In your opinion how reliable was the information given by the respondent?

END TIME (ENDTIME)**File: DRUG USERS' DATA****Overview**

Type: Discrete
 Format: character
 Width: 11

Valid cases: 8696
 Invalid: 0

END TIME (ENDTIME)

File: DRUG USERS' DATA

Literal question

Time interview ended (GMT)

processing identification (Quest_No)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous
 Format: numeric
 Width: 5
 Decimals: 0
 Range: 1-38782

Valid cases: 38782
 Invalid: 0

Description

Processing code

zone (zone)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-6

Valid cases: 38782
 Invalid: 0

state (state)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-37

Valid cases: 38782
 Invalid: 0

Description

STATE Name

Literal question

STATE Name

lga. (lga)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 101-3706

Valid cases: 38782
 Invalid: 0

Description

LGA Name

Literal question

LGA Name

sector (sector)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

sector (sector)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 38782
 Invalid: 0

Description

SECTOR
 Urban.....1
 Rural..... 2

Literal question

SECTOR

locality (locality)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 25

Valid cases: 38782
 Invalid: 0

Description

LOCALITY

Literal question

LOCALITY

locality (local0)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

locality (local1)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

ea name (ea_name)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 30

Valid cases: 38782
 Invalid: 0

Description

ea name (ea_name)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

EA Name

Literal question

EA Name

ea name (ea_na0)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 0

Invalid: 0

ea name (ea_na1)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 0

Invalid: 0

ric code (ric)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 701-1310

Valid cases: 38782

Invalid: 0

Description

RIC CODE

Literal question

RIC Code

ea code (ea_code)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 2-6196

Valid cases: 38782

Invalid: 0

Description

EA Code

Literal question

EA Code

language (language)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-5

Valid cases: 38776
 Invalid: 6

Literal question

Language

may i begin (perm)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 38782
 Invalid: 0

Pre question

Greetings, I am from the National Bureau of Statistics and we are asking your cooperation to participate in a health survey. This survey is funded by the European Union, it is a joint effort of the United Nations and the Federal Ministry of Health, in collaboration with the National Bureau of Statistics of Nigeria. If it is ok with you, I will first ask some questions about the people in your household so that a respondent can be randomly selected. If the selected respondent is at home and agrees to participate, the interview will be conducted privately and will take approximately 40 minutes. Participation is completely voluntary, and the selected participant is not obliged to answer all of the questions if they do not wish and the interview may be terminated at any point.

Literal question

May I begin?

Post question

Yes, permission is given? Go to 12 to record the time interview started and then begin the interview.
 No, permission is not given ? Complete 13.

Interviewer instructions

Discuss this result with your supervisor

current occupancy status (occupancy)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 38100
 Invalid: 682

Literal question

Current Occupancy Status

Interviewer instructions

(Encircle the appropriate code)

occupancy specify (occupancy_spc)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

occupancy specify (occupancy_spc)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 24

Valid cases: 209
 Invalid: 0

Literal question

Current Occupancy Status Other (specify)

occupancy specify (occup0)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

occupancy specify (occup1)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

team number (team)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 38782
 Invalid: 0

interviewer code (interviewer)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-5

Valid cases: 38782
 Invalid: 0

Description

Code

Literal question

Interviewer code

total members (tothh)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous	Valid cases: 38095
Format: numeric	Invalid: 687
Width: 2	Maximum: 39
Decimals: 0	Mean: 4.8
Range: 0-39	Standard deviation: 3.1

start time (start_time)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous	Valid cases: 31837
Format: numeric	Invalid: 6945
Width: 4	Minimum: 10
Decimals: 0	Maximum: 2359
Range: 10-2359	Mean: 1323.9
	Standard deviation: 376.6

Literal question

Time Interview Started (GMT)

hours (hoursa)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous	Valid cases: 38104
Format: numeric	Invalid: 678
Width: 2	Minimum: 0
Decimals: 0	Maximum: 23
Range: 0-23	Mean: 13
	Standard deviation: 3.8

Literal question

Time Interview Started (GMT)

Hours

minutes (minutesa)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous	Valid cases: 38104
Format: numeric	Invalid: 678
Width: 2	Minimum: 0
Decimals: 0	Maximum: 59
Range: 0-59	Mean: 29.5
	Standard deviation: 17.3

Literal question

Time Interview Started (GMT)

Minutes

date of interview (date_int)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

date of interview (date_int)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 10

Valid cases: 38104
 Invalid: 0

Literal question

Date of interview

Day

date of interview (date_0)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Literal question

Date of interview

Month

date of interview (date_1)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Literal question

Date of interview

Year

members line no (sect11_01)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-35

Valid cases: 37959
 Invalid: 823

Literal question

Line number

what is (name) relationship to head of household (sect13_01)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

what is (name) relationship to head of household (sect13_01)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Valid cases: 37952
 Invalid: 830

Literal question

What is the relationship of (name) to the head of household?

status (sect14_01)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 37952
 Invalid: 830

Literal question

Status

sex (sect15_01)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 37956
 Invalid: 826

Literal question

Is (name) male or female?

age (sect16_01)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Valid cases: 37952
 Invalid: 830
 Minimum: 0
 Maximum: 99
 Mean: 47.3

Literal question

How old is (name)? As at last birthday

Interviewer instructions

Record in completed years.

marital status (sect17_01)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

marital status (sect17_01)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 37950
 Invalid: 832

Literal question

Marital status?

members line no (sect11_02)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-35

Valid cases: 33804
 Invalid: 4978

Literal question

Line number

what is (name) relationship to head of household (sect13_02)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Valid cases: 33766
 Invalid: 5016

Literal question

What is the relationship of (name) to the head of household?

status (sect14_02)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 33766
 Invalid: 5016

Literal question

Status

sex (sect15_02)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

sex (sect15_02)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 33766
 Invalid: 5016

Literal question

Is (name) male or female?

age (sect16_02)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Valid cases: 33763
 Invalid: 5019
 Minimum: 0
 Maximum: 99
 Mean: 34.1

Literal question

How old is (name)? As at last birthday

Interviewer instructions

Record in completed years

Marital Status (sect17_02)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 33763
 Invalid: 5019

Literal question

Marital Status

members line no (sect11_03)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-35

Valid cases: 29541
 Invalid: 9241

Literal question

Line number

what is (name) relationship to head of household (sect13_03)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

what is (name) relationship to head of household (sect13_03)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Valid cases: 29450
 Invalid: 9332

Literal question

What is the relationship of (name) to the head of household?

status (sect14_03)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 29450
 Invalid: 9332

Literal question

Status

sex (sect15_03)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 29450
 Invalid: 9332

Literal question

Is (name) male or female?

age (sect16_03)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Valid cases: 29450
 Invalid: 9332
 Minimum: 0
 Maximum: 99
 Mean: 18.9

Literal question

How old is (name)? As at last birthday).

Interviewer instructions

Record in completed years

marital status (sect17_03)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

marital status (sect17_03)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 29450
 Invalid: 9332

Literal question

Marital Status

members line no (sect11_04)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-35

Valid cases: 24260
 Invalid: 14522

Literal question

Line number

what is (name) relationship to head of household (sect13_04)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Valid cases: 24062
 Invalid: 14720

Literal question

What is the relationship of (name) to the head of household?

status (sect14_04)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 24062
 Invalid: 14720

Literal question

Status

sex (sect15_04)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

sex (sect15_04)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 24062
 Invalid: 14720

Literal question

Is (name) male or female?

age (sect16_04)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Valid cases: 24062
 Invalid: 14720
 Minimum: 0
 Maximum: 99
 Mean: 15

Literal question

How old is (name)? As at last birthday.

Interviewer instructions

Record in completed years

marital status (sect17_04)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 24062
 Invalid: 14720

Literal question

Marital Status

members line no (sect11_05)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-35

Valid cases: 18552
 Invalid: 20230

Literal question

Line number

what is (name) relationship to head of household (sect13_05)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

what is (name) relationship to head of household (sect13_05)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Valid cases: 18228
 Invalid: 20554

Literal question

What is the relationship of (name) to the head of household?

status (sect14_05)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 18228
 Invalid: 20554

Literal question

Status

sex (sect15_05)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 18228
 Invalid: 20554

Literal question

Is (name) male or female?

age (sect16_05)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: -1-99

Valid cases: 18228
 Invalid: 20554
 Minimum: -1
 Maximum: 99
 Mean: 13.3

Literal question

How old is (name)? As at last birthday.

Interviewer instructions

Record in completed years

marital status (sect17_05)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

marital status (sect17_05)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 18228
 Invalid: 20554

Literal question

Marital Status

members line no (sect11_06)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-35

Valid cases: 13151
 Invalid: 25631

Literal question

Line number

what is (name) relationship to head of household (sect13_06)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Valid cases: 12679
 Invalid: 26103

Literal question

What is the relationship of (name) to the head of household?

status (sect14_06)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 12679
 Invalid: 26103

Literal question

Status

sex (sect15_06)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

sex (sect15_06)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 12678
 Invalid: 26104

Literal question

Is (name) male or female?

age (sect16_06)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: -1-99

Valid cases: 12678
 Invalid: 26104
 Minimum: -1
 Maximum: 99
 Mean: 12.2

Literal question

How old is (name)? As at last birthday.

Interviewer instructions

Record in completed years

marital status (sect17_06)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 12678
 Invalid: 26104

Literal question

Marital Status

members line no (sect11_07)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-35

Valid cases: 9171
 Invalid: 29611

Literal question

Line number

what is (name) relationship to head of household (sect13_07)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

what is (name) relationship to head of household (sect13_07)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Valid cases: 8581
 Invalid: 30201

Literal question

What is the relationship of (name) to the head of household?

status (sect14_07)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 8581
 Invalid: 30201

Literal question

Status

sex (sect15_07)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 8581
 Invalid: 30201

Literal question

Is (name) male or female?

age (sect16_07)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Valid cases: 8581
 Invalid: 30201
 Minimum: 0
 Maximum: 99
 Mean: 11.6

Literal question

How old is (name)? As at last birthday.

Interviewer instructions

Record in completed years

marital status (sect17_07)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

marital status (sect17_07)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 8581
 Invalid: 30201

Literal question

Marital Status

members line no (sect11_08)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-35

Valid cases: 6395
 Invalid: 32387

Literal question

Line number

what is (name) relationship to head of household (sect13_08)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Valid cases: 5716
 Invalid: 33066

Literal question

What is the relationship of (name) to the head of household?

status (sect14_08)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 5716
 Invalid: 33066

Literal question

Status

sex (sect15_08)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

sex (sect15_08)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 5716
 Invalid: 33066

Literal question

Is (name) male or female?

age (sect16_08)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Valid cases: 5716
 Invalid: 33066
 Minimum: 0
 Maximum: 99
 Mean: 11.4

Literal question

How old is (name)? As at last birthday .

Interviewer instructions

Record in completed years

marital status (sect17_08)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 5715
 Invalid: 33067

Literal question

Marital status?

members line no (sect11_09)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-35

Valid cases: 4572
 Invalid: 34210

Literal question

Line Number

what is (name) relationship to head of household (sect13_09)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

what is (name) relationship to head of household (sect13_09)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Valid cases: 3823
 Invalid: 34959

Literal question

What is the relationship of (name) to the head of household?

status (sect14_09)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 3823
 Invalid: 34959

Literal question

Status

sex (sect15_09)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 3823
 Invalid: 34959

Literal question

Is (name) male or female?

age (sect16_09)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: -1-99

Valid cases: 3823
 Invalid: 34959
 Minimum: -1
 Maximum: 99
 Mean: 10.9

Literal question

How old is (name)? As at last birthday.

Interviewer instructions

Record in completed years

marital status (sect17_09)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

marital status (sect17_09)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 3823
 Invalid: 34959

Literal question

Marital status?

members line no (sect11_10)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-35

Valid cases: 3514
 Invalid: 35268
 Minimum: 10
 Maximum: 10

Literal question

Line number

what is (name) relationship to head of household (sect13_10)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Valid cases: 2734
 Invalid: 36048

Literal question

What is the relationship of (name) to the head of household?

status (sect14_10)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 2734
 Invalid: 36048

Literal question

Status

sex (sect15_10)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

sex (sect15_10)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 2734
 Invalid: 36048

Literal question

Is (name) male or female?

age (sect16_10)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Valid cases: 2734
 Invalid: 36048
 Minimum: 0
 Maximum: 99
 Mean: 10.7

Literal question

How old is (name)? As at last birthday.

Interviewer instructions

Record in completed years

marital status (sect17_10)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 2734
 Invalid: 36048

Literal question

Marital status

members line no (sect11_11)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-35

Valid cases: 2639
 Invalid: 36143
 Minimum: 11
 Maximum: 11

Literal question

Line Number

what is (name) relationship to head of household (sect13_11)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

what is (name) relationship to head of household (sect13_11)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete

Valid cases: 1831

Format: numeric

Invalid: 36951

Width: 2

Decimals: 0

Range: 1-10

Literal question

What is the relationship of (name) to the head of household?

status (sect14_11)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Valid cases: 1831

Format: numeric

Invalid: 36951

Width: 1

Decimals: 0

Range: 1-2

Literal question

Status

sex (sect15_11)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Valid cases: 1831

Format: numeric

Invalid: 36951

Width: 1

Decimals: 0

Range: 1-2

Literal question

Is (name) male or female?

age (sect16_11)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous

Valid cases: 1831

Format: numeric

Invalid: 36951

Width: 2

Minimum: 0

Decimals: 0

Maximum: 90

Range: 0-90

Mean: 10.3

Literal question

How old is (name)? As at last birthday.

Interviewer instructions

Record in completed years

marital status (sect17_11)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

marital status (sect17_11)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 1831
 Invalid: 36951

Literal question

Marital Status

members line no (sect11_12)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-35

Valid cases: 2161
 Invalid: 36621
 Minimum: 12
 Maximum: 12

Literal question

Line Number

what is (name) relationship to head of household (sect13_12)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Valid cases: 1337
 Invalid: 37445

Literal question

What is the relationship of (name) to the head of household?

status (sect14_12)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 1337
 Invalid: 37445

Literal question

Status

sex (sect15_12)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

sex (sect15_12)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 1337
 Invalid: 37445

Literal question

Is (name) male or female?

age (sect16_12)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-94

Valid cases: 1337
 Invalid: 37445
 Minimum: 0
 Maximum: 94
 Mean: 10.5

Literal question

How old is (name)? As at last birthday.

Interviewer instructions

Record in completed years

marital status (sect17_12)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 1337
 Invalid: 37445

Literal question

Marital Status

members line no (sect11_13)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-35

Valid cases: 1763
 Invalid: 37019
 Minimum: 13
 Maximum: 13

Literal question

Line Number

what is (name) relationship to head of household (sect13_13)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

what is (name) relationship to head of household (sect13_13)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Valid cases: 931
 Invalid: 37851

Literal question

What is the relationship of (name) to the head of household?

status (sect14_13)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 931
 Invalid: 37851

Literal question

Status

sex (sect15_13)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 931
 Invalid: 37851

Literal question

Is (name) male or female?

age (sect16_13)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-92

Valid cases: 931
 Invalid: 37851
 Minimum: 0
 Maximum: 92
 Mean: 10

Literal question

How old is (name)? As at last birthday.

Interviewer instructions

Record in completed years

marital status (sect17_13)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

marital status (sect17_13)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 931
 Invalid: 37851

Literal question

Marital Status

members line no (sect11_14)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-35

Valid cases: 1501
 Invalid: 37281
 Minimum: 14
 Maximum: 14

Literal question

Line Number

what is (name) relationship to head of household (sect13_14)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Valid cases: 668
 Invalid: 38114

Literal question

What is the relationship of (name) to the head of household?

status (sect14_14)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 668
 Invalid: 38114

Literal question

Status

sex (sect15_14)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

sex (sect15_14)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 668
 Invalid: 38114

Literal question

Is (name) male or female?

age (sect16_14)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-84

Valid cases: 668
 Invalid: 38114
 Minimum: 0
 Maximum: 84
 Mean: 9.6

Literal question

How old is (name)? As at last birthday.

Interviewer instructions

Record in completed years

marital status (sect17_14)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 668
 Invalid: 38114

Literal question

Marital Status

members line no (sect11_15)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-35

Valid cases: 1337
 Invalid: 37445
 Minimum: 15
 Maximum: 15

Literal question

Line Number

what is (name) relationship to head of household (sect13_15)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

what is (name) relationship to head of household (sect13_15)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Valid cases: 501
 Invalid: 38281

Literal question

What is the relationship of (name) to the head of household?

status (sect14_15)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 501
 Invalid: 38281

Literal question

Status

sex (sect15_15)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 501
 Invalid: 38281

Literal question

Is (name) male or female?

age (sect16_15)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-85

Valid cases: 501
 Invalid: 38281
 Minimum: 0
 Maximum: 85
 Mean: 9.9

Literal question

How old is (name)? As at last birthday.

Interviewer instructions

Record in completed years

marital status (sect17_15)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

marital status (sect17_15)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 501
 Invalid: 38281

Literal question

Marital Status

members line no (sect11_16)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-35

Valid cases: 1152
 Invalid: 37630
 Minimum: 16
 Maximum: 16

Literal question

Line Number

what is (name) relationship to head of household (sect13_16)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Valid cases: 313
 Invalid: 38469

Literal question

What is the relationship of (name) to the head of household?

status (sect14_16)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 313
 Invalid: 38469

Literal question

Status

sex (sect15_16)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

sex (sect15_16)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 313
 Invalid: 38469

Literal question

Is (name) male or female?

age (sect16_16)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-85

Valid cases: 313
 Invalid: 38469
 Minimum: 0
 Maximum: 85
 Mean: 11

Literal question

How old is (name)? As at last birthday.

Interviewer instructions

Record in completed years

marital status (sect17_16)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 313
 Invalid: 38469

Literal question

Marital Status

members line no (sect11_17)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-35

Valid cases: 1067
 Invalid: 37715
 Minimum: 17
 Maximum: 17

Literal question

Line Number

what is (name) relationship to head of household (sect13_17)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

what is (name) relationship to head of household (sect13_17)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Valid cases: 227
 Invalid: 38555

Literal question

What is the relationship of (name) to the head of household?

status (sect14_17)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 227
 Invalid: 38555

Literal question

Status

sex (sect15_17)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 227
 Invalid: 38555

Literal question

Is (name) male or female?

age (sect16_17)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-65

Valid cases: 227
 Invalid: 38555
 Minimum: 0
 Maximum: 65
 Mean: 10.4

Literal question

How old is (name)? As at last birthday.

Interviewer instructions

Record in completed years

marital status (sect17_17)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

marital status (sect17_17)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 227
 Invalid: 38555

Literal question

Marital Status

members line no (sect11_18)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-35

Valid cases: 1019
 Invalid: 37763
 Minimum: 18
 Maximum: 18

Literal question

Line Number

what is (name) relationship to head of household (sect13_18)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Valid cases: 179
 Invalid: 38603

Literal question

What is the relationship of (name) to the head of household?

status (sect14_18)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 179
 Invalid: 38603

Literal question

Status

sex (sect15_18)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

sex (sect15_18)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 179
 Invalid: 38603

Literal question

Is (name) male or female?

age (sect16_18)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-80

Valid cases: 179
 Invalid: 38603
 Minimum: 0
 Maximum: 80
 Mean: 12.4

Literal question

How old is (name)? As at last birthday.

Interviewer instructions

Record in completed years

marital status (sect17_18)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 179
 Invalid: 38603

Literal question

Marital Status

members line no (sect11_19)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-35

Valid cases: 974
 Invalid: 37808
 Minimum: 19
 Maximum: 19

Literal question

Line Number

what is (name) relationship to head of household (sect13_19)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

what is (name) relationship to head of household (sect13_19)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Valid cases: 134
 Invalid: 38648

Literal question

What is the relationship of (name) to the head of household?

status (sect14_19)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 134
 Invalid: 38648

Literal question

Status

sex (sect15_19)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 134
 Invalid: 38648

Literal question

Is (name) male or female?

age (sect16_19)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-90

Valid cases: 134
 Invalid: 38648
 Minimum: 0
 Maximum: 90
 Mean: 12

Literal question

How old is (name)? As at last birthday.

Interviewer instructions

Record in completed years

marital status (sect17_19)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

marital status (sect17_19)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 134
 Invalid: 38648

Literal question

Marital Status

members line no (sect11_20)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-35

Valid cases: 945
 Invalid: 37837
 Minimum: 20
 Maximum: 20

Literal question

Line Number

what is (name) relationship to head of household (sect13_20)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Valid cases: 105
 Invalid: 38677

Literal question

What is the relationship of (name) to the head of household?

status (sect14_20)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 105
 Invalid: 38677

Literal question

Status

sex (sect15_20)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

sex (sect15_20)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 105
 Invalid: 38677

Literal question

Is (name) male or female?

age (sect16_20)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-50

Valid cases: 105
 Invalid: 38677
 Minimum: 0
 Maximum: 50
 Mean: 11.5

Literal question

How old is (name)? As at last birthday.

Interviewer instructions

Record in completed years

marital status (sect17_20)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 105
 Invalid: 38677

Literal question

Marital Status

members line no (sect11_21)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-35

Valid cases: 910
 Invalid: 37872
 Minimum: 21
 Maximum: 21

Literal question

Line number

what is (name) relationship to head of household (sect13_21)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

what is (name) relationship to head of household (sect13_21)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Valid cases: 69
 Invalid: 38713

Literal question

What is the relationship of (name) to the head of household?

status (sect14_21)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 69
 Invalid: 38713

Literal question

Status

sex (sect15_21)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 69
 Invalid: 38713

Literal question

Is (name) male or female?

age (sect16_21)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-95

Valid cases: 69
 Invalid: 38713
 Minimum: 0
 Maximum: 95
 Mean: 14.1

Literal question

How old is (name)? As at last birthday.

Interviewer instructions

Record in completed years

marital status (sect17_21)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

marital status (sect17_21)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 69
 Invalid: 38713

Literal question

Marital Status?

members line no (sect11_22)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-35

Valid cases: 893
 Invalid: 37889
 Minimum: 22
 Maximum: 22

Literal question

Line Number

what is (name) relationship to head of household (sect13_22)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Valid cases: 51
 Invalid: 38731

Literal question

What is the relationship of (name) to the head of household?

status (sect14_22)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 51
 Invalid: 38731

Literal question

Status

sex (sect15_22)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

sex (sect15_22)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 51
 Invalid: 38731

Literal question

Is (name) male or female?

age (sect16_22)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-95

Valid cases: 51
 Invalid: 38731
 Minimum: 1
 Maximum: 95
 Mean: 12

Literal question

How old is (name)? As at last birthday.

Interviewer instructions

Record in completed years

marital status (sect17_22)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 51
 Invalid: 38731

Literal question

Marital Status?

members line no (sect11_23)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-35

Valid cases: 881
 Invalid: 37901
 Minimum: 23
 Maximum: 23

Literal question

Line number

what is (name) relationship to head of household (sect13_23)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

what is (name) relationship to head of household (sect13_23)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Valid cases: 39
 Invalid: 38743

Literal question

What is the relationship of (name) to the head of household?

status (sect14_23)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 39
 Invalid: 38743

Literal question

Status

sex (sect15_23)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 39
 Invalid: 38743

Literal question

Is (name) male or female?

age (sect16_23)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-30

Valid cases: 39
 Invalid: 38743
 Minimum: 0
 Maximum: 30
 Mean: 8.5

Literal question

How old is (name)? As at last birthday.

Interviewer instructions

Record in completed years

marital status (sect17_23)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

marital status (sect17_23)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 39
 Invalid: 38743

Literal question

Marital Status?

members line no (sect11_24)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-35

Valid cases: 868
 Invalid: 37914
 Minimum: 24
 Maximum: 24

Literal question

Line number

what is (name) relationship to head of household (sect13_24)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Valid cases: 26
 Invalid: 38756

Literal question

What is the relationship of (name) to the head of household?

status (sect14_24)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 26
 Invalid: 38756

Literal question

Status

sex (sect15_24)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

sex (sect15_24)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 26
 Invalid: 38756

Literal question

Is (name) male or female?

age (sect16_24)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-45

Valid cases: 26
 Invalid: 38756
 Minimum: 1
 Maximum: 45
 Mean: 11.1

Literal question

How old is (name)? As at last birthday.

Interviewer instructions

Record in completed years

marital status (sect17_24)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 26
 Invalid: 38756

Literal question

Marital Status

members line no (sect11_25)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-35

Valid cases: 860
 Invalid: 37922
 Minimum: 25
 Maximum: 25

Literal question

Line number

what is (name) relationship to head of household (sect13_25)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

what is (name) relationship to head of household (sect13_25)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Valid cases: 18
 Invalid: 38764

Literal question

What is the relationship of (name) to the head of household?

status (sect14_25)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 18
 Invalid: 38764

Literal question

Status

sex (sect15_25)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 18
 Invalid: 38764

Literal question

Is (name) male or female?

age (sect16_25)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 2-61

Valid cases: 18
 Invalid: 38764
 Minimum: 2
 Maximum: 61
 Mean: 14.2

Literal question

How old is (name)? As at last birthday

Interviewer instructions

Record in completed years.

marital status (sect17_25)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

marital status (sect17_25)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 18
 Invalid: 38764

Literal question

Marital Status

members line no (sect11_26)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-35

Valid cases: 855
 Invalid: 37927
 Minimum: 26
 Maximum: 26

Literal question

Line number

what is (name) relationship to head of household (sect13_26)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Valid cases: 13
 Invalid: 38769

Literal question

What is the relationship of (name) to the head of household?

status (sect14_26)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 13
 Invalid: 38769

Literal question

Status

sex (sect15_26)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

sex (sect15_26)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 13
 Invalid: 38769

Literal question

Is (name) male or female?

age (sect16_26)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-62

Valid cases: 13
 Invalid: 38769
 Minimum: 0
 Maximum: 62
 Mean: 13

Literal question

How old is (name)? As at last birthday

Interviewer instructions

Record in completed years

marital status (sect17_26)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 13
 Invalid: 38769

Literal question

Marital Status

members line no (sect11_27)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-35

Valid cases: 852
 Invalid: 37930
 Minimum: 27
 Maximum: 27

Literal question

Line number

what is (name) relationship to head of household (sect13_27)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

what is (name) relationship to head of household (sect13_27)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Valid cases: 10
 Invalid: 38772

Literal question

What is the relationship of (name) to the head of household?

status (sect14_27)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 10
 Invalid: 38772

Literal question

Status

sex (sect15_27)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 10
 Invalid: 38772

Literal question

Is (name) male or female?

age (sect16_27)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 2-65

Valid cases: 10
 Invalid: 38772
 Minimum: 2
 Maximum: 65
 Mean: 16.2

Literal question

How old is (name)? As at last birthday

Interviewer instructions

Record in completed years

marital status (sect17_27)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

marital status (sect17_27)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 10
 Invalid: 38772

Literal question

Marital Status

members line no (sect11_28)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-35

Valid cases: 852
 Invalid: 37930
 Minimum: 28
 Maximum: 28

Literal question

Line number

what is (name) relationship to head of household (sect13_28)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Valid cases: 10
 Invalid: 38772

Literal question

What is the relationship of (name) to the head of household?

status (sect14_28)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 10
 Invalid: 38772

Literal question

Status

sex (sect15_28)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

sex (sect15_28)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 10
 Invalid: 38772

Literal question

Is (name) male or female?

age (sect16_28)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-67

Valid cases: 10
 Invalid: 38772
 Minimum: 1
 Maximum: 67
 Mean: 16.6

Literal question

How old is (name)? As at last birthday

Interviewer instructions

Record in completed years

marital status (sect17_28)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 10
 Invalid: 38772

Literal question

Marital status

members line no (sect11_29)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-35

Valid cases: 850
 Invalid: 37932
 Minimum: 29
 Maximum: 29

Literal question

Line number

what is (name) relationship to head of household (sect13_29)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

what is (name) relationship to head of household (sect13_29)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Valid cases: 8
 Invalid: 38774

Literal question

What is the relationship of (name) to the head of household?

status (sect14_29)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 8
 Invalid: 38774

Literal question

Status

sex (sect15_29)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 8
 Invalid: 38774

Literal question

Is (name) male or female?

age (sect16_29)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-25

Valid cases: 8
 Invalid: 38774
 Minimum: 0
 Maximum: 25
 Mean: 9.4

Literal question

How old is (name)? As at last birthday

Interviewer instructions

Record in completed years

marital status (sect17_29)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

marital status (sect17_29)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 8
 Invalid: 38774

Literal question

Marital status

members line no (sect11_30)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-35

Valid cases: 850
 Invalid: 37932
 Minimum: 30
 Maximum: 30

Literal question

Line number

what is (name) relationship to head of household (sect13_30)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Valid cases: 8
 Invalid: 38774

Literal question

What is the relationship of (name) to the head of household?

status (sect14_30)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 8
 Invalid: 38774

Literal question

Status

sex (sect15_30)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

sex (sect15_30)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 8
 Invalid: 38774

Literal question

Is (name) male or female?

age (sect16_30)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 4-35

Valid cases: 8
 Invalid: 38774
 Minimum: 4
 Maximum: 35
 Mean: 10.9

Literal question

How old is (name)? As at last birthday

Interviewer instructions

Record in completed years

marital status (sect17_30)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 8
 Invalid: 38774

Literal question

Marital status

members line no (sect11_31)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-35

Valid cases: 849
 Invalid: 37933
 Minimum: 31
 Maximum: 31

Literal question

Line number

what is (name) relationship to head of household (sect13_31)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

what is (name) relationship to head of household (sect13_31)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Valid cases: 7
 Invalid: 38775

Literal question

What is the relationship of (name) to the head of household?

status (sect14_31)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 7
 Invalid: 38775

Literal question

Status

sex (sect15_31)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 7
 Invalid: 38775

Literal question

Is (name) male or female?

age (sect16_31)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 2-20

Valid cases: 7
 Invalid: 38775
 Minimum: 2
 Maximum: 20
 Mean: 6.9

Literal question

How old is (name)? As at last birthday

Interviewer instructions

Record in completed years

marital status (sect17_31)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

marital status (sect17_31)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 7
 Invalid: 38775

Literal question

Marital status

members line no (sect11_32)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-35

Valid cases: 846
 Invalid: 37936
 Minimum: 32
 Maximum: 32

Literal question

Line number

what is (name) relationship to head of household (sect13_32)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Valid cases: 4
 Invalid: 38778

Literal question

What is the relationship of (name) to the head of household?

status (sect14_32)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 4
 Invalid: 38778

Literal question

Status

sex (sect15_32)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

sex (sect15_32)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 4
 Invalid: 38778

Literal question

Is (name) male or female?

age (sect16_32)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 6-40

Valid cases: 4
 Invalid: 38778
 Minimum: 6
 Maximum: 40
 Mean: 19.5

Literal question

How old is (name)? As at last birthday

Interviewer instructions

Record in completed years

marital status (sect17_32)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 4
 Invalid: 38778

Literal question

Marital status

members line no (sect11_33)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-35

Valid cases: 845
 Invalid: 37937
 Minimum: 33
 Maximum: 33

Literal question

Line number

what is (name) relationship to head of household (sect13_33)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

what is (name) relationship to head of household (sect13_33)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Valid cases: 3
 Invalid: 38779

Literal question

What is the relationship of (name) to the head of household?

status (sect14_33)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 3
 Invalid: 38779

Literal question

Status

sex (sect15_33)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 3
 Invalid: 38779

Literal question

Is (name) male or female?

age (sect16_33)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-22

Valid cases: 3
 Invalid: 38779
 Minimum: 0
 Maximum: 22
 Mean: 11

Literal question

How old is (name)? As at last birthday

Interviewer instructions

Record in completed years

marital status (sect17_33)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

marital status (sect17_33)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 3
 Invalid: 38779

Literal question

Marital status

members line no (sect11_34)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-35

Valid cases: 844
 Invalid: 37938
 Minimum: 34
 Maximum: 34

Literal question

Line number

what is (name) relationship to head of household (sect13_34)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Valid cases: 2
 Invalid: 38780

Literal question

What is the relationship of (name) to the head of household?

status (sect14_34)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 2
 Invalid: 38780

Literal question

Status

sex (sect15_34)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

sex (sect15_34)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 2
 Invalid: 38780

Literal question

Is (name) male or female?

age (sect16_34)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 4-20

Valid cases: 2
 Invalid: 38780
 Minimum: 4
 Maximum: 20
 Mean: 12

Literal question

How old is (name)? As at last birthday

Interviewer instructions

Record in completed years

marital status (sect17_34)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 2
 Invalid: 38780

Literal question

Marital Status

members line no (sect11_35)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-35

Valid cases: 843
 Invalid: 37939
 Minimum: 35
 Maximum: 35

Literal question

Line number

what is (name) relationship to head of household (sect13_35)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

what is (name) relationship to head of household (sect13_35)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Valid cases: 1
 Invalid: 38781

Literal question

What is the relationship of (name) to the head of household?

status (sect14_35)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 1
 Invalid: 38781

Literal question

Status

sex (sect15_35)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 1
 Invalid: 38781

Literal question

Is (name) male or female?

age (sect16_35)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 17-17

Valid cases: 1
 Invalid: 38781
 Minimum: 17
 Maximum: 17
 Mean: 17

Literal question

How old is (name)? As at last birthday

Interviewer instructions

Record in completed years

marital status (sect17_35)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

marital status (sect17_35)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 1
 Invalid: 38781

Literal question

Marital Status

total members aged 15-64 years (sl1)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-20

Valid cases: 38083
 Invalid: 699
 Minimum: 0
 Maximum: 20
 Mean: 2.3
 Standard deviation: 1.6

rank number of the selected members (sl9a)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-8

Valid cases: 36560
 Invalid: 2222
 Minimum: 1
 Maximum: 8
 Mean: 1.7
 Standard deviation: 1.1

Literal question

RANK AGED 15-64 YEARS IN COL 1.6 FROM OLD TO YOUNG

Interviewer instructions

*Circle Personal Number of Eligible Members Aged 15-64 Years in Col 1.8 and according to Col 1.6 rank the eligible members of the household in column 1.9 (Descending Order of Age). If the household has more than 19 members, use a continuation sheet of this page

member line number (sl9b)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-21

Valid cases: 36560
 Invalid: 2222

Literal question

Line number

member age (sl9c)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

member age (sl9c)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous	Valid cases: 36560
Format: numeric	Invalid: 2222
Width: 2	Minimum: 15
Decimals: 0	Maximum: 64
Range: 15-64	Mean: 34.4
	Standard deviation: 13.2

member selected availability (sl9d)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete	Valid cases: 36560
Format: numeric	Invalid: 2222
Width: 1	
Decimals: 0	
Range: 1-2	

Members line No (resp_sn)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete	Valid cases: 36004
Format: numeric	Invalid: 2778
Width: 2	
Decimals: 0	
Range: 1-35	

Literal question

Line number

Sex (resp_sex)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete	Valid cases: 36004
Format: numeric	Invalid: 2778
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

Is (name) male or female?

Age (resp_age)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Age (resp_age)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 15-64

Valid cases: 36004

Invalid: 2778

Minimum: 15

Maximum: 64

Mean: 34.4

Literal question

How old is (name)? As at last birthday

Interviewer instructions

Record in completed years

Marital Status (resp_mstatus)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-7

Valid cases: 36004

Invalid: 2778

Literal question

Marital Status

how long have been living (sect2q1)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 0-64

Valid cases: 36414

Invalid: 2368

Minimum: 0

Maximum: 64

Mean: 16.9

Standard deviation: 12.9

Pre question

First I would like to ask you some general background information about you

Literal question

How long have you been living in this address?

Post question

Please state the number of years or months

Interviewer instructions

Please state the number of years or months

are you able to read and write in any language? (sect2q2)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-2

Valid cases: 36413

Invalid: 2369

are you able to read and write in any language? (sect2q2)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Pre question

First I would like to ask you some general background information about you.

Literal question

Are you able to read and write a simple statement in any language with understanding?

Post question

If No Q. 2.4

what is the highest level of education you have completed (sect2q3)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Valid cases: 23786
 Invalid: 14996

Pre question

First I would like to ask you some general background information about you.

Literal question

What is the highest level of education you have completed?

what is the highest level of education you have completed (sect2q3spc)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 25

Valid cases: 734
 Invalid: 0

Pre question

First I would like to ask you some general background information about you.

Literal question

What is the highest level of education you have completed?

what is the highest level of education you have completed (sect24)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

First I would like to ask you some general background information about you.

Literal question

What is the highest level of education you have completed?

what is the highest level of education you have completed (sect25)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

First I would like to ask you some general background information about you.

Literal question

What is the highest level of education you have completed?

are you currently working for monetry or in kind compensation (sect2q4)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 36411
 Invalid: 2371

Pre question

First I would like to ask you some general background information about you.

Literal question

Are you currently working for monetary or in kind compensation?

Post question

If 4, GO TO Q2.6

if yes what type of job do you do? (sect2q5)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-8

Valid cases: 23315
 Invalid: 15467

Pre question

First I would like to ask you some general background information about you.

Literal question

If employed, what type of job do you do?

Post question

GO TO Q2.6

if yes what type of job do you do? (sect2q5spc)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 25

Valid cases: 1046
 Invalid: 0

if yes what type of job do you do? (sect2q5spc)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Pre question

First I would like to ask you some general background information about you.

Literal question

If employed, what type of job do you do?

Post question

GO TO Q2.6

if yes what type of job do you do? (sect22)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Valid cases: 0

Format: character

Invalid: 0

Width: 1

Pre question

First I would like to ask you some general background information about you.

Literal question

If employed, what type of job do you do?

Post question

GO TO Q2.6

if yes what type of job do you do? (sect23)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Valid cases: 0

Format: character

Invalid: 0

Width: 1

Pre question

First I would like to ask you some general background information about you.

Literal question

If employed, what type of job do you do?

Post question

GO TO Q2.6

if currently not working describe status (sect2q6)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Valid cases: 13110

Format: numeric

Invalid: 25672

Width: 1

Decimals: 0

Range: 1-7

Pre question

First I would like to ask you some general background information about you.

Literal question

If you are currently not working, how would you describe your current status?

if currently not working describe status (sect2q6spc)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 25

Valid cases: 1054
 Invalid: 0

Pre question

First I would like to ask you some general background information about you.

Literal question

If you are currently not working, how would you describe your current status?

if currently not working describe status (sect20)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

First I would like to ask you some general background information about you.

Literal question

If you are currently not working, how would you describe your current status?

if currently not working describe status (sect21)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

First I would like to ask you some general background information about you.

Literal question

If you are currently not working, how would you describe your current status?

family (sect2q7a)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 38782
 Invalid: 0

Pre question

First I would like to ask you some general background information about you.

Literal question

Do you receive financial support from Family?

Interviewer instructions

Write the appropriate code Yes =1, No=2

government (sect2q7b)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 38782

Invalid: 0

Pre question

First I would like to ask you some general background information about you.

Literal question

Do you receive financial support from Government?

Interviewer instructions

Write the appropriate code Yes =1, No=2

ngo (sect2q7c)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 38782

Invalid: 0

Pre question

First I would like to ask you some general background information about you.

Literal question

Do you receive financial support from NGO?

Interviewer instructions

Write the appropriate code Yes =1, No=2

community (sect2q7d)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 38782

Invalid: 0

Pre question

First I would like to ask you some general background information about you.

Literal question

Do you receive financial support from Community?

Interviewer instructions

Write the appropriate code Yes =1, No=2

faith based organization (sect2q7e)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 38782

Invalid: 0

Pre question

First I would like to ask you some general background information about you.

faith based organization (sect2q7e)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Literal question

Do you receive financial support from Faith Based Organization?

Interviewer instructions

Write the appropriate code Yes =1, No=2

friend (sect2q7f)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 38782

Invalid: 0

Pre question

First I would like to ask you some general background information about you.

Literal question

Do you receive financial support from Friend?

Interviewer instructions

Write the appropriate code Yes =1, No=2

are you involved in any voluntary social, religious, cultural activity in commun (sect2q8)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-4

Valid cases: 36411

Invalid: 2371

Pre question

First I would like to ask you some general background information about you.

Literal question

Are you involved in any voluntary social, religious, cultural, art or recreation activity in your community?

Post question

If No, Refused, Don't know Q. 3.1

how often do you participate in any of these activities in your community (sect2q9)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-3

Valid cases: 15254

Invalid: 23528

Pre question

First I would like to ask you some general background information about you.

Literal question

how often do you participate in any of these activities in your community (sect2q9)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

How often do you participate in any of these voluntary activities (social, religious, cultural, art and recreation) in your community?

how would you rate your health today (sect3q1)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Valid cases: 36410
Invalid: 2372

Pre question

Please may I ask you a few questions about your health in general?

Literal question

How would you rate your health today?

have ever been diagnosed with high blood pressure (sect3q2)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 36409
Invalid: 2373

Pre question

Please may I ask you a few questions about your health in general?

Literal question

Have you ever been diagnosed with high blood pressure by a health practitioner?

Post question

If No Q3.4

if yes are you under any treatment or medication (sect3q3)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 4762
Invalid: 34020

Pre question

Please may I ask you a few questions about your health in general?

Literal question

If yes, are you currently under any treatment/ medication for high blood pressure?

have you ever been diagnosed with any heart disease (sect3q4)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36409
 Invalid: 2373

Pre question

Please may I ask you a few questions about your health in general?

Literal question

Have you ever been diagnosed with any heart disease by a health practitioner?

Post question

If No Q3.6

if yes are you under any treatment or medication (sect3q5)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 1375
 Invalid: 37407

Pre question

Please may I ask you a few questions about your health in general?

Literal question

If yes, are you currently under any treatment/ medication for heart disease?

have you ever been diagnosed with any diabeties by health (sect3q6)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36409
 Invalid: 2373

Pre question

Please may I ask you a few questions about your health in general?

Literal question

Have you ever been diagnosed with diabetes by a health practitioner?

Post question

If No Q3.8

if yes are you under any treatment or medication (sect3q7)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

if yes are you under any treatment or medication (sect3q7)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 1086
 Invalid: 37696

Pre question

Please may I ask you a few questions about your health in general?

Literal question

If yes, are you currently under any treatment/ medication for diabetes?

have you ever been diagnosed with any asthma by health (sect3q8)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36409
 Invalid: 2373

Pre question

Please may I ask you a few questions about your health in general?

Literal question

Have you ever been diagnosed with asthma by a health practitioner?

Post question

If No Q3.10

if yes are you under any treatment or medication (sect3q9)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 560
 Invalid: 38222

Pre question

Please may I ask you a few questions about your health in general?

Literal question

If yes are you currently under any treatment/ medication for asthma?

have you ever been diagnosed by health practitioner chronic pain (sect3q10)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36409
 Invalid: 2373

have you ever been diagnosed by health practitioner chronic pain (sect3q10)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Pre question

Please may I ask you a few questions about your health in general?

Literal question

Have you ever been diagnosed by a health practitioner for a condition with chronic pain?

Post question

If No Q3.12

if yes are you under any treatment or medication (sect3q11)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 3764
Invalid: 35018

Pre question

Please may I ask you a few questions about your health in general?

Literal question

If yes are you currently under any treatment/ medication for a chronic pain condition?

is there any other health problem or illness that has been (sect3q12)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 36409
Invalid: 2373

Pre question

Please may I ask you a few questions about your health in general?

Literal question

Is there any other health problem or illness that has been diagnosed by a health practitioner?

Post question

If No Q 3.14

specify problem illness (sect3q12spc)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 15

Valid cases: 4579
Invalid: 0

Pre question

Please may I ask you a few questions about your health in general?

Literal question

specify problem illness (sect3q12spc)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

specify

specify problem illness (sect36)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Please may I ask you a few questions about your health in general?

Literal question

specify

specify problem illness (sect37)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Please may I ask you a few questions about your health in general?

Literal question

specify

if yes are you under any treatment or medication (sect3q13)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 4579
 Invalid: 34203

Pre question

Please may I ask you a few questions about your health in general?

Literal question

If yes are you currently under any treatment/ medication for that condition?

transfusion of infected (sect3q14a)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 19830
 Invalid: 0

Pre question

transfusion of infected (sect3q14a)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Now, I'd like to ask you a few questions about HIV/AIDS.

Literal question

First, can you mention three modes of transmission of HIV/AIDS?
Transfusion of infected blood or blood products.

Interviewer instructions

don't read the options below aloud to the respondent

unprotected sexual intercourse (sect3q14b)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 27795
Invalid: 0

Pre question

Now, I'd like to ask you a few questions about HIV/AIDS.

Literal question

First, can you mention three modes of transmission of HIV/AIDS?
Unprotected sexual intercourse with infected person.

Interviewer instructions

don't read the options below aloud to the respondent

sharing of needles and syringes without sterilization/other sharp objects (sect3q14c)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 23256
Invalid: 0

Pre question

Now, I'd like to ask you a few questions about HIV/AIDS.

Literal question

First, can you mention three modes of transmission of HIV/AIDS?
Sharing of needles and syringes with-out sterilisation

Interviewer instructions

don't read the options below aloud to the respondent

infected mother to her baby (sect3q14d)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 4029
Invalid: 0

Pre question

Now, I'd like to ask you a few questions about HIV/AIDS.

Literal question

infected mother to her baby (sect3q14d)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

First, can you mention three modes of transmission of HIV/AIDS?

Infected mother to her baby during pregnancy, birth process and through breast - feeding.

Interviewer instructions

don't read the options below aloud to the respondent

don't know (sect3q14e)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 4665

Invalid: 0

Pre question

Now, I'd like to ask you a few questions about HIV/AIDS.

Literal question

First, can you mention three modes of transmission of HIV/AIDS?

Don't know

Interviewer instructions

don't read the options below aloud to the respondent

refuse to answer (sect3q14f)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 342

Invalid: 0

Pre question

Now, I'd like to ask you a few questions about HIV/AIDS.

Literal question

First, can you mention three modes of transmission of HIV/AIDS?

Refuse to answer

Interviewer instructions

don't read the options below aloud to the respondent

have never heard of aids (sect3q14g)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 430

Invalid: 0

Pre question

Now, I'd like to ask you a few questions about HIV/AIDS.

Literal question

First, can you mention three modes of transmission of HIV/AIDS?

Have never heard of aids

Interviewer instructions

don't read the options below aloud to the respondent

generally, when you fall sick and need medical attention (sect3q15)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-12

Valid cases: 36408
Invalid: 2374

Pre question

Please may I ask you a few questions about your health in general?

Literal question

Generally, when you fall sick and need medical attention, where or from whom do you seek assistance?

have you ever taken medicines for any health (sect3q16)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 36408
Invalid: 2374

Pre question

Please may I ask you a few questions about your health in general?

Literal question

Have you EVER taken medicine(s) for any health conditions without the advice of a health professional?

Post question

No (Q3.18)

if yes for what condition (most frequent/latest condition) (sect3q17)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 25

Valid cases: 21539
Invalid: 0

Pre question

Please may I ask you a few questions about your health in general?

Literal question

If yes, for what condition. (most frequent/latest condition)

if yes for what condition (most frequent/latest condition) (sect34)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 0
Invalid: 0

Pre question

if yes for what condition (most frequent/latest condition) (sect34)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Please may I ask you a few questions about your health in general?

Literal question

If yes, for what condition. (most frequent/latest condition)

if yes for what condition (most frequent/latest condition) (sect35)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Please may I ask you a few questions about your health in general?

Literal question

If yes, for what condition. (most frequent/latest condition)

have you ever been admitted in the past 12 months in hospital (sect3q18)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36407
 Invalid: 2375

Pre question

Please may I ask you a few questions about your health in general?

Literal question

Have you ever been admitted in the PAST 12 MONTHS in hospital or other health facility for any health condition?

Post question

No (Q 3.20)

if yes what was the condition for which you we (sect3q19)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 25

Valid cases: 3179
 Invalid: 0

Pre question

Please may I ask you a few questions about your health in general?

Literal question

If yes, what was the condition for which you were hospitalised?

if yes what was the condition for which you we (sect32)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

if yes what was the condition for which you were hospitalised (sect32)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Please may I ask you a few questions about your health in general?

Literal question

If yes, what was the condition for which you were hospitalised?

if yes what was the condition for which you were hospitalised (sect33)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Please may I ask you a few questions about your health in general?

Literal question

If yes, what was the condition for which you were hospitalised?

have you taken medicines in the past 12 months for any health conditions without (sect3q20)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36407
 Invalid: 2375

Pre question

Please may I ask you a few questions about your health in general?

Literal question

Have you taken medicine(s) in the PAST 12 MONTHS for any health conditions without the advice of a health professional?

Post question

No [to Q4.1]

if yes for what condition (sect3q21)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 25

Valid cases: 16945
 Invalid: 0

Pre question

Please may I ask you a few questions about your health in general?

Literal question

If yes, for what condition. (most frequent/latest condition)

if yes for what condition (sect3q21)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Interviewer instructions

(most frequent/latest condition)

if yes for what condition (sect30)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 0
Invalid: 0

Pre question

Please may I ask you a few questions about your health in general?

Literal question

If yes, for what condition. (most frequent/latest condition)

Interviewer instructions

(most frequent/latest condition)

if yes for what condition (sect31)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 0
Invalid: 0

Pre question

Please may I ask you a few questions about your health in general?

Literal question

If yes, for what condition. (most frequent/latest condition)

Interviewer instructions

(most frequent/latest condition)

of the women you know personally, how many gave birth (sect4q1)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-40

Valid cases: 36407
Invalid: 2375
Minimum: 0
Maximum: 40
Mean: 4.9
Standard deviation: 5.8

Pre question

Now I'm going to ask you some questions that will help us understand the size of your personal network. So, how many people who fit the following definitions, you know personally, with whom you have had a meal in the past-year

Literal question

Of the women you know personally, how many gave birth in the last 12 months?

how many young men aged 15-19 do you know personally (sect4q2)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-50

Valid cases: 36406
 Invalid: 2376
 Minimum: 0
 Maximum: 50
 Mean: 7.1
 Standard deviation: 8.9

Pre question

Now I'm going to ask you some questions that will help us understand the size of your personal network. So, how many people who fit the following definitions, you know personally, with whom you have had a meal in the past-year

Literal question

How many young men aged 15-19 do you know personally who are attending secondary school?

how many young women aged 15-19 do you know personally (sect4q3)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-50

Valid cases: 36406
 Invalid: 2376
 Minimum: 0
 Maximum: 50
 Mean: 6.6
 Standard deviation: 8.4

Pre question

Now I'm going to ask you some questions that will help us understand the size of your personal network. So, how many people who fit the following definitions, you know personally, with whom you have had a meal in the past-year

Literal question

How many young women aged 15-19 do you know personally who are attending secondary school?

how many women do you know personally who died in lasth 12 months (sect4q4)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-30

Valid cases: 36406
 Invalid: 2376
 Minimum: 0
 Maximum: 30
 Mean: 3.1
 Standard deviation: 4.2

Pre question

Now I'm going to ask you some questions that will help us understand the size of your personal network. So, how many people who fit the following definitions, you know personally, with whom you have had a meal in the past-year

Literal question

How many women do you know personally who died in the last 12 months?

how many secondary school teachers that you know personally (sect4q5)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous	Valid cases: 36406
Format: numeric	Invalid: 2376
Width: 2	Minimum: 0
Decimals: 0	Maximum: 35
Range: 0-35	Mean: 3.6
	Standard deviation: 4.6

Pre question

Now I'm going to ask you some questions that will help us understand the size of your personal network. So, how many people who fit the following definitions, you know personally, with whom you have had a meal in the past-year

Literal question

How many secondary school teachers that you know personally?

how many nurses did you know personally (sect4q6)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous	Valid cases: 36406
Format: numeric	Invalid: 2376
Width: 2	Minimum: 0
Decimals: 0	Maximum: 25
Range: 0-25	Mean: 2.2
	Standard deviation: 2.8

Pre question

Now I'm going to ask you some questions that will help us understand the size of your personal network. So, how many people who fit the following definitions, you know personally, with whom you have had a meal in the past-year

Literal question

How many nurses do you know personally?

how many people you know personally who work for the Nigerian Postal Service (NIPOST) (sect4q7)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous	Valid cases: 36406
Format: numeric	Invalid: 2376
Width: 2	Minimum: 0
Decimals: 0	Maximum: 30
Range: 0-30	Mean: 1.9
	Standard deviation: 3.4

Pre question

Now I'm going to ask you some questions that will help us understand the size of your personal network. So, how many people who fit the following definitions, you know personally, with whom you have had a meal in the past-year

Literal question

How many people do you know personally who work for the Nigerian postal service (NIPOST)?

type of substance (types_1)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

type of substance (types_1)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 200

Valid cases: 36406

Pre question

Sometimes people use medicine for relaxation (without the advice of a doctor), to feel good, or to get high on their own or a friend's suggestion. In the following questions I'm going to ask you about your possible use of some of these substances.

Literal question

Type of substance
 Tranquilizers or Sedatives such as valium

type of substance (types30)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Sometimes people use medicine for relaxation (without the advice of a doctor), to feel good, or to get high on their own or a friend's suggestion. In the following questions I'm going to ask you about your possible use of some of these substances.

Literal question

Type of substance
 Opioids Painkillers such as tramadol or codeine

type of substance (types31)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Sometimes people use medicine for relaxation (without the advice of a doctor), to feel good, or to get high on their own or a friend's suggestion. In the following questions I'm going to ask you about your possible use of some of these substances.

Literal question

Type of substance
 Amphetamines such as ritalin or dexedrine

have you ever used (sect5q1_1)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36406
 Invalid: 2376

Pre question

have you ever used (sect5q1_1)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Sometimes people use medicine for relaxation (without the advice of a doctor), to feel good, or to get high on their own or a friend's suggestion. In the following questions I'm going to ask you about your possible use of some of these substances.

Literal question

Have you ever used...?

Post question

(If "No" to all, -->Q6.1)

what was you first age at first use of (sect5q2_1)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous	Valid cases: 1154
Format: numeric	Invalid: 37628
Width: 2	Minimum: 10
Decimals: 0	Maximum: 64
Range: 10-64	Mean: 25.7

Pre question

Sometimes people use medicine for relaxation (without the advice of a doctor), to feel good, or to get high on their own or a friend's suggestion. In the following questions I'm going to ask you about your possible use of some of these substances.

Literal question

What was your age at first use? (approx)

have you ever used in the last 12 months (sect5q3_1)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete	Valid cases: 1153
Format: numeric	Invalid: 37629
Width: 1	
Decimals: 0	
Range: 1-2	

Pre question

Sometimes people use medicine for relaxation (without the advice of a doctor), to feel good, or to get high on their own or a friend's suggestion. In the following questions I'm going to ask you about your possible use of some of these substances.

Literal question

Have you used in the last 12 months?

Post question

(If "No" to all, -->Q6.1)

in the past 30 days how many days did you use (sect5q4_1)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete	Valid cases: 522
Format: numeric	Invalid: 38260
Width: 1	
Decimals: 0	
Range: 1-8	

Pre question

Sometimes people use medicine for relaxation (without the advice of a doctor), to feel good, or to get high on their own or a friend's suggestion. In the following questions I'm going to ask you about your possible use of some of these substances.

in the past 30 days how many days did you use (sect5q4_1)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Literal question

In the past-30 days, how many days did you use?

what is the usual method of use (sect5q5_1)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-6

Valid cases: 522
 Invalid: 38260

Pre question

Sometimes people use medicine for relaxation (without the advice of a doctor), to feel good, or to get high on their own or a friend's suggestion. In the following questions I'm going to ask you about your possible use of some of these substances.

Literal question

What is the usual method of use?

what is the average amount you spent per day during the last 30 (sect5q6_1)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous
 Format: numeric
 Width: 5
 Decimals: 0
 Range: 0-35000

Valid cases: 522
 Invalid: 38260
 Minimum: 0
 Maximum: 35000
 Mean: 389.4
 Standard deviation: 1829.4

Pre question

Sometimes people use medicine for relaxation (without the advice of a doctor), to feel good, or to get high on their own or a friend's suggestion. In the following questions I'm going to ask you about your possible use of some of these substances.

Literal question

What is the average amount you spent per day during the last 30 days on this substance? (Naira)

type of substance (types_2)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 147

Valid cases: 1270

Pre question

Sometimes people use medicine for relaxation (without the advice of a doctor), to feel good, or to get high on their own or a friend's suggestion. In the following questions I'm going to ask you about your possible use of some of these substances.

Literal question

Type of substance
 Tranquilizers or Sedatives such as valium

type of substance (types2y)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Sometimes people use medicine for relaxation (without the advice of a doctor), to feel good, or to get high on their own or a friend's suggestion. In the following questions I'm going to ask you about your possible use of some of these substances.

Literal question

Type of substance
 Opioids Painkillers such as tramadol or codeine

type of substance (types2z)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Sometimes people use medicine for relaxation (without the advice of a doctor), to feel good, or to get high on their own or a friend's suggestion. In the following questions I'm going to ask you about your possible use of some of these substances.

Literal question

Type of substance
 Amphetamines such as ritalin or dexedrine

have you ever used (sect5q1_2)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36406
 Invalid: 2376

Pre question

Sometimes people use medicine for relaxation (without the advice of a doctor), to feel good, or to get high on their own or a friend's suggestion. In the following questions I'm going to ask you about your possible use of some of these substances.

Literal question

Have you ever used...?

Post question

(If "No" to all, -->Q6.1)

what was you firrst age at first use of (sect5q2_2)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

what was your first age at first use of (sect5q2_2)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 10-64

Valid cases: 2539
 Invalid: 36243
 Minimum: 10
 Maximum: 64
 Mean: 23.6

Pre question

Sometimes people use medicine for relaxation (without the advice of a doctor), to feel good, or to get high on their own or a friend's suggestion. In the following questions I'm going to ask you about your possible use of some of these substances.

Literal question

What was your age at first use? (approx)

have you ever used in the last 12 months (sect5q3_2)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 2537
 Invalid: 36245

Pre question

Sometimes people use medicine for relaxation (without the advice of a doctor), to feel good, or to get high on their own or a friend's suggestion. In the following questions I'm going to ask you about your possible use of some of these substances.

Literal question

Have you used in the last 12 months?

Post question

(If "No" to all, -->Q6.1)

in the past 30 days how many days did you use (sect5q4_2)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-8

Valid cases: 1503
 Invalid: 37279

Pre question

Sometimes people use medicine for relaxation (without the advice of a doctor), to feel good, or to get high on their own or a friend's suggestion. In the following questions I'm going to ask you about your possible use of some of these substances.

Literal question

In the past-30 days, how many days did you use?

what is the usual method of use (sect5q5_2)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

what is the usual method of use (sect5q5_2)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-6

Valid cases: 1503
 Invalid: 37279

Pre question

Sometimes people use medicine for relaxation (without the advice of a doctor), to feel good, or to get high on their own or a friend's suggestion. In the following questions I'm going to ask you about your possible use of some of these substances.

Literal question

What is the usual method of use?

what is the average amount you spent per day during the last 30 (sect5q6_2)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 5
 Decimals: 0
 Range: 0-40000

Valid cases: 1503
 Invalid: 37279
 Minimum: 0
 Maximum: 40000
 Mean: 245.5
 Standard deviation: 1154.3

Pre question

Sometimes people use medicine for relaxation (without the advice of a doctor), to feel good, or to get high on their own or a friend's suggestion. In the following questions I'm going to ask you about your possible use of some of these substances.

Literal question

What is the average amount you spent per day during the last 30 days on this substance?

type of substance (types_3)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: character
 Width: 106

Valid cases: 2220

Pre question

Sometimes people use medicine for relaxation (without the advice of a doctor), to feel good, or to get high on their own or a friend's suggestion. In the following questions I'm going to ask you about your possible use of some of these substances.

Literal question

Type of substance
 Tranquilizers or Sedatives such as valium

type of substance (types2w)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

type of substance (types2w)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Sometimes people use medicine for relaxation (without the advice of a doctor), to feel good, or to get high on their own or a friend's suggestion. In the following questions I'm going to ask you about your possible use of some of these substances.

Literal question

Type of substance
Opioids Painkillers such as tramadol or codeine

type of substance (types2x)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete	Valid cases: 0
Format: character	Invalid: 0
Width: 1	

Pre question

Sometimes people use medicine for relaxation (without the advice of a doctor), to feel good, or to get high on their own or a friend's suggestion. In the following questions I'm going to ask you about your possible use of some of these substances.

Literal question

Type of substance
Amphetamines such as ritalin or dexedrine

have you ever used (sect5q1_3)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete	Valid cases: 36406
Format: numeric	Invalid: 2376
Width: 1	
Decimals: 0	
Range: 1-2	

Pre question

Sometimes people use medicine for relaxation (without the advice of a doctor), to feel good, or to get high on their own or a friend's suggestion. In the following questions I'm going to ask you about your possible use of some of these substances.

Literal question

Have you ever used...?

Post question

(If "No" to all, -->Q6.1)

what was your first age at first use of (sect5q2_3)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous	Valid cases: 129
Format: numeric	Invalid: 38653
Width: 2	Minimum: 10
Decimals: 0	Maximum: 62
Range: 10-62	Mean: 26.2

Pre question

Sometimes people use medicine for relaxation (without the advice of a doctor), to feel good, or to get high on their own or a friend's suggestion. In the following questions I'm going to ask you about your possible use of some of these substances.

Literal question

What was your age at first use?

have you ever used in the last 12 months (sect5q3_3)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 129
 Invalid: 38653

Pre question

Sometimes people use medicine for relaxation (without the advice of a doctor), to feel good, or to get high on their own or a friend's suggestion. In the following questions I'm going to ask you about your possible use of some of these substances.

Literal question

Have you used in the last 12 months?

Post question

(If "No" to all, -->Q6.1)

in the past 30 days how many days did you use (sect5q4_3)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-8

Valid cases: 53
 Invalid: 38729

Pre question

Sometimes people use medicine for relaxation (without the advice of a doctor), to feel good, or to get high on their own or a friend's suggestion. In the following questions I'm going to ask you about your possible use of some of these substances.

Literal question

In the past-30 days, how many days did you use?

what is the usual method of use (sect5q5_3)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-6

Valid cases: 53
 Invalid: 38729

Pre question

Sometimes people use medicine for relaxation (without the advice of a doctor), to feel good, or to get high on their own or a friend's suggestion. In the following questions I'm going to ask you about your possible use of some of these substances.

Literal question

What is the usual method of use?

what is the average amount you spent per day during the last 30 (sect5q6_3)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

what is the average amount you spent per day during the last 30 (sect5q6_3)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Continuous
Format: numeric
Width: 5
Decimals: 0
Range: 0-10000

Valid cases: 53
Invalid: 38729
Minimum: 0
Maximum: 10000
Mean: 529.7
Standard deviation: 1528.3

Pre question

Sometimes people use medicine for relaxation (without the advice of a doctor), to feel good, or to get high on their own or a friend's suggestion. In the following questions I'm going to ask you about your possible use of some of these substances.

Literal question

What is the average amount you spent per day during the last 30 days on this substance? (Naira)

have you ever smoked/used tobacco (sect6q1)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 36406
Invalid: 2376

Pre question

Now I will ask you some questions about your possible use of cigarettes or other tobacco products

Literal question

Have you ever smoked/ used tobacco?

Post question

If No ? 7.1

do you currently smoke/use tobacco (sect6q2)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 3247
Invalid: 35535

Pre question

Now I will ask you some questions about your possible use of cigarettes or other tobacco products

Literal question

Do you currently smoke/use tobacco?

Post question

If No ? 6.4

manufactured cigarette (sect6q3mpd)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

manufactured cigarette (sect6q3mpd)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Valid cases: 1397
 Invalid: 37385
 Minimum: 0
 Maximum: 99
 Mean: 4.8
 Standard deviation: 8.2

Pre question

Now I will ask you some questions about your possible use of cigarettes or other tobacco products If yes, how often?

Literal question

Manufactured cigarettes (sticks) Per day

Interviewer instructions

Write in number under best time interval

manufactured cigarette (sect6q3mpw)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Valid cases: 1396
 Invalid: 37386
 Minimum: 0
 Maximum: 99
 Mean: 20
 Standard deviation: 21.9

Pre question

Now I will ask you some questions about your possible use of cigarettes or other tobacco products If yes, how often?

Literal question

Manufactured cigarettes (sticks) per week

Interviewer instructions

Write in number under best time interval

manufactured cigarette (sect6q3mpm)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 0-999

Valid cases: 1396
 Invalid: 37386
 Minimum: 0
 Maximum: 999
 Mean: 76.5
 Standard deviation: 118.2

Pre question

Now I will ask you some questions about your possible use of cigarettes or other tobacco products If yes, how often?

Literal question

Manufactured cigarettes (sticks) Per month

Interviewer instructions

Write in number under best time interval

hand rolled number (sect6q3hpd)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

hand rolled number (sect6q3hpd)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous	Valid cases: 1396
Format: numeric	Invalid: 37386
Width: 2	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 3.2
	Standard deviation: 13.5

Pre question

Now I will ask you some questions about your possible use of cigarettes or other tobacco products If yes, how often?

Literal question

Hand-rolled cigarettes Per day

Interviewer instructions

Write in number under best time interval

hand rolled number (sect6q3hpw)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous	Valid cases: 1396
Format: numeric	Invalid: 37386
Width: 2	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 5.8
	Standard deviation: 16.1

Pre question

Now I will ask you some questions about your possible use of cigarettes or other tobacco products If yes, how often?

Literal question

Hand-rolled cigarettes Per week

Interviewer instructions

Write in number under best time interval

hand rolled number (sect6q3hpm)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous	Valid cases: 1395
Format: numeric	Invalid: 37387
Width: 3	Minimum: 0
Decimals: 0	Maximum: 999
Range: 0-999	Mean: 17.2
	Standard deviation: 66.1

Pre question

Now I will ask you some questions about your possible use of cigarettes or other tobacco products If yes, how often?

Literal question

Hand-rolled cigarettes Per month

Interviewer instructions

Write in number under best time interval

pipe full with tobacco (sect6q3ppd)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous	Valid cases: 1396
Format: numeric	Invalid: 37386
Width: 2	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 2.3
	Standard deviation: 12.8

Pre question

Now I will ask you some questions about your possible use of cigarettes or other tobacco products If yes, how often?

Literal question

Pipe full of tobacco Per day

Interviewer instructions

Write in number under best time interval

pipe full with tobacco (sect6q3ppw)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous	Valid cases: 1395
Format: numeric	Invalid: 37387
Width: 2	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 3.4
	Standard deviation: 13.8

Pre question

Now I will ask you some questions about your possible use of cigarettes or other tobacco products If yes, how often?

Literal question

Pipe full of tobacco Per week

Interviewer instructions

Write in number under best time interval

pipe full with tobacco (sect6q3ppm)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous	Valid cases: 1395
Format: numeric	Invalid: 37387
Width: 3	Minimum: 0
Decimals: 0	Maximum: 840
Range: 0-840	Mean: 8
	Standard deviation: 44.8

Pre question

Now I will ask you some questions about your possible use of cigarettes or other tobacco products If yes, how often?

Literal question

Pipe full of tobacco Per month

Interviewer instructions

Write in number under best time interval

cigar, cheroot or cigarolors (sect6q3cpd)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous	Valid cases: 1395
Format: numeric	Invalid: 37387
Width: 2	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 2.5
	Standard deviation: 13.1

Pre question

Now I will ask you some questions about your possible use of cigarettes or other tobacco products If yes, how often?

Literal question

Cigar, cheroots, or cigarillos Per day

Interviewer instructions

Write in number under best time interval

cigar, cheroot or cigarolors (sect6q3cpw)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous	Valid cases: 1395
Format: numeric	Invalid: 37387
Width: 2	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 4
	Standard deviation: 15.4

Pre question

Now I will ask you some questions about your possible use of cigarettes or other tobacco products If yes, how often?

Literal question

Cigar, cheroots, or cigarillos Per week

Interviewer instructions

Write in number under best time interval

cigar, cheroot or cigarolors (sect6q3cpm)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous	Valid cases: 1395
Format: numeric	Invalid: 37387
Width: 3	Minimum: 0
Decimals: 0	Maximum: 840
Range: 0-840	Mean: 9.2
	Standard deviation: 45

Pre question

Now I will ask you some questions about your possible use of cigarettes or other tobacco products If yes, how often?

Literal question

Cigar, cheroots, or cigarillos Per month

Interviewer instructions

Write in number under best time interval

water pipe (sect6q3wpd)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous	Valid cases: 1395
Format: numeric	Invalid: 37387
Width: 2	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 2.3
	Standard deviation: 13.8

Pre question

Now I will ask you some questions about your possible use of cigarettes or other tobacco products If yes, how often?

Literal question

Water pipe Per day

Interviewer instructions

Write in number under best time interval

water pipe (sect6q3wpw)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous	Valid cases: 1394
Format: numeric	Invalid: 37388
Width: 2	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 2.7
	Standard deviation: 14.2

Pre question

Now I will ask you some questions about your possible use of cigarettes or other tobacco products If yes, how often?

Literal question

Water pipe Per week

Interviewer instructions

Write in number under best time interval

water pipe (sect6q3wpm)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous	Valid cases: 1394
Format: numeric	Invalid: 37388
Width: 3	Minimum: 0
Decimals: 0	Maximum: 680
Range: 0-680	Mean: 4.1
	Standard deviation: 25

Pre question

Now I will ask you some questions about your possible use of cigarettes or other tobacco products If yes, how often?

Literal question

Water pipe Per day

Interviewer instructions

Write in number under best time interval

tobacco snuff (sect6q3tpd)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous	Valid cases: 1394
Format: numeric	Invalid: 37388
Width: 2	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 2
	Standard deviation: 11.4

Pre question

Now I will ask you some questions about your possible use of cigarettes or other tobacco products. If yes, how often?

Literal question

Tobacco snuff Per day

Interviewer instructions

Write in number under best time interval

tobacco snuff (sect6q3tpw)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous	Valid cases: 1394
Format: numeric	Invalid: 37388
Width: 2	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 4
	Standard deviation: 13.7

Pre question

Now I will ask you some questions about your possible use of cigarettes or other tobacco products, If yes, how often?

Literal question

Tobacco snuff Per week

Interviewer instructions

Write in number under best time interval

tobacco snuff (sect6q3tpm)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous	Valid cases: 1394
Format: numeric	Invalid: 37388
Width: 3	Minimum: 0
Decimals: 0	Maximum: 500
Range: 0-500	Mean: 9.9
	Standard deviation: 33.1

Pre question

Now I will ask you some questions about your possible use of cigarettes or other tobacco products. If yes, how often?

Literal question

Tobacco snuff Per month

Interviewer instructions

Write in number under best time interval

others per day (sect6q3othpd)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous	Valid cases: 800
Format: numeric	Invalid: 37982
Width: 2	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 3.2
	Standard deviation: 13

Pre question

Now I will ask you some questions about your possible use of cigarettes or other tobacco products. If yes, how often?

Literal question

Other (specify) Per day

Interviewer instructions

Write in number under best time interval

others per day (sect6q3othpw)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous	Valid cases: 799
Format: numeric	Invalid: 37983
Width: 2	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 6.6
	Standard deviation: 16.4

Pre question

Now I will ask you some questions about your possible use of cigarettes or other tobacco products. If yes, how often?

Literal question

Other (specify) Per week

Interviewer instructions

Write in number under best time interval

others per day (sect6q3othpm)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous	Valid cases: 799
Format: numeric	Invalid: 37983
Width: 3	Minimum: 0
Decimals: 0	Maximum: 900
Range: 0-900	Mean: 26
	Standard deviation: 82.1

Pre question

Now I will ask you some questions about your possible use of cigarettes or other tobacco products. If yes, how often?

Literal question

Other (specify) Per month

Interviewer instructions

Write in number under best time interval

if only in the past how often did you smoke (sect6q4)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 1847
 Invalid: 36935

Pre question

Now I will ask you some questions about your possible use of cigarettes or other tobacco products

Literal question

If only in the past, how often did you smoke or use tobacco?

have you ever consumed an alcoholic drink such as beer, wine, spirits, fermented (sect7q1)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36406
 Invalid: 2376

Pre question

Now I will ask you some questions about alcohol use

Literal question

Have you ever consumed an alcoholic drink such as beer, wine, spirits, fermented cider, palm wine etc.

Post question

If No Q8.1

have you consumed an alcoholic drink within the past 12 months? (sect7q2)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 9709
 Invalid: 29073

Pre question

Now I will ask you some questions about alcohol use

Literal question

Have you consumed an alcoholic drink within the past 12 months?

Post question

If No Q8.1

during the past 12 months, how frequently have you had at least one alcoholic dr (sect7q3)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

during the past 12 months, how frequently have you had at least one alcoholic dr (sect7q3)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Valid cases: 7344
Invalid: 31438

Pre question

Now I will ask you some questions about alcohol use

Literal question

During the past 12 months, how frequently have you had at least one alcoholic drink?

have you consumed an alcoholic drink within the past 30 days? (sect7q4)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 7343
Invalid: 31439

Pre question

Now I will ask you some questions about alcohol use

Literal question

Have you consumed an alcoholic drink within the past 30 days?

Post question

If No Q8.1

during the past 30 days, on how many occasions did you have at least one alcohol (sect7q5)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Valid cases: 5310
Invalid: 33472
Minimum: 1
Maximum: 99
Mean: 30.5
Standard deviation: 42.3

Pre question

Now I will ask you some questions about alcohol use

Literal question

During the past 30 days, on how many occasions did you have at least one alcoholic drink?

during the past 30 days, when you drank alcohol, on average, how many standard a (sect7q6)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

during the past 30 days, when you drank alcohol, on average, how many standard a (sect7q6)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete	Valid cases: 5309
Format: numeric	Invalid: 33473
Width: 2	Minimum: 1
Decimals: 0	Maximum: 99
Range: 1-99	Mean: 30.7
	Standard deviation: 43

Pre question

Now I will ask you some questions about alcohol use

Literal question

During the past 30 days, when you drank alcohol, on average, how many standard alcoholic drinks did you consume on a single drinking occasion?

during the past 30 days, what was the largest number of standard alcoholic drink (sect7q7)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete	Valid cases: 5309
Format: numeric	Invalid: 33473
Width: 2	Minimum: 1
Decimals: 0	Maximum: 99
Range: 1-99	Mean: 34.2
	Standard deviation: 44.3

Pre question

Now I will ask you some questions about alcohol use

Literal question

During the past 30 days, what was the largest number of standard alcoholic drinks you consumed on a single occasion, counting all types of alcoholic drinks together?

during the past 30 days, how many times did you buy (men only) five or more stan (sect7q8)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete	Valid cases: 3648
Format: numeric	Invalid: 35134
Width: 2	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 40
	Standard deviation: 46.9

Pre question

Now I will ask you some questions about alcohol use

Literal question

During the past 30 days, how many times did you buy (men only) five or more standard alcoholic drinks in a single drinking occasion?

during the past 30 days, how many times did you buy (women only) four or more st (sect7q9)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 1661
Invalid: 37121
Minimum: 0
Maximum: 99
Mean: 42.1
Standard deviation: 47.8

Pre question

Now I will ask you some questions about alcohol use

Literal question

During the past 30 days, how many times did you buy (women only) four or more standard alcoholic drinks in a single drinking occasion?

type of substances (typesect8_01)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 240

Valid cases: 36406

Literal question

Type of substance

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

type of substances (types2u)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 0
Invalid: 0

Literal question

Type of substance

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

type of substances (types2v)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 0
Invalid: 0

Literal question

Type of substance

type of substances (types2v)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

have you ever heard of (sect8q1_01)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 36406
Invalid: 2376

Literal question

Have you ever heard of... as a substance of abuse?

Cannabis (herb or resin (hashish)) [Wee Wee; Weed; Marijuana; Mary & Joan; Choko; Yoyo; Kush; Skunk;
Green Leaf; Ghanja; Grass; Indian Hemp; Blaze; Taba; Ndedeko; Bendel Market; Genye]

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

newspaper (sect8q2a_01)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 36406
Invalid: 0

Literal question

Where did you hear about it?

Newspaper

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

tv/radio (sect8q2b_01)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 36406
Invalid: 0

Literal question

Where did you hear about it?

Tv/Radio

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

friends (sect8q2c_01)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 36406
Invalid: 0

Literal question

Where did you hear about it?
Friends

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

in school/college (sect8q2d_01)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 36406
Invalid: 0

Literal question

Where did you hear about it?
In school/College

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

workplace (sect8q2e_01)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 36406
Invalid: 0

Literal question

Where did you hear about it?
Workplace

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

family (sect8q2f_01)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 36406
Invalid: 0

Literal question

Where did you hear about it?
Family

Interviewer instructions

family (sect8q2f_01)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

neighbourhood/community (sect8q2g_01)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 36406

Invalid: 0

Literal question

Where did you hear about it?

Neighbourhood/community

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

medical doctor (sect8q2h_01)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 36406

Invalid: 0

Literal question

Where did you hear about it?

Medical Doctor

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

other (specify) (sect8q2i_01)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 36406

Invalid: 0

Literal question

Where did you hear about it?

Other (Specify)

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

type of substances (typesect8_02)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

type of substances (typesect8_02)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete

Format: character

Width: 98

Valid cases: 24155

Invalid: 0

Literal question

Type of substance

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"

The names in bold are commonly used local names

type of substances (types2s)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 0

Invalid: 0

Literal question

Type of substance

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"

The names in bold are commonly used local names

type of substances (types2t)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 0

Invalid: 0

Literal question

Type of substance

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"

The names in bold are commonly used local names

have you ever heard of (sect8q1_02)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-2

Valid cases: 36406

Invalid: 2376

Literal question

Have you ever heard of... as a substance of abuse?

Prescription opioids or painkillers such as tramadol or codeine [Relief; TM; Tar;

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"

The names in bold are commonly used local names

newspaper (sect8q2a_02)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 36406
 Invalid: 0

Literal question

Where did you hear about it?
 Newspaper

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

tv/radio (sect8q2b_02)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 36406
 Invalid: 0

Literal question

Where did you hear about it?
 Tv/Radio

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

friends (sect8q2c_02)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 36406
 Invalid: 0

Literal question

Where did you hear about it?
 Friends

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

in school/college (sect8q2d_02)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 36406
 Invalid: 0

Literal question

Where did you hear about it?
 In school/college

Interviewer instructions

in school/college (sect8q2d_02)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

workplace (sect8q2e_02)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Valid cases: 36406

Format: character

Invalid: 0

Width: 1

Literal question

Where did you hear about it?

Workplace

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

family (sect8q2f_02)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Valid cases: 36406

Format: character

Invalid: 0

Width: 1

Literal question

Where did you hear about it?

Family

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

neighbourhood/community (sect8q2g_02)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Valid cases: 36406

Format: character

Invalid: 0

Width: 1

Literal question

Where did you hear about it?

Neighbourhood/community

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

medical doctor (sect8q2h_02)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

medical doctor (sect8q2h_02)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete
Format: character
Width: 1

Valid cases: 36406
Invalid: 0

Literal question

Where did you hear about it?
Medical Doctor

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

other (specify) (sect8q2i_02)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
Format: character
Width: 1

Valid cases: 36406
Invalid: 0

Literal question

Where did you hear about it?
Other (Specify)

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

type of substances (typesect8_03)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
Format: character
Width: 106

Valid cases: 14545

Literal question

Type of substances

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

type of substances (types2q)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
Format: character
Width: 1

Valid cases: 0
Invalid: 0

Literal question

Type of substances

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

type of substances (types2r)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Literal question

Type of substances

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

have you ever heard of (sect8q1_03)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36406
 Invalid: 2376

Literal question

Have you ever heard of... as a substance of abuse?
 Tranquilizer/sedatives such as valium [Pills;]

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

newspaper (sect8q2a_03)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 36406
 Invalid: 0

Literal question

Where did you hear about it?
 Newspaper

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

tv/radio (sect8q2b_03)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 36406
 Invalid: 0

Literal question

Where did you hear about it?
 Tv/Radio

tv/radio (sect8q2b_03)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

friends (sect8q2c_03)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 36406
Invalid: 0

Literal question

Where did you hear about it?
Friends

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

in school/college (sect8q2d_03)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 36406
Invalid: 0

Literal question

Where did you hear about it?
In school/college

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

workplace (sect8q2e_03)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 36406
Invalid: 0

Literal question

Where did you hear about it?
Workplace

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

family (sect8q2f_03)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

family (sect8q2f_03)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
Format: character
Width: 1

Valid cases: 36406
Invalid: 0

Literal question

Where did you hear about it?
Family

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

neighbourhood/community (sect8q2g_03)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
Format: character
Width: 1

Valid cases: 36406
Invalid: 0

Literal question

Where did you hear about it?
Neighbourhood/Community

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

medical doctor (sect8q2h_03)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
Format: character
Width: 1

Valid cases: 36406
Invalid: 0

Literal question

Where did you hear about it?
Medical Doctor

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

other (specify) (sect8q2i_03)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
Format: character
Width: 1

Valid cases: 36406
Invalid: 0

Literal question

Where did you hear about it?
Other (Specify)

Interviewer instructions

other (specify) (sect8q2i_03)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

type of substances (typesect8_04)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete	Valid cases: 5339
Format: character	Invalid: 0
Width: 96	

Literal question

Type of Substances

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

type of substances (types2o)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete	Valid cases: 0
Format: character	Invalid: 0
Width: 1	

Literal question

Type of Substances

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

type of substances (types2p)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete	Valid cases: 0
Format: character	Invalid: 0
Width: 1	

Literal question

Type of Substances

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

have you ever heard of (sect8q1_04)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

have you ever heard of (sect8q1_04)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36406
 Invalid: 2376

Literal question

Have you ever heard of... as a substance of abuse?
 Amphetamine such as dexedrine

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

newspaper (sect8q2a_04)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 36406
 Invalid: 0

Literal question

Where did you hear about it?
 Newspaper

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

tv/radio (sect8q2b_04)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 36406
 Invalid: 0

Literal question

Where did you hear about it?
 Tv/Radio

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

friends (sect8q2c_04)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 36406
 Invalid: 0

Literal question

Where did you hear about it?
 Friends

Interviewer instructions

friends (sect8q2c_04)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

in school/college (sect8q2d_04)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 36406

Invalid: 0

Literal question

Where did you hear about it?

In school/college

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

workplace (sect8q2e_04)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 36406

Invalid: 0

Literal question

Where did you hear about it?

Workplace

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

family (sect8q2f_04)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 36406

Invalid: 0

Literal question

Where did you hear about it?

Family

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

neighbourhood/community (sect8q2g_04)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

neighbourhood/community (sect8q2g_04)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete

Valid cases: 36406

Format: character

Invalid: 0

Width: 1

Literal question

Where did you hear about it?

Neighbourhood/community

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"

The names in bold are commonly used local names

medical doctor (sect8q2h_04)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Valid cases: 36406

Format: character

Invalid: 0

Width: 1

Literal question

Where did you hear about it?

Medical doctor

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"

The names in bold are commonly used local names

other (specify) (sect8q2i_04)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Valid cases: 36406

Format: character

Invalid: 0

Width: 1

Literal question

Where did you hear about it?

Other (specify)

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"

The names in bold are commonly used local names

type of substances (typesect8_05)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Valid cases: 2799

Format: character

Width: 141

Literal question

Types of Substances

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"

The names in bold are commonly used local names

type of substances (types2m)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 0

Invalid: 0

Literal question

Types of Substances

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"

The names in bold are commonly used local names

type of substances (types2n)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 0

Invalid: 0

Literal question

Types of Substances

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"

The names in bold are commonly used local names

have you ever heard of (sect8q1_05)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-2

Valid cases: 36406

Invalid: 2376

Literal question

Have you ever heard of... as a substance of abuse?

Methamphetamine [Players; Boys; Nuts]

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"

The names in bold are commonly used local names

newspaper (sect8q2a_05)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 36406

Invalid: 0

Literal question

Where did you hear about it?

Newspaper

Interviewer instructions

newspaper (sect8q2a_05)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

tv/radio (sect8q2b_05)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 36406

Invalid: 0

Literal question

Where did you hear about it?

Tv/Radio

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

friends (sect8q2c_05)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 36406

Invalid: 0

Literal question

Where did you hear about it?

Friends

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

in school/college (sect8q2d_05)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 36406

Invalid: 0

Literal question

Where did you hear about it?

In school/college

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

workplace (sect8q2e_05)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

workplace (sect8q2e_05)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 36406
 Invalid: 0

Literal question

Where did you hear about it?
 Workplace

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

family (sect8q2f_05)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 36406
 Invalid: 0

Literal question

Where did you hear about it?
 Family

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

neighbourhood/community (sect8q2g_05)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 36406
 Invalid: 0

Literal question

Where did you hear about it?
 Neighbourhood/Community

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

medical doctor (sect8q2h_05)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 36406
 Invalid: 0

Literal question

Where did you hear about it?
 Medical Doctor

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

other (specify) (sect8q2i_05)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
Format: character
Width: 1

Valid cases: 36406
Invalid: 0

Literal question

Where did you hear about it?
Other (Specify)

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

type of substances (typesect8_06)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
Format: character
Width: 240

Valid cases: 2480

Literal question

Types of Substances

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

type of substances (types2k)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
Format: character
Width: 1

Valid cases: 0
Invalid: 0

Literal question

Types of Substances

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

type of substances (types2l)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
Format: character
Width: 1

Valid cases: 0
Invalid: 0

Literal question

Types of Substances

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

have you ever heard of (sect8q1_06)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete	Valid cases: 36406
Format: numeric	Invalid: 2376
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

Have you ever heard of... as a substance of abuse?
Cocaine [Coke; Powder; Thailand White; Brown/Black; Off White; Charlie]

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

newspaper (sect8q2a_06)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete	Valid cases: 36406
Format: character	Invalid: 0
Width: 1	

Literal question

Where did you hear about it?
Newspaper

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

tv/radio (sect8q2b_06)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete	Valid cases: 36406
Format: character	Invalid: 0
Width: 1	

Literal question

Where did you hear about it?
Tv/radio

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

friends (sect8q2c_06)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete	Valid cases: 36406
Format: character	Invalid: 0
Width: 1	

Literal question

friends (sect8q2c_06)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Where did you hear about it?

Friends

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

in school/college (sect8q2d_06)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 36406

Invalid: 0

Literal question

Where did you hear about it?

In school/college

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

workplace (sect8q2e_06)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 36406

Invalid: 0

Literal question

Where did you hear about it?

Workplace

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

family (sect8q2f_06)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 36406

Invalid: 0

Literal question

Where did you hear about it?

Family

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

neighbourhood/community (sect8q2g_06)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
Format: character
Width: 1

Valid cases: 36406
Invalid: 0

Literal question

Where did you hear about it?
Neighbourhood/community

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

medical doctor (sect8q2h_06)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
Format: character
Width: 1

Valid cases: 36406
Invalid: 0

Literal question

Where did you hear about it?
Medical Doctor

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

other (specify) (sect8q2i_06)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
Format: character
Width: 1

Valid cases: 36406
Invalid: 0

Literal question

Where did you hear about it?
Other (Specify)

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

type of substances (typesect8_07)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
Format: character
Width: 36

Valid cases: 15775
Invalid: 0

Literal question

Types of Substances

Interviewer instructions

type of substances (typesect8_07)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"

The names in bold are commonly used local names

type of substances (types2i)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 0

Invalid: 0

Literal question

Types of Substances

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"

The names in bold are commonly used local names

type of substances (types2j)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 0

Invalid: 0

Literal question

Types of Substances

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"

The names in bold are commonly used local names

have you ever heard of (sect8q1_07)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-2

Valid cases: 36406

Invalid: 2376

Literal question

Have you ever heard of... as a substance of abuse?

Crack cocaine

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"

The names in bold are commonly used local names

newspaper (sect8q2a_07)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

newspaper (sect8q2a_07)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete

Valid cases: 36406

Format: character

Invalid: 0

Width: 1

Literal question

Where did you hear about it?

Newspaper

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

tv/radio (sect8q2b_07)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Valid cases: 36406

Format: character

Invalid: 0

Width: 1

Literal question

Where did you hear about it?

Tv/radio

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

friends (sect8q2c_07)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Valid cases: 36406

Format: character

Invalid: 0

Width: 1

Literal question

Where did you hear about it?

Friends

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

in school/college (sect8q2d_07)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Valid cases: 36406

Format: character

Invalid: 0

Width: 1

Literal question

Where did you hear about it?

In school/college

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

workplace (sect8q2e_07)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 36406
Invalid: 0

Literal question

Where did you hear about it?
Workplace

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

family (sect8q2f_07)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 36406
Invalid: 0

Literal question

Where did you hear about it?
Family

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

neighbourhood/community (sect8q2g_07)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 36406
Invalid: 0

Literal question

Where did you hear about it?
Neighbourhood/community

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

medical doctor (sect8q2h_07)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 36406
Invalid: 0

Literal question

Where did you hear about it?
Medical Doctor

Interviewer instructions

medical doctor (sect8q2h_07)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

other (specify) (sect8q2i_07)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 36406

Invalid: 0

Literal question

Where did you hear about it?

Other(Specify)

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

type of substances (typesect8_08)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Format: character

Width: 92

Valid cases: 4402

Invalid: 0

Literal question

Types of Substances

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

type of substances (types2g)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 0

Invalid: 0

Literal question

Types of Substances

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

type of substances (types2h)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

type of substances (types2h)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Literal question

Types of Substances

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

have you ever heard of (sect8q1_08)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36406
 Invalid: 2376

Literal question

Have you ever heard of... as a substance of abuse?
 Ecstasy [Yan Wasa]

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

newspaper (sect8q2a_08)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 36406
 Invalid: 0

Literal question

Where did you hear about it?
 Newspaper

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

tv/radio (sect8q2b_08)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 36406
 Invalid: 0

Literal question

Where did you hear about it?
 Tv/radio

Interviewer instructions

tv/radio (sect8q2b_08)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

friends (sect8q2c_08)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 36406

Invalid: 0

Literal question

Where did you hear about it?

Friends

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

in school/college (sect8q2d_08)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 36406

Invalid: 0

Literal question

Where did you hear about it?

In school/college

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

workplace (sect8q2e_08)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 36406

Invalid: 0

Literal question

Where did you hear about it?

Workplace

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

family (sect8q2f_08)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

family (sect8q2f_08)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete

Valid cases: 36406

Format: character

Invalid: 0

Width: 1

Literal question

Where did you hear about it?

Family

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

neighbourhood/community (sect8q2g_08)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Valid cases: 36406

Format: character

Invalid: 0

Width: 1

Literal question

Where did you hear about it?

Neighbourhood/community

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

medical doctor (sect8q2h_08)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Valid cases: 36406

Format: character

Invalid: 0

Width: 1

Literal question

Where did you hear about it?

Medical doctor

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

other (specify) (sect8q2i_08)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Valid cases: 36406

Format: character

Invalid: 0

Width: 1

Literal question

Where did you hear about it?

Other (Specify)

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

type of substances (typesect8_09)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 99

Valid cases: 3694
 Invalid: 0

Literal question

Types of substances

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

type of substances (types2e)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Literal question

Types of substances

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

type of substances (types2f)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Literal question

Types of substances

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

have you ever heard of (sect8q1_09)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36406
 Invalid: 2376

Literal question

Have you ever heard of... as a substance of abuse?
 Cough syrups containing codeine such as coldex or benyln [Koko; Crude oil; Slow; Yaro Mantuwa]

Interviewer instructions

have you ever heard of (sect8q1_09)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

newspaper (sect8q2a_09)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 36406

Invalid: 0

Literal question

Where did you hear about it?

Newspaper

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

tv/radio (sect8q2b_09)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 36406

Invalid: 0

Literal question

Where did you hear about it?

Tv/Radio

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

friends (sect8q2c_09)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 36406

Invalid: 0

Literal question

Where did you hear about it?

Friends

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

in school/college (sect8q2d_09)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

in school/college (sect8q2d_09)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 36406
 Invalid: 0

Literal question

Where did you hear about it?
 In school/college

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

workplace (sect8q2e_09)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 36406
 Invalid: 0

Literal question

Where did you hear about it?
 workplace

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

family (sect8q2f_09)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 36406
 Invalid: 0

Literal question

Where did you hear about it?
 family

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

neighbourhood/community (sect8q2g_09)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 36406
 Invalid: 0

Literal question

Where did you hear about it?
 neighbourhood/community

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

medical doctor (sect8q2h_09)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
Format: character
Width: 1

Valid cases: 36406
Invalid: 0

Literal question

Where did you hear about it?
medical doctor

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

other (specify) (sect8q2i_09)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
Format: character
Width: 1

Valid cases: 36406
Invalid: 0

Literal question

Where did you hear about it?
Other (specify)

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

type of substances (typesect8_10)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
Format: character
Width: 97

Valid cases: 11347
Invalid: 0

Literal question

Type of substances

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

type of substances (types2c)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
Format: character
Width: 1

Valid cases: 0
Invalid: 0

Literal question

Type of substances

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

type of substances (types2d)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Literal question

Type of substances

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

have you ever heard of (sect8q1_10)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36406
 Invalid: 2376

Literal question

Have you ever heard of... as a substance of abuse?
 Heroin [Gabji; Market]

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

newspaper (sect8q2a_10)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 36406
 Invalid: 0

Literal question

Where did you hear about it?
 Newspaper

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

tv/radio (sect8q2b_10)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 36406
 Invalid: 0

Literal question

Where did you hear about it?
 tv/radio

tv/radio (sect8q2b_10)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

friends (sect8q2c_10)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 36406
Invalid: 0

Literal question

Where did you hear about it?
friends

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

in school/college (sect8q2d_10)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 36406
Invalid: 0

Literal question

Where did you hear about it?
in school/college

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

workplace (sect8q2e_10)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 36406
Invalid: 0

Literal question

Where did you hear about it?
workplace

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

family (sect8q2f_10)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

family (sect8q2f_10)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 36406
 Invalid: 0

Literal question

Where did you hear about it?
 family

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

neighbourhood/community (sect8q2g_10)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 36406
 Invalid: 0

Literal question

Where did you hear about it?
 neighbourhood/community

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

medical doctor (sect8q2h_10)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 36406
 Invalid: 0

Literal question

Where did you hear about it?
 medical doctor

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

other (specify) (sect8q2i_10)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 36406
 Invalid: 0

Literal question

Where did you hear about it?
 other (specify)

Interviewer instructions

other (specify) (sect8q2i_10)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

type of substances (typesect8_11)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete	Valid cases: 5078
Format: character	Invalid: 0
Width: 91	

Literal question

Type of substances

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

type of substances (types2a)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete	Valid cases: 0
Format: character	Invalid: 0
Width: 1	

Literal question

Type of substances

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

type of substances (types2b)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete	Valid cases: 0
Format: character	Invalid: 0
Width: 1	

Literal question

Type of substances

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

have you ever heard of (sect8q1_11)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

have you ever heard of (sect8q1_11)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36406
 Invalid: 2376

Literal question

Have you ever heard of... as a substance of abuse?
 Hallucinogens such as LSD or PCP [Players; Italian White; Boys]

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

newspaper (sect8q2a_11)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 36406
 Invalid: 0

Literal question

Where did you hear about it?
 Newspaper

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

tv/radio (sect8q2b_11)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 36406
 Invalid: 0

Literal question

Where did you hear about it?
 Tv/radio

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

friends (sect8q2c_11)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 36406
 Invalid: 0

Literal question

Where did you hear about it?
 Friends

Interviewer instructions

friends (sect8q2c_11)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

in school/college (sect8q2d_11)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 36406

Invalid: 0

Literal question

Where did you hear about it?

In school/college

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

workplace (sect8q2e_11)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 36406

Invalid: 0

Literal question

Where did you hear about it?

Workplace

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

family (sect8q2f_11)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 36406

Invalid: 0

Literal question

Where did you hear about it?

Family

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

neighbourhood/community (sect8q2g_11)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

neighbourhood/community (sect8q2g_11)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete

Format: character

Width: 1

Valid cases: 36406

Invalid: 0

Literal question

Where did you hear about it?
neighbourhood/community

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

medical doctor (sect8q2h_11)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 36406

Invalid: 0

Literal question

Where did you hear about it?
medical doctor

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

other (specify) (sect8q2i_11)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 36406

Invalid: 0

Literal question

Where did you hear about it?
other (specify)

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

type of substances (typesect8_12)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Format: character

Width: 73

Valid cases: 2123

Invalid: 0

Literal question

Types of substances

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

type of substances (types28)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 0

Invalid: 0

Literal question

Types of substances

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

type of substances (types29)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 0

Invalid: 0

Literal question

Types of substances

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

have you ever heard of (sect8q1_12)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-2

Valid cases: 36406

Invalid: 2376

Literal question

Have you ever heard of... as a substance of abuse?

Solvents/Inhalants (such as glue) [Shaba; Dogua; Helicopter; Sholisho]

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

newspaper (sect8q2a_12)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 36406

Invalid: 0

Literal question

Where did you hear about it?

Newspaper

Interviewer instructions

newspaper (sect8q2a_12)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

tv/radio (sect8q2b_12)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 36406

Invalid: 0

Literal question

Where did you hear about it?

Tv/radio

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

friends (sect8q2c_12)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 36406

Invalid: 0

Literal question

Where did you hear about it?

Friends

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

in school/college (sect8q2d_12)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 36406

Invalid: 0

Literal question

Where did you hear about it?

In school/college

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

workplace (sect8q2e_12)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

workplace (sect8q2e_12)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete

Format: character

Width: 1

Valid cases: 36406

Invalid: 0

Literal question

Where did you hear about it?
workplace

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

family (sect8q2f_12)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 36406

Invalid: 0

Literal question

Where did you hear about it?
family

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

neighbourhood/community (sect8q2g_12)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 36406

Invalid: 0

Literal question

Where did you hear about it?
neighbourhood/community

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

medical doctor (sect8q2h_12)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 36406

Invalid: 0

Literal question

Where did you hear about it?
medical doctor

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

other (specify) (sect8q2i_12)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 36406
 Invalid: 0

Literal question

Where did you hear about it?
 Other (Specify)

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

type of substances (typesect8_13)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: character
 Width: 18

Valid cases: 6624
 Invalid: 0

Literal question

Type of Substances

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

type of substances (types26)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Literal question

Type of Substances

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

type of substances (types27)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Literal question

Type of Substances

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
 The names in bold are commonly used local names

have you ever heard of (sect8q1_13)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete	Valid cases: 36405
Format: numeric	Invalid: 2377
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

Have you ever heard of... as a substance of abuse?
Other (specify)

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

newspaper (sect8q2a_13)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete	Valid cases: 36405
Format: character	Invalid: 0
Width: 1	

Literal question

Where did you hear about it?
Newspaper

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

tv/radio (sect8q2b_13)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete	Valid cases: 36405
Format: character	Invalid: 0
Width: 1	

Literal question

Where did you hear about it?
Tv/radio

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

friends (sect8q2c_13)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete	Valid cases: 36405
Format: character	Invalid: 0
Width: 1	

Literal question

friends (sect8q2c_13)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Where did you hear about it?

Friends

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

in school/college (sect8q2d_13)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 36405

Invalid: 0

Literal question

Where did you hear about it?

In school/college

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

workplace (sect8q2e_13)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 36405

Invalid: 0

Literal question

Where did you hear about it?

Workplace

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

family (sect8q2f_13)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 36405

Invalid: 0

Literal question

Where did you hear about it?

Family

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

neighbourhood/community (sect8q2g_13)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 36405

Invalid: 0

Literal question

Where did you hear about it?
neighbourhood/community

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

medical doctor (sect8q2h_13)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 36405

Invalid: 0

Literal question

Where did you hear about it?
medical doctor

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

other (specify) (sect8q2i_13)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 36405

Invalid: 0

Literal question

Where did you hear about it?
other (specify)

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"
The names in bold are commonly used local names

type of substances (typesect9_01)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Format: character

Width: 240

Valid cases: 36406

Literal question

Types of substances

Interviewer instructions

type of substances (typesect9_01)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"

The names in bold are commonly used local names

type of substances (types24)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 0

Invalid: 0

Literal question

Types of substances

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"

The names in bold are commonly used local names

type of substances (types25)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 0

Invalid: 0

Literal question

Types of substances

Interviewer instructions

Probe for other drug types or common names for drugs: If they fall under any of the categories, do not list as "other"

The names in bold are commonly used local names

people personally using (sect9q1_01)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-2

Valid cases: 36405

Invalid: 2377

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

People personally known using

type of substances (typesect9_02)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

type of substances (typesect9_02)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete
 Format: character
 Width: 98

Valid cases: 9293
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

Type of substance
 Cannabis (herb or resin (hashish)) [Wee Wee; Weed; Marijuana; Mary & Joan; Choko; Yoyo; Kush; Skunk;
 Green Leaf; Ghanja; Grass; Indian Hemp; Blaze; Taba; Ndedeko; Bendel Market; Genye]

type of substances (types22)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

type of substances (types23)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

people personally using (sect9q1_02)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36405
 Invalid: 2377

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

People personally known using

type of substances (typesect9_03)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 106

Valid cases: 6136

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

Type of substance
 Prescription opioids or painkillers such as tramadol or codeine [Relief; TM; Tar; Tramol]

type of substances (types20)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

type of substances (types21)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

people personally using (sect9q1_03)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36405
 Invalid: 2377

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

People personally known using

type of substances (typesect9_04)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 96

Valid cases: 1827
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

Type of substance
 Tranquilizer/sedatives such as valium [Pills]

type of substances (types1y)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

type of substances (types1z)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

people personally using (sect9q1_04)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36405
 Invalid: 2377

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

People personally known using

type of substances (typesect9_05)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 141

Valid cases: 1046

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

Type of substance
 Amphetamine such as dexedrine

type of substances (types1w)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

type of substances (types1x)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

people personally using (sect9q1_05)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36405
 Invalid: 2377

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

People personally known using

type of substances (typesect9_06)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 240

Valid cases: 972

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

Type of substance
 Methamphetamine [Players; Boys; Nuts]

type of substances (types1u)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

type of substances (types1v)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

people personally using (sect9q1_06)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36405
 Invalid: 2377

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

People personally known using

type of substances (typesect9_07)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 36

Valid cases: 1254
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

Type of substance
 Cocaine [Coke; Powder; Thailand White; Brown/Black; Off White; Charlie]

type of substances (types1s)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

type of substances (types1t)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

people personally using (sect9q1_07)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36405
 Invalid: 2377

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

People personally known using

type of substances (typesect9_08)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 92

Valid cases: 927
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

Type of substance
 Crack cocaine

type of substances (types1q)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

type of substances (types1r)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

people personally using (sect9q1_08)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36405
 Invalid: 2377

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

People personally known using

type of substances (typesect9_09)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 99

Valid cases: 1434
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

Type of substance
 Ecstasy [Yan Wasa]

type of substances (types1o)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

type of substances (types1p)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

people personally using (sect9q1_09)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36405
 Invalid: 2377

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

People personally known using

type of substances (typesect9_10)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 97

Valid cases: 4144
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

Type of substance
 Cough syrups containing codeine such as coldex or benyln [Koko; Crude oil; Slow; Yaro Mantuwa]

type of substances (types1m)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

type of substances (types1n)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

people personally using (sect9q1_10)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36405
 Invalid: 2377

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

People personally known using

type of substances (typesect9_11)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 91

Valid cases: 1057
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

Type of substance
 Heroin [Gabji; Market]

type of substances (types1k)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

type of substances (types1l)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

people personally using (sect9q1_11)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36405
 Invalid: 2377

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

People personally known using

type of substances (typesect9_12)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 73

Valid cases: 855
Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

Type of substance
Hallucinogens such as LSD or PCP [Italian White]

type of substances (types1i)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 0
Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

type of substances (types1j)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 0
Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

people personally using (sect9q1_12)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 36404
Invalid: 2378

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

People personally known using

type of substances (typesect9_13)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 18

Valid cases: 2339
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

Type of substance
 Solvents/Inhalants (such as glue) [Shaba; Dogua; Helicopter; Sholisho]

type of substances (types1g)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

type of substances (types1h)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

people personally using (sect9q1_13)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36404
 Invalid: 2378

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

People personally known using

how many (sect9q2_01)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Valid cases: 8863
 Invalid: 29919
 Minimum: 0
 Maximum: 99
 Mean: 6.7
 Standard deviation: 8.9

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

How many?

type of substances (typesect9b_01)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: character
 Width: 240

Valid cases: 36404

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

Type of substance

Cannabis (herb or resin (hashish)) [Wee Wee; Weed; Marijuana; Mary & Joan; Choko; Yoyo; Kush; Skunk; Green Leaf; Ghanja; Grass; Indian Hemp; Blaze; Taba; Ndedeko; Bendel Market; Genye]

type of substances (types1e)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

type of substances (types1f)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

type of substances (types1f)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

how many (sect9q2_02)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Valid cases: 5645
Invalid: 33137
Minimum: 1
Maximum: 99
Mean: 6.6
Standard deviation: 9.1

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

How many?

type of substances (typesect9b_02)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
Format: character
Width: 98

Valid cases: 1736
Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

Type of substance

Prescription opioids or painkillers such as tramadol or codeine [Relief; TM; Tar; Tramol]

type of substances (types1c)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
Format: character
Width: 1

Valid cases: 0
Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

type of substances (types1d)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

type of substances (types1d)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

how many (sect9q2_03)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

Valid cases: 1136
 Invalid: 37646
 Minimum: 1
 Maximum: 99
 Mean: 5.8
 Standard deviation: 8.2

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

How many?

type of substances (typesect9b_03)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 106

Valid cases: 1915

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

Type of substance
 Tranquilizer/sedatives such as valium [Pills]

type of substances (types1a)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

type of substances (types1a)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

type of substances (types1b)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
Format: character
Width: 1

Valid cases: 0
Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

how many (sect9q2_04)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-70

Valid cases: 336
Invalid: 38446
Minimum: 1
Maximum: 70
Mean: 5.1
Standard deviation: 7

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

How many?

type of substances (typesect9b_04)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
Format: character
Width: 96

Valid cases: 906
Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

Type of substance
Amphetamine such as dexedrine

type of substances (types18)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

type of substances (types18)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

type of substances (types19)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

how many (sect9q2_05)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-50

Valid cases: 261
 Invalid: 38521
 Minimum: 1
 Maximum: 50
 Mean: 4.7
 Standard deviation: 6.2

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

How many?

type of substances (typesect9b_05)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 141

Valid cases: 771

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

type of substances (typesect9b_05)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type of substance

Methamphetamine [Players; Boys; Nuts]

type of substances (types16)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 0

Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

type of substances (types17)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 0

Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

how many (sect9q2_06)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 1-80

Valid cases: 545

Invalid: 38237

Minimum: 1

Maximum: 80

Mean: 4

Standard deviation: 6

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

How many?

type of substances (typesect9b_06)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

type of substances (typesect9b_06)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete

Valid cases: 752

Format: character

Width: 240

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

Type of substance

Cocaine [Coke; Powder; Thailand White; Brown/Black; Off White; Charlie]

type of substances (types14)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Valid cases: 0

Format: character

Invalid: 0

Width: 1

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

type of substances (types15)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete

Valid cases: 0

Format: character

Invalid: 0

Width: 1

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

how many (sect9q2_07)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous

Valid cases: 211

Format: numeric

Invalid: 38571

Width: 2

Minimum: 1

Decimals: 0

Maximum: 80

Range: 1-80

Mean: 4.3

Standard deviation: 8.3

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

How many?

type of substances (typesect9b_07)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 36

Valid cases: 774
Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

Type of substance
Crack cocaine

type of substances (types12)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 0
Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

type of substances (types13)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 0
Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

how many (sect9q2_08)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-70

Valid cases: 752
Invalid: 38030
Minimum: 1
Maximum: 70
Mean: 5.5
Standard deviation: 7.4

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

how many (sect9q2_08)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

How many?

type of substances (typesect9b_08)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 92

Valid cases: 741
Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

Type of substance
Ecstasy [Yan Wasa]

type of substances (types10)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 0
Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

type of substances (types11)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 0
Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

how many (sect9q2_09)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

how many (sect9q2_09)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

Valid cases: 3591
 Invalid: 35191
 Minimum: 1
 Maximum: 99
 Mean: 4.7
 Standard deviation: 7.2

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

How many?

type of substances (typesect9b_09)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: character
 Width: 99

Valid cases: 916
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

Type of substance
 Cough syrups containing codeine such as coldex or benlyn [Koko; Crude oil; Slow; Yaro Mantuwa]

type of substances (typesy)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

type of substances (typesz)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

how many (sect9q2_10)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous	Valid cases: 352
Format: numeric	Invalid: 38430
Width: 2	Minimum: 1
Decimals: 0	Maximum: 52
Range: 1-52	Mean: 4.6
	Standard deviation: 6.4

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

How many?

type of substances (typesect9b_10)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete	Valid cases: 2076
Format: character	Invalid: 0
Width: 97	

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

Type of substance
Heroin [Gabji; Market]

type of substances (typesw)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete	Valid cases: 0
Format: character	Invalid: 0
Width: 1	

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

type of substances (typesx)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete	Valid cases: 0
Format: character	Invalid: 0
Width: 1	

Pre question

type of substances (typesx)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

how many (sect9q2_11)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Valid cases: 140
Invalid: 38642
Minimum: 1
Maximum: 99
Mean: 5.2
Standard deviation: 10.1

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

How many?

type of substances (typesect9b_11)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
Format: character
Width: 91

Valid cases: 755
Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

Type of substance
Hallucinogens such as LSD or PCP [Italian White]

type of substances (typesu)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
Format: character
Width: 1

Valid cases: 0
Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

type of substances (typesv)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

type of substances (typesv)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 0
Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

how many (sect9q2_12)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Valid cases: 1721
Invalid: 37061
Minimum: 1
Maximum: 99
Mean: 5.4
Standard deviation: 7.6

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

How many?

type of substances (typesect9b_12)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 73

Valid cases: 744
Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

Type of substance
Solvents/Inhalants (such as glue) [Shaba; Dogua; Helicopter; Sholisho]

type of substances (types)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 0
Invalid: 0

Pre question

type of substances (typesess)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

type of substances (typest)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
Format: character
Width: 1

Valid cases: 0
Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

how many (sect9q2_13)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-50

Valid cases: 243
Invalid: 38539
Minimum: 1
Maximum: 50
Mean: 6.9
Standard deviation: 7.6

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

How many?

type of substances (typesect9b_13)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
Format: character
Width: 18

Valid cases: 901
Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

Literal question

Type of substance
Other (specify)

type of substances (typesq)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

type of substances (typesq)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

type of substances (typesr)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Often people use different substances, some of which we have mentioned above, in order to avoid worries, stress, etc. Can you please tell me if any of the people you personally know, and with whom you have had a meal in the past year, use ... in this area

household member (sect9q3_01)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36404
 Invalid: 2378

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

Household member
 Cannabis (herb or resin (hashish)) [Wee Wee; Weed; Marijuana; Mary & Joan; Choko; Yoyo; Kush;
 Skunk; Green Leaf; Ghanja; Grass; Indian Hemp; Blaze; Taba;
 Ndedeko; Bendel Market; Genye]

Post question

No Next Type

Interviewer instructions

The names in bold are commonly used local names

approximate number (sect9q4_01)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

approximate number (sect9q4_01)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Valid cases: 1066
 Invalid: 37716

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

Approximate number

Interviewer instructions

The names in bold are commonly used local names

generally whether obtained/bought (sect9q5_01)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 1065
 Invalid: 37717

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

Generally, whether obtained/bought.....?

Interviewer instructions

The names in bold are commonly used local names

household member (sect9q3_02)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36404
 Invalid: 2378

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

Household member
 Prescription opioids or painkillers such as tramadol or codeine
 [Relief; TM; Tar; Tramol]

Post question

No Next Type

Interviewer instructions

The names in bold are commonly used local names

approximate number (sect9q4_02)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete	Valid cases: 1237
Format: numeric	Invalid: 37545
Width: 1	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	Mean: 1.6
	Standard deviation: 1

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

Approximate number

Interviewer instructions

The names in bold are commonly used local names

generally whether obtained/bought (sect9q5_02)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete	Valid cases: 1236
Format: numeric	Invalid: 37546
Width: 1	
Decimals: 0	
Range: 1-4	

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

Generally, whether obtained/bought.....?

Interviewer instructions

The names in bold are commonly used local names

household member (sect9q3_03)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete	Valid cases: 36404
Format: numeric	Invalid: 2378
Width: 1	
Decimals: 0	
Range: 1-2	

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

Household member
Tranquilizer/sedatives such as valium [Pills]

Post question

No Next Type

Interviewer instructions

The names in bold are commonly used local names

approximate number (sect9q4_03)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete	Valid cases: 189
Format: numeric	Invalid: 38593
Width: 1	Minimum: 1
Decimals: 0	Maximum: 5
Range: 1-5	Mean: 1.4
	Standard deviation: 0.6

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

approximate number

Interviewer instructions

The names in bold are commonly used local names

generally whether obtained/bought (sect9q5_03)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete	Valid cases: 188
Format: numeric	Invalid: 38594
Width: 1	
Decimals: 0	
Range: 1-4	

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

Generally, whether obtained/bought

Interviewer instructions

The names in bold are commonly used local names

household member (sect9q3_04)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete	Valid cases: 36404
Format: numeric	Invalid: 2378
Width: 1	
Decimals: 0	
Range: 1-2	

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

household member
Amphetamine such as dexedrine

Post question

No Next Type

Interviewer instructions

The names in bold are commonly used local names

approximate number (sect9q4_04)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 55
 Invalid: 38727
 Minimum: 1
 Maximum: 4
 Mean: 1.4
 Standard deviation: 0.8

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

approximate number

Interviewer instructions

The names in bold are commonly used local names

generally whether obtained/bought (sect9q5_04)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 55
 Invalid: 38727

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

Generally, whether obtained/bought

Interviewer instructions

The names in bold are commonly used local names

household member (sect9q3_05)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36404
 Invalid: 2378

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

Household member
 Methamphetamine [Players; Boys; Nuts]

Post question

No Next Type

Interviewer instructions

The names in bold are commonly used local names

approximate number (sect9q4_05)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-5

Valid cases: 33
 Invalid: 38749
 Minimum: 1
 Maximum: 5
 Mean: 1.4
 Standard deviation: 0.9

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

approximate number

Interviewer instructions

The names in bold are commonly used local names

generally whether obtained/bought (sect9q5_05)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 33
 Invalid: 38749

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

Generally, whether obtained/bought.....?

Interviewer instructions

The names in bold are commonly used local names

household member (sect9q3_06)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36403
 Invalid: 2379

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

Household member

Cocaine

[Coke; Powder; Thailand White; Brown/Black; Off White; Charlie]

Post question

No Next Type

Interviewer instructions

The names in bold are commonly used local names

approximate number (sect9q4_06)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-5

Valid cases: 59
 Invalid: 38723
 Minimum: 1
 Maximum: 5
 Mean: 1.3
 Standard deviation: 0.8

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

approximate number

Interviewer instructions

The names in bold are commonly used local names

generally whether obtained/bought (sect9q5_06)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 59
 Invalid: 38723

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

generally whether obtained/bought

Interviewer instructions

The names in bold are commonly used local names

household member (sect9q3_07)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36404
 Invalid: 2378

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

household member
 Crack cocaine

Post question

No Next Type

Interviewer instructions

The names in bold are commonly used local names

approximate number (sect9q4_07)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 23
 Invalid: 38759
 Minimum: 1
 Maximum: 3
 Mean: 1.2
 Standard deviation: 0.5

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

approximate number

Interviewer instructions

The names in bold are commonly used local names

generally whether obtained/bought (sect9q5_07)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 23
 Invalid: 38759

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

generally whether obtained/bought

Interviewer instructions

The names in bold are commonly used local names

household member (sect9q3_08)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36404
 Invalid: 2378

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

household member
 Ecstasy [Yan Wasa]

Post question

No Next Type

Interviewer instructions

The names in bold are commonly used local names

approximate number (sect9q4_08)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-6

Valid cases: 203
 Invalid: 38579
 Minimum: 1
 Maximum: 6
 Mean: 1.6
 Standard deviation: 0.9

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

approximate number

Interviewer instructions

The names in bold are commonly used local names

generally whether obtained/bought (sect9q5_08)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 203
 Invalid: 38579

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

generally whether obtained/bought

Interviewer instructions

The names in bold are commonly used local names

household member (sect9q3_09)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36404
 Invalid: 2378

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

household member

Cough syrups containing codeine such as coldex or benyln [Koko; Crude oil; Slow; Yaro Mantuwa]

Post question

No Next Type

Interviewer instructions

The names in bold are commonly used local names

approximate number (sect9q4_09)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete	Valid cases: 1400
Format: numeric	Invalid: 37382
Width: 1	Minimum: 1
Decimals: 0	Maximum: 8
Range: 1-8	Mean: 1.8
	Standard deviation: 1.1

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

approximate number

Interviewer instructions

The names in bold are commonly used local names

generally whether obtained/bought (sect9q5_09)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete	Valid cases: 1400
Format: numeric	Invalid: 37382
Width: 1	
Decimals: 0	
Range: 1-4	

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

generally whether obtained/bought

Interviewer instructions

The names in bold are commonly used local names

household member (sect9q3_10)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete	Valid cases: 36404
Format: numeric	Invalid: 2378
Width: 1	
Decimals: 0	
Range: 1-2	

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

household member
Heroin [Gabji; Market]

Post question

No Next Type

Interviewer instructions

The names in bold are commonly used local names

approximate number (sect9q4_10)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 43
 Invalid: 38739
 Minimum: 1
 Maximum: 4
 Mean: 1.5
 Standard deviation: 0.9

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

approximate number

Interviewer instructions

The names in bold are commonly used local names

generally whether obtained/bought (sect9q5_10)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 43
 Invalid: 38739

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

generally whether obtained/bought

Interviewer instructions

The names in bold are commonly used local names

household member (sect9q3_11)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36404
 Invalid: 2378

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

household member
 Hallucinogens such as LSD or PCP [Italian White]

Post question

No Next Type

Interviewer instructions

The names in bold are commonly used local names

approximate number (sect9q4_11)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 26
 Invalid: 38756
 Minimum: 1
 Maximum: 3
 Mean: 1.2
 Standard deviation: 0.6

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

approximate number

Interviewer instructions

The names in bold are commonly used local names

generally whether obtained/bought (sect9q5_11)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 26
 Invalid: 38756

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

generally whether obtained/bought

Interviewer instructions

The names in bold are commonly used local names

household member (sect9q3_12)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36404
 Invalid: 2378

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

household member
 Solvents/Inhalants (such as glue) [Shaba; Dogua; Helicopter; Sholisho]

Post question

No Next Type

Interviewer instructions

The names in bold are commonly used local names

approximate number (sect9q4_12)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete	Valid cases: 198
Format: numeric	Invalid: 38584
Width: 1	Minimum: 1
Decimals: 0	Maximum: 5
Range: 1-5	Mean: 1.4
	Standard deviation: 0.8

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

approximate number

Interviewer instructions

The names in bold are commonly used local names

generally whether obtained/bought (sect9q5_12)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete	Valid cases: 199
Format: numeric	Invalid: 38583
Width: 1	
Decimals: 0	
Range: 1-4	

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

generally whether obtained/bought

Interviewer instructions

The names in bold are commonly used local names

household member (sect9q3_13)**File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA****Overview**

Type: Discrete	Valid cases: 36404
Format: numeric	Invalid: 2378
Width: 1	
Decimals: 0	
Range: 1-2	

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

household member
Other (specify)

Post question

No Next Type

Interviewer instructions

The names in bold are commonly used local names

approximate number (sect9q4_13)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete	Valid cases: 142
Format: numeric	Invalid: 38640
Width: 1	Minimum: 1
Decimals: 0	Maximum: 8
Range: 1-8	Mean: 2.1
	Standard deviation: 1.1

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

approximate number

Interviewer instructions

The names in bold are commonly used local names

generally whether obtained/bought (sect9q5_13)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete	Valid cases: 142
Format: numeric	Invalid: 38640
Width: 1	
Decimals: 0	
Range: 1-4	

Pre question

Now, I will ask you if you can please tell me if any of your household members use any of the following substances, whether bought by themselves or given by other family members?

Literal question

generally whether obtained/bought

Interviewer instructions

The names in bold are commonly used local names

type of substances (typesect10_01)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete	Valid cases: 36404
Format: character	
Width: 240	

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

Type of substance

type of substances (typeso)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

type of substances (typeso)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete

Valid cases: 0

Format: character

Invalid: 0

Width: 1

Pre question

Now i am going to ask you questions on your possible use of some substances

type of substances (typesp)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Valid cases: 0

Format: character

Invalid: 0

Width: 1

Pre question

Now i am going to ask you questions on your possible use of some substances

have you ever use (sect10q1_01)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Valid cases: 36404

Format: numeric

Invalid: 2378

Width: 1

Decimals: 0

Range: 1-2

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

have you ever used?

Cannabis (herb or resin (hashish)) [Wee Wee; Weed; Marijuana; Mary & Joan; Choko; Yoyo; Kush; Skunk; Green Leaf; Ghanja; Grass; Indian Hemp; Blaze; Taba; Ndedeko; Bendel Market; Genye]

Post question

No Next type)

what was your age at first use of (sect10q2_01)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous

Valid cases: 922

Format: numeric

Invalid: 37860

Width: 2

Minimum: 0

Decimals: 0

Maximum: 59

Range: 0-59

Mean: 19.4

Standard deviation: 7.1

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What was your age at first use?

Cannabis (herb or resin (hashish)) [Wee Wee; Weed; Marijuana; Mary & Joan; Choko; Yoyo; Kush; Skunk; Green Leaf; Ghanja; Grass; Indian Hemp; Blaze; Taba; Ndedeko; Bendel Market; Genye]

have you use in the last 12 months (sect10q3_01)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 922
 Invalid: 37860

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

Have you use in the last 12 months?

Cannabis (herb or resin (hashish)) [Wee Wee; Weed; Marijuana; Mary & Joan; Choko; Yoyo; Kush; Skunk; Green Leaf; Ghanja; Grass; Indian Hemp; Blaze; Taba; Ndedeko; Bendel Market; Genye]

Post question

No Next type)

in the past 30 days how often did you use (sect10q4_01)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-8

Valid cases: 568
 Invalid: 38214

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

In the past-30 days, how often do you use it?

Cannabis (herb or resin (hashish)) [Wee Wee; Weed; Marijuana; Mary & Joan; Choko; Yoyo; Kush; Skunk; Green Leaf; Ghanja; Grass; Indian Hemp; Blaze; Taba; Ndedeko; Bendel Market; Genye]

what is the usual method you use (sect10q5_01)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-8

Valid cases: 568
 Invalid: 38214

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What is the usual method by which you use?

Cannabis (herb or resin (hashish)) [Wee Wee; Weed; Marijuana; Mary & Joan; Choko; Yoyo; Kush; Skunk; Green Leaf; Ghanja; Grass; Indian Hemp; Blaze; Taba; Ndedeko; Bendel Market; Genye]

what is the usual method you use (specify) (sect10q5spc_01)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

what is the usual method you use (specify) (sect10q5spc_01)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete

Valid cases: 3

Format: character

Invalid: 0

Width: 18

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What is the usual method by which you use? Other (Specify)

what is the usual method you use (specify) (sect1d)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Valid cases: 0

Format: character

Invalid: 0

Width: 1

Pre question

Now i am going to ask you questions on your possible use of some substances

what is the usual method you use (specify) (sect1e)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Valid cases: 0

Format: character

Invalid: 0

Width: 1

Pre question

Now i am going to ask you questions on your possible use of some substances

type of substances (typesect10_02)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Valid cases: 1287

Format: character

Invalid: 0

Width: 98

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

Type of substance

type of substances (typesm)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Valid cases: 0

Format: character

Invalid: 0

Width: 1

Pre question

type of substances (typesm)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Now i am going to ask you questions on your possible use of some substances

type of substances (typesn)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

have you ever use (sect10q1_02)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36404
 Invalid: 2378

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

have you ever used?

Prescription opioids or painkillers such as tramadol or codeine[Relief; TM; Tar; Tramol]

Post question

No Next type)

what was your age at first use of (sect10q2_02)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-64

Valid cases: 1899
 Invalid: 36883
 Minimum: 0
 Maximum: 64
 Mean: 22.2
 Standard deviation: 11.2

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What was your age at first use?

Prescription opioids or painkillers such as tramadol or codeine[Relief; TM; Tar; Tramol]

have you use in the last 12 months (sect10q3_02)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

have you use in the last 12 months (sect10q3_02)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 1898
 Invalid: 36884

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

Have you use in the last 12 months?

Prescription opioids or painkillers such as tramadol or codeine[Relief; TM; Tar; Tramol]

Post question

No Next type)

in the past 30 days how often did you use (sect10q4_02)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-8

Valid cases: 1177
 Invalid: 37605

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

In the past-30 days, how often do you use it?

Prescription opioids or painkillers such as tramadol or codeine[Relief; TM; Tar; Tramol]

what is the usual method you use (sect10q5_02)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-8

Valid cases: 1177
 Invalid: 37605

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What is the usual method by which you use?

Prescription opioids or painkillers such as tramadol or codeine[Relief; TM; Tar; Tramol]

what is the usual method you use (specify) (sect10q5spc_02)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 18

Valid cases: 3
 Invalid: 0

Pre question

what is the usual method you use (specify) (sect10q5spc_02)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Now i am going to ask you questions on your possible use of some substances

Literal question

What is the usual method by which you use? Other (Specify)

what is the usual method you use (specify) (sect1b)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 0

Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

what is the usual method you use (specify) (sect1c)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 0

Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

type of substances (typesect10_03)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 106

Valid cases: 1874

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

Type of substance

type of substances (typesk)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 0

Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

type of substances (typesl)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

have you ever use (sect10q1_03)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36404
 Invalid: 2378

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

have you ever used?
 Tranquilizer/sedatives such as valium [Pills;]

Post question

No Next type)

what was your age at first use of (sect10q2_03)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-60

Valid cases: 323
 Invalid: 38459
 Minimum: 1
 Maximum: 60
 Mean: 26
 Standard deviation: 11.9

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What was your age at first use?
 Tranquilizer/sedatives such as valium [Pills;]

have you use in the last 12 months (sect10q3_03)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 324
 Invalid: 38458

Pre question

have you use in the last 12 months (sect10q3_03)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Now i am going to ask you questions on your possible use of some substances

Literal question

Have you use in the last 12 months?

Tranquilizer/sedatives such as valium [Pills;]

Post question

No Next type)

in the past 30 days how often did you use (sect10q4_03)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-8

Valid cases: 139

Invalid: 38643

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

In the past-30 days, how often do you use it?

Tranquilizer/sedatives such as valium [Pills;]

what is the usual method you use (sect10q5_03)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-8

Valid cases: 139

Invalid: 38643

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What is the usual method by which you use?

Tranquilizer/sedatives such as valium [Pills;]

what is the usual method you use (specify) (sect10q5spc_03)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 0

Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What is the usual method by which you use? Other (Specify)

type of substances (typesect10_04)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 96

Valid cases: 857
 Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

Type of substance

type of substances (typesi)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

type of substances (typesj)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

have you ever use (sect10q1_04)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36404
 Invalid: 2378

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

have you ever used?
 Amphetamine such as dexedrine

Post question

No Next type)

what was your age at first use of (sect10q2_04)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous	Valid cases: 61
Format: numeric	Invalid: 38721
Width: 2	Minimum: 1
Decimals: 0	Maximum: 59
Range: 1-59	Mean: 22.9
	Standard deviation: 13.8

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What was your age at first use?
Amphetamine such as dexedrine

have you use in the last 12 months (sect10q3_04)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete	Valid cases: 61
Format: numeric	Invalid: 38721
Width: 1	
Decimals: 0	
Range: 1-2	

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

Have you use in the last 12 months?
Amphetamine such as dexedrine

Post question

No Next type)

in the past 30 days how often did you use (sect10q4_04)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete	Valid cases: 24
Format: numeric	Invalid: 38758
Width: 1	
Decimals: 0	
Range: 1-8	

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

In the past-30 days, how often do you use it?
Amphetamine such as dexedrine

what is the usual method you use (sect10q5_04)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

what is the usual method you use (sect10q5_04)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-8

Valid cases: 24
 Invalid: 38758

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What is the usual method by which you use?
 Amphetamine such as dexedrine

what is the usual method you use (specify) (sect10q5spc_04)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What is the usual method by which you use? Other (Specify)

type of substances (typesect10_05)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 141

Valid cases: 742

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

Type of substance

type of substances (typesg)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

type of substances (typesh)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

type of substances (typesh)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

have you ever use (sect10q1_05)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36404
 Invalid: 2378

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

have you ever used?
 Methamphetamine [Players; Boys; Nuts]

Post question

No Next type)

what was your age at first use of (sect10q2_05)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-45

Valid cases: 12
 Invalid: 38770
 Minimum: 0
 Maximum: 45
 Mean: 14.8
 Standard deviation: 13.6

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What was your age at first use?
 Methamphetamine [Players; Boys; Nuts]

have you use in the last 12 months (sect10q3_05)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 12
 Invalid: 38770

Pre question

have you use in the last 12 months (sect10q3_05)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Now i am going to ask you questions on your possible use of some substances

Literal question

Have you use in the last 12 months?

Methamphetamine [Players; Boys; Nuts]

Post question

No Next type)

in the past 30 days how often did you use (sect10q4_05)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-8

Valid cases: 5

Invalid: 38777

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

In the past-30 days, how often do you use it?

Methamphetamine [Players; Boys; Nuts]

what is the usual method you use (sect10q5_05)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-8

Valid cases: 5

Invalid: 38777

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What is the usual method by which you use?

Methamphetamine [Players; Boys; Nuts]

what is the usual method you use (specify) (sect10q5spc_05)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 0

Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What is the usual method by which you use? Other (Specify)

type of substances (typesect10_06)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 235

Valid cases: 723

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

Type of substance

type of substances (typese)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

type of substances (typesf)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

have you ever use (sect10q1_06)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36404
 Invalid: 2378

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

have you ever used?

Cocaine [Coke; Powder; Thailand White; Brown/Black; Off White; Charlie]

Post question

No Next type)

what was your age at first use of (sect10q2_06)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous	Valid cases: 37
Format: numeric	Invalid: 38745
Width: 2	Minimum: 0
Decimals: 0	Maximum: 45
Range: 0-45	Mean: 19.1
	Standard deviation: 10.8

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What was your age at first use?

Cocaine [Coke; Powder; Thailand White; Brown/Black; Off White; Charlie]

have you use in the last 12 months (sect10q3_06)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete	Valid cases: 37
Format: numeric	Invalid: 38745
Width: 1	
Decimals: 0	
Range: 1-2	

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

Have you use in the last 12 months?

Cocaine [Coke; Powder; Thailand White; Brown/Black; Off White; Charlie]

Post question

No Next type)

in the past 30 days how often did you use (sect10q4_06)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete	Valid cases: 18
Format: numeric	Invalid: 38764
Width: 1	
Decimals: 0	
Range: 1-8	

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

In the past-30 days, how often do you use it?

Cocaine [Coke; Powder; Thailand White; Brown/Black; Off White; Charlie]

what is the usual method you use (sect10q5_06)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

what is the usual method you use (sect10q5_06)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-8

Valid cases: 18
 Invalid: 38764

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What is the usual method by which you use?

Cocaine [Coke; Powder; Thailand White; Brown/Black; Off White; Charlie]

what is the usual method you use (specify) (sect10q5spc_06)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What is the usual method by which you use? Other (Specify)

type of substances (typesect10_07)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 36

Valid cases: 736
 Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

Type of substance

type of substances (typesc)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

type of substances (typesd)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

type of substances (typesd)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

have you ever use (sect10q1_07)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36404
 Invalid: 2378

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

have you ever used?
 Crack cocaine

Post question

No Next type)

what was your age at first use of (sect10q2_07)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 6-45

Valid cases: 16
 Invalid: 38766
 Minimum: 6
 Maximum: 45
 Mean: 21.6
 Standard deviation: 9.4

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What was your age at first use?
 Crack cocaine

have you use in the last 12 months (sect10q3_07)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 16
 Invalid: 38766

Pre question

have you use in the last 12 months (sect10q3_07)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Now i am going to ask you questions on your possible use of some substances

Literal question

Have you use in the last 12 months?

Crack cocaine

Post question

No Next type)

in the past 30 days how often did you use (sect10q4_07)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-8

Valid cases: 9

Invalid: 38773

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

In the past-30 days, how often do you use it?

Crack cocaine

what is the usual method you use (sect10q5_07)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-8

Valid cases: 9

Invalid: 38773

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What is the usual method by which you use?

Crack cocaine

what is the usual method you use (specify) (sect10q5spc_07)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 0

Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What is the usual method by which you use? Other (Specify)

type of substances (typesect10_08)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 92

Valid cases: 729
 Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

Type of substance

type of substances (typesa)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

type of substances (typesb)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

have you ever use (sect10q1_08)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36404
 Invalid: 2378

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

have you ever used?
 Ecstasy Yan Wasa]

Post question

No Next type)

what was your age at first use of (sect10q2_08)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous	Valid cases: 153
Format: numeric	Invalid: 38629
Width: 2	Minimum: 0
Decimals: 0	Maximum: 59
Range: 0-59	Mean: 19.6
	Standard deviation: 10.4

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What was your age at first use?
Ecstasy Yan Wasa]

have you use in the last 12 months (sect10q3_08)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete	Valid cases: 153
Format: numeric	Invalid: 38629
Width: 1	
Decimals: 0	
Range: 1-2	

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

Have you use in the last 12 months?
Ecstasy Yan Wasa]

Post question

No Next type)

in the past 30 days how often did you use (sect10q4_08)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete	Valid cases: 112
Format: numeric	Invalid: 38670
Width: 1	
Decimals: 0	
Range: 1-8	

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

In the past-30 days, how often do you use it?
Ecstasy Yan Wasa]

what is the usual method you use (sect10q5_08)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

what is the usual method you use (sect10q5_08)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-8

Valid cases: 112
 Invalid: 38670

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What is the usual method by which you use?
 Ecstasy Yan Wasa]

what is the usual method you use (specify) (sect10q5spc_08)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What is the usual method by which you use? Other (Specify)

type of substances (typesect10_09)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 99

Valid cases: 827
 Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

Type of substance

type of substances (types8)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

type of substances (types9)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

type of substances (types9)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

have you ever use (sect10q1_09)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36404
 Invalid: 2378

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

have you ever used?

Cough syrups containing codeine such as coldex or benyln [Koko; Crude oil; Slow; Yaro Mantuwa]

Post question

No Next type)

what was your age at first use of (sect10q2_09)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-62

Valid cases: 1128
 Invalid: 37654
 Minimum: 0
 Maximum: 62
 Mean: 17.8
 Standard deviation: 11.2

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What was your age at first use?

Cough syrups containing codeine such as coldex or benyln [Koko; Crude oil; Slow; Yaro Mantuwa]

have you use in the last 12 months (sect10q3_09)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 1128
 Invalid: 37654

Pre question

have you use in the last 12 months (sect10q3_09)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Now i am going to ask you questions on your possible use of some substances

Literal question

Have you use in the last 12 months?

Cough syrups containing codeine such as coldex or benyln [Koko; Crude oil; Slow; Yaro Mantuwa]

Post question

No Next type)

in the past 30 days how often did you use (sect10q4_09)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-8

Valid cases: 622

Invalid: 38160

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

In the past-30 days, how often do you use it?

Cough syrups containing codeine such as coldex or benyln [Koko; Crude oil; Slow; Yaro Mantuwa]

what is the usual method you use (sect10q5_09)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-8

Valid cases: 622

Invalid: 38160

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What is the usual method by which you use?

Cough syrups containing codeine such as coldex or benyln [Koko; Crude oil; Slow; Yaro Mantuwa]

what is the usual method you use (specify) (sect10q5spc_09)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 9

Valid cases: 2

Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What is the usual method by which you use? Other (Specify)

what is the usual method you use (specify) (sect19)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

what is the usual method you use (specify) (sect1a)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

type of substances (typesect10_10)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 97

Valid cases: 1317
 Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

Type of substance

type of substances (types6)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

type of substances (types7)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

have you ever use (sect10q1_10)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36404
 Invalid: 2378

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

have you ever used?
 Heroin [Gabji; Market]

Post question

No Next type)

what was your age at first use of (sect10q2_10)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-50

Valid cases: 17
 Invalid: 38765
 Minimum: 1
 Maximum: 50
 Mean: 17.6
 Standard deviation: 17.6

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What was your age at first use?
 Heroin [Gabji; Market]

have you use in the last 12 months (sect10q3_10)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 17
 Invalid: 38765

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

Have you use in the last 12 months?
 Heroin [Gabji; Market]

Post question

No Next type)

in the past 30 days how often did you use (sect10q4_10)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

in the past 30 days how often did you use (sect10q4_10)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Valid cases: 9
Invalid: 38773

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

In the past-30 days, how often do you use it?
Heroin [Gabji; Market]

what is the usual method you use (sect10q5_10)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Valid cases: 9
Invalid: 38773

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What is the usual method by which you use?
Heroin [Gabji; Market]

what is the usual method you use (specify) (sect10q5spc_10)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 0
Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What is the usual method by which you use? Other (Specify)

type of substances (typesect10_11)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 91

Valid cases: 726
Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

Type of substance

type of substances (types4)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

type of substances (types5)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

have you ever use (sect10q1_11)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 36404
 Invalid: 2378

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

have you ever used?
 Hallucinogens such as LSD or PCP [Italian White;]

Post question

No Next type)

what was your age at first use of (sect10q2_11)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-45

Valid cases: 15
 Invalid: 38767
 Minimum: 1
 Maximum: 45
 Mean: 19.8
 Standard deviation: 12.1

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What was your age at first use?
 Hallucinogens such as LSD or PCP [Italian White;]

have you use in the last 12 months (sect10q3_11)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 15
 Invalid: 38767

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

Have you use in the last 12 months?
 Hallucinogens such as LSD or PCP [Italian White;]

Post question

No Next type)

in the past 30 days how often did you use (sect10q4_11)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-8

Valid cases: 8
 Invalid: 38774

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

In the past-30 days, how often do you use it?
 Hallucinogens such as LSD or PCP [Italian White;]

what is the usual method you use (sect10q5_11)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-8

Valid cases: 8
 Invalid: 38774

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What is the usual method by which you use?
 Hallucinogens such as LSD or PCP [Italian White;]

what is the usual method you use (specify) (sect10q5spc_11)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

what is the usual method you use (specify) (sect10q5spc_11)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete

Valid cases: 0

Format: character

Invalid: 0

Width: 1

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What is the usual method by which you use? Other (Specify)

type of substances (typesect10_12)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Valid cases: 729

Format: character

Invalid: 0

Width: 73

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

Type of substance

type of substances (types2)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Valid cases: 0

Format: character

Invalid: 0

Width: 1

Pre question

Now i am going to ask you questions on your possible use of some substances

type of substances (types3)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Valid cases: 0

Format: character

Invalid: 0

Width: 1

Pre question

Now i am going to ask you questions on your possible use of some substances

have you ever use (sect10q1_12)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Valid cases: 36404

Format: numeric

Invalid: 2378

Width: 1

Decimals: 0

Range: 1-2

have you ever use (sect10q1_12)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

have you ever used?

Solvents/Inhalants (such as glue) [Shaba; Dogua; Helicopter; Sholisho]

Post question

No Next type)

what was your age at first use of (sect10q2_12)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 1-55

Valid cases: 88

Invalid: 38694

Minimum: 1

Maximum: 55

Mean: 18.8

Standard deviation: 7.7

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What was your age at first use?

Solvents/Inhalants (such as glue) [Shaba; Dogua; Helicopter; Sholisho]

have you use in the last 12 months (sect10q3_12)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-2

Valid cases: 91

Invalid: 38691

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

Have you use in the last 12 months?

Solvents/Inhalants (such as glue) [Shaba; Dogua; Helicopter; Sholisho]

Post question

No Next type)

in the past 30 days how often did you use (sect10q4_12)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-8

Valid cases: 47

Invalid: 38735

Pre question

in the past 30 days how often did you use (sect10q4_12)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Now i am going to ask you questions on your possible use of some substances

Literal question

In the past-30 days, how often do you use it?

Solvents/Inhalants (such as glue) [Shaba; Dogua; Helicopter; Sholisho]

what is the usual method you use (sect10q5_12)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-8

Valid cases: 47
 Invalid: 38735

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What is the usual method by which you use?

Solvents/Inhalants (such as glue) [Shaba; Dogua; Helicopter; Sholisho]

what is the usual method you use (specify) (sect10q5spc_12)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What is the usual method by which you use? Other (Specify)

type of substances (typesect10_13)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 18

Valid cases: 772
 Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

Type of substance

type of substances (types0)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

type of substances (types0)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete

Valid cases: 0

Format: character

Invalid: 0

Width: 1

Pre question

Now i am going to ask you questions on your possible use of some substances

type of substances (types1)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Valid cases: 0

Format: character

Invalid: 0

Width: 1

Pre question

Now i am going to ask you questions on your possible use of some substances

have you ever use (sect10q1_13)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Valid cases: 36404

Format: numeric

Invalid: 2378

Width: 1

Decimals: 0

Range: 1-2

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

have you ever used?

Other (specify

Post question

No Next type)

what was your age at first use of (sect10q2_13)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous

Valid cases: 198

Format: numeric

Invalid: 38584

Width: 2

Minimum: 0

Decimals: 0

Maximum: 59

Range: 0-59

Mean: 21.9

Standard deviation: 11.3

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What was your age at first use?

Other (specify

have you use in the last 12 months (sect10q3_13)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 198
 Invalid: 38584

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

Have you use in the last 12 months?
 Other (specify

Post question

No Next type)

in the past 30 days how often did you use (sect10q4_13)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-8

Valid cases: 111
 Invalid: 38671

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

In the past-30 days, how often do you use it?
 Other (specify

what is the usual method you use (sect10q5_13)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-8

Valid cases: 111
 Invalid: 38671

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What is the usual method by which you use?
 Other (specify

what is the usual method you use (specify) (sect10q5spc_13)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

what is the usual method you use (specify) (sect10q5spc_13)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete
 Format: character
 Width: 6

Valid cases: 2
 Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What is the usual method by which you use? Other (Specify)

what is the usual method you use (specify) (sect18)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

what is the average amount you spent per day (sect10q6_01)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-6000

Valid cases: 568
 Invalid: 38214
 Minimum: 0
 Maximum: 6000
 Mean: 332.6
 Standard deviation: 680.4

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What is the average amount you spent per day during last 30 days on this substance? (Naira)
 Cannabis (herb or resin (hashish)) [Wee Wee; Weed; Marijuana; Mary & Joan; Choko; Yoyo; Kush; Skunk; Green Leaf; Ghanja;
 Grass; Indian Hemp; Blaze; Taba; Ndedeko; Bendel Market; Genye]

what is the average amount you spent per day (sect10q6_02)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-5000

Valid cases: 1177
 Invalid: 37605
 Minimum: 0
 Maximum: 5000
 Mean: 204
 Standard deviation: 408.1

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What is the average amount you spent per day during last 30 days on this substance?
 Prescription opioids or painkillers such as tramadol or codeine [Relief; TM; Tar; Tramol]

what is the average amount you spent per day (sect10q6_03)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous	Valid cases: 139
Format: numeric	Invalid: 38643
Width: 4	Minimum: 0
Decimals: 0	Maximum: 5000
Range: 0-5000	Mean: 227.2
	Standard deviation: 550

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What is the average amount you spent per day during last 30 days on this substance?
Tranquilizer/sedatives such as valium [Pills;]

what is the average amount you spent per day (sect10q6_04)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous	Valid cases: 24
Format: numeric	Invalid: 38758
Width: 4	Minimum: 0
Decimals: 0	Maximum: 3000
Range: 0-3000	Mean: 356.3
	Standard deviation: 637.8

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What is the average amount you spent per day during last 30 days on this substance?
Amphetamine such as dexedrine

what is the average amount you spent per day (sect10q6_05)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous	Valid cases: 5
Format: numeric	Invalid: 38777
Width: 4	Minimum: 0
Decimals: 0	Maximum: 3000
Range: 0-3000	Mean: 810
	Standard deviation: 1247.2

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What is the average amount you spent per day during last 30 days on this substance?
Methamphetamine [Players; Boys; Nuts]

what is the average amount you spent per day (sect10q6_06)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

what is the average amount you spent per day (sect10q6_06)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Continuous	Valid cases: 18
Format: numeric	Invalid: 38764
Width: 4	Minimum: 0
Decimals: 0	Maximum: 4000
Range: 0-4000	Mean: 725.1
	Standard deviation: 943.1

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What is the average amount you spent per day during last 30 days on this substance?

Cocaine [Coke; Powder; Thailand White; Brown/Black; Off White; Charlie]

what is the average amount you spent per day (sect10q6_07)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous	Valid cases: 9
Format: numeric	Invalid: 38773
Width: 4	Minimum: 0
Decimals: 0	Maximum: 5000
Range: 0-5000	Mean: 1638.9
	Standard deviation: 1878.1

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What is the average amount you spent per day during last 30 days on this substance?

Crack cocaine

what is the average amount you spent per day (sect10q6_08)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous	Valid cases: 112
Format: numeric	Invalid: 38670
Width: 4	Minimum: 0
Decimals: 0	Maximum: 1500
Range: 0-1500	Mean: 399.6
	Standard deviation: 321.4

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What is the average amount you spent per day during last 30 days on this substance?

Ecstasy Yan Wasa]

what is the average amount you spent per day (sect10q6_09)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

what is the average amount you spent per day (sect10q6_09)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Continuous	Valid cases: 621
Format: numeric	Invalid: 38161
Width: 4	Minimum: 0
Decimals: 0	Maximum: 4550
Range: 0-4550	Mean: 312.1
	Standard deviation: 416.5

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What is the average amount you spent per day during last 30 days on this substance?

Cough syrups containing codeine such as coldex or benyln [Koko; Crude oil; Slow; Yaro Mantuwa]

what is the average amount you spent per day (sect10q6_10)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous	Valid cases: 9
Format: numeric	Invalid: 38773
Width: 4	Minimum: 5
Decimals: 0	Maximum: 9000
Range: 5-9000	Mean: 1300.6
	Standard deviation: 2924.5

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What is the average amount you spent per day during last 30 days on this substance?

Heroin [Gabji; Market]

what is the average amount you spent per day (sect10q6_11)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous	Valid cases: 8
Format: numeric	Invalid: 38774
Width: 4	Minimum: 2
Decimals: 0	Maximum: 3000
Range: 2-3000	Mean: 715.3
	Standard deviation: 977

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What is the average amount you spent per day during last 30 days on this substance?

Hallucinogens such as LSD or PCP [Italian White;]

what is the average amount you spent per day (sect10q6_12)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

what is the average amount you spent per day (sect10q6_12)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Continuous	Valid cases: 47
Format: numeric	Invalid: 38735
Width: 4	Minimum: 0
Decimals: 0	Maximum: 4000
Range: 0-4000	Mean: 311.2
	Standard deviation: 730.1

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

What is the average amount you spent per day during last 30 days on this substance?

Solvents/Inhalants (such as glue) [Shaba; Dogua; Helicopter; Sholisho]

what is the average amount you spent per day (sect10q6_13)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous	Valid cases: 111
Format: numeric	Invalid: 38671
Width: 4	Minimum: 0
Decimals: 0	Maximum: 2000
Range: 0-2000	Mean: 292.1
	Standard deviation: 362

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

what is the average amount you spent per day (Naira) Other (specify

name of substance first use (sect10q7)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete	Valid cases: 3337
Format: character	Invalid: 0
Width: 30	

Pre question

Now i am going to ask you questions on your possible use of some substances

If Yes to any of the substance in Q10.1

Literal question

What is the name of the substance you first used

name of substance first use (sect16)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete	Valid cases: 0
Format: character	Invalid: 0
Width: 1	

Pre question

Now i am going to ask you questions on your possible use of some substances

If Yes to any of the substance in Q10.1

Literal question

name of substance first use (sect16)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

What is the name of the substance you first used

Interviewer instructions

If Yes to any of the substance in Q10.1

name of substance first use (sect17)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 0

Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

If Yes to any of the substance in Q10.1

Literal question

What is the name of the substance you first used

Interviewer instructions

If Yes to any of the substance in Q10.1

of all the substance(s) you previously mentioned (sect11intro)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 50

Valid cases: 2945

Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

of all the substance(s) you previously mentioned (sect14)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 0

Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

of all the substance(s) you previously mentioned (sect15)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 0

Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

please specify substance (sect11inrospc)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 32

Valid cases: 280
 Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

Literal question

please specify substance

please specify substance (sect12)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

please specify substance (sect13)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Pre question

Now i am going to ask you questions on your possible use of some substances

was there a month or more when you spent a lot of your time getting or using (sect11q1)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 3644
 Invalid: 35138

Pre question

Think about your use of _____ (one substance that might be the substance of choice or the primary substance of abuse) which you have been using regularly during the last 12 months and answer the following questions

Literal question

Was there a month or more when you spent a lot of your time getting or using

Interviewer instructions

These questions should be asked from those who have reported using any illicit substance (including tranquilizers and sedatives) in the past 12 months. These questions are meant to record, if the person had a substance use dependence or disorder. These questions will be asked from a person having Code = 1 (yes used in the past 12 months), either in Section-5 Q 5.3 or Section-10 Q 10.3.

If the person has not used any substances in the past 12 months skip to section 13

was there a month when you a lot of your time getting over (sect11q2)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 3642
Invalid: 35140

Pre question

Think about your use of _____ (one substance that might be the substance of choice or the primary substance of abuse) which you have been using regularly during the last 12 months and answer the following questions

Literal question

Was there a month or more when you spent a lot of your time getting over the effects of the you used?

Interviewer instructions

These questions should be asked from those who have reported using any illicit substance (including tranquilizers and sedatives) in the past 12 months. These questions are meant to record, if the person had a substance use dependence or disorder. These questions will be asked from a person having Code = 1 (yes used in the past 12 months), either in Section-5 Q 5.3 or Section-10 Q 10.3.

If the person has not used any substances in the past 12 months skip to section 13

did you try to set limits on how (sect11q3)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 3642
Invalid: 35140

Pre question

Think about your use of _____ (one substance that might be the substance of choice or the primary substance of abuse) which you have been using regularly during the last 12 months and answer the following questions

Literal question

Did you try to set limits on how often or how muchyou would use?

Post question

No, Don't know/refused (Q 11.5)

Interviewer instructions

These questions should be asked from those who have reported using any illicit substance (including tranquilizers and sedatives) in the past 12 months. These questions are meant to record, if the person had a substance use dependence or disorder. These questions will be asked from a person having Code = 1 (yes used in the past 12 months), either in Section-5 Q 5.3 or Section-10 Q 10.3.

If the person has not used any substances in the past 12 months skip to section 13

were you able to keep to the limit you use (sect11q4)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 738
Invalid: 38044

Pre question

were you able to keep to the limit you use (sect11q4)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Think about your use of _____ (one substance that might be the substance of choice or the primary substance of abuse) which you have been using regularly during the last 12 months and answer the following questions

Literal question

Were you able to keep to the limit you set, or did you often use more than you intended to?

Interviewer instructions

These questions should be asked from those who have reported using any illicit substance (including tranquilizers and sedatives) in the past 12 months. These questions are meant to record, if the person had a substance use dependence or disorder. These questions will be asked from a person having Code = 1 (yes used in the past 12 months), either in Section-5 Q 5.3 or Section-10 Q 10.3.

If the person has not used any substances in the past 12 months skip to section 13

during the past 12 months did you need to use more ...than you use to in order t (sect11q5)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 3642
Invalid: 35140

Pre question

Think about your use of _____ (one substance that might be the substance of choice or the primary substance of abuse) which you have been using regularly during the last 12 months and answer the following questions

Literal question

During the past 12 months, did you need to use more than you used to in order to get the effect you wanted?

Interviewer instructions

These questions should be asked from those who have reported using any illicit substance (including tranquilizers and sedatives) in the past 12 months. These questions are meant to record, if the person had a substance use dependence or disorder. These questions will be asked from a person having Code = 1 (yes used in the past 12 months), either in Section-5 Q 5.3 or Section-10 Q 10.3.

If the person has not used any substances in the past 12 months skip to section 13

did you notice that using the same amount of the substance (sect11q6)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 3642
Invalid: 35140

Pre question

Think about your use of _____ (one substance that might be the substance of choice or the primary substance of abuse) which you have been using regularly during the last 12 months and answer the following questions

Literal question

Did you notice that using the same amount of has less effect on you than it used to?

Interviewer instructions

did you notice that using the same amount of the substance (sect11q6)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

These questions should be asked from those who have reported using any illicit substance (including tranquilizers and sedatives) in the past 12 months. These questions are meant to record, if the person had a substance use dependence or disorder. These questions will be asked from a person having Code = 1 (yes used in the past 12 months), either in Section-5 Q 5.3 or Section-10 Q 10.3.

If the person has not used any substances in the past 12 months skip to section 13

did you try to cut down or stop using (sect11q7)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 3642
Invalid: 35140

Pre question

Think about your use of _____ (one substance that might be the substance of choice or the primary substance of abuse) which you have been using regularly during the last 12 months and answer the following questions

Literal question

Did you want to try to cut down or stop using.....?

Post question

No, Don't know/refused (go to Q 11.10)

Interviewer instructions

These questions should be asked from those who have reported using any illicit substance (including tranquilizers and sedatives) in the past 12 months. These questions are meant to record, if the person had a substance use dependence or disorder. These questions will be asked from a person having Code = 1 (yes used in the past 12 months), either in Section-5 Q 5.3 or Section-10 Q 10.3.

If the person has not used any substances in the past 12 months skip to section 13

were you able to cut down or stop using every time you wanted to or tried to (sect11q8)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 825
Invalid: 37957

Pre question

Think about your use of _____ (one substance that might be the substance of choice or the primary substance of abuse) which you have been using regularly during the last 12 months and answer the following questions

Literal question

Were you able to cut down or stop using every time you wanted to or tried to?

Post question

No, Don't know/refused (go to Q 11.10)

Interviewer instructions

were you able to cut down or stop using every time you wanted to or tried to (sect11q8)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

These questions should be asked from those who have reported using any illicit substance (including tranquilizers and sedatives) in the past 12 months. These questions are meant to record, if the person had a substance use dependence or disorder. These questions will be asked from a person having Code = 1 (yes used in the past 12 months), either in Section-5 Q 5.3 or Section-10 Q 10.3.

If the person has not used any substances in the past 12 months skip to section 13

after you cut back or stopped using ... did you feel sick (sect11q9)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 648
Invalid: 38134

Pre question

Think about your use of _____ (one substance that might be the substance of choice or the primary substance of abuse) which you have been using regularly during the last 12 months and answer the following questions

Literal question

After you cut back or stopped using..... did you feel sick or have withdrawal symptoms that lasted for more than a day?

Interviewer instructions

These questions should be asked from those who have reported using any illicit substance (including tranquilizers and sedatives) in the past 12 months. These questions are meant to record, if the person had a substance use dependence or disorder. These questions will be asked from a person having Code = 1 (yes used in the past 12 months), either in Section-5 Q 5.3 or Section-10 Q 10.3.

If the person has not used any substances in the past 12 months skip to section 13

did you have any problem with your emotions nerves or mental health that were (sect11q10)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 3642
Invalid: 35140

Pre question

Think about your use of _____ (one substance that might be the substance of choice or the primary substance of abuse) which you have been using regularly during the last 12 months and answer the following questions

Literal question

Did you have any problem with your emotions, nerves or mental health that were probably caused or made worse by your use of?

Post question

No, Don't know/refused (Q 11.12)

Interviewer instructions

These questions should be asked from those who have reported using any illicit substance (including tranquilizers and sedatives) in the past 12 months. These questions are meant to record, if the person had a substance use dependence or disorder. These questions will be asked from a person having Code = 1 (yes used in the past 12 months), either in Section-5 Q 5.3 or Section-10 Q 10.3.

If the person has not used any substances in the past 12 months skip to section 13

did you continue to use even though you thought it was (sect11q11)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 243
Invalid: 38539

Pre question

Think about your use of _____ (one substance that might be the substance of choice or the primary substance of abuse) which you have been using regularly during the last 12 months and answer the following questions

Literal question

Did you continue to use even though you thought it was causing you to have problems with your emotions, nerves or mental health?

Interviewer instructions

These questions should be asked from those who have reported using any illicit substance (including tranquilizers and sedatives) in the past 12 months. These questions are meant to record, if the person had a substance use dependence or disorder. These questions will be asked from a person having Code = 1 (yes used in the past 12 months), either in Section-5 Q 5.3 or Section-10 Q 10.3.

If the person has not used any substances in the past 12 months skip to section 13

did you have any physical health problems that were caused or made worse (sect11q12)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 3642
Invalid: 35140

Pre question

Think about your use of _____ (one substance that might be the substance of choice or the primary substance of abuse) which you have been using regularly during the last 12 months and answer the following questions

Literal question

Did you have any physical health problems that were probably caused or made worse by your use of?

Post question

No, Don't know/refused (Q 11.14)

Interviewer instructions

These questions should be asked from those who have reported using any illicit substance (including tranquilizers and sedatives) in the past 12 months. These questions are meant to record, if the person had a substance use dependence or disorder. These questions will be asked from a person having Code = 1 (yes used in the past 12 months), either in Section-5 Q 5.3 or Section-10 Q 10.3.

If the person has not used any substances in the past 12 months skip to section 13

did you continue to use ... even though you thought it was causing you to have (sect11q13)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

did you continue to use ... even though you thought it was causing you to have (sect11q13)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 166
Invalid: 38616

Pre question

Think about your use of _____ (one substance that might be the substance of choice or the primary substance of abuse) which you have been using regularly during the last 12 months and answer the following questions

Literal question

Did you continue to useeven though you thought it was causing you to have physical problems?

Interviewer instructions

These questions should be asked from those who have reported using any illicit substance (including tranquilizers and sedatives) in the past 12 months. These questions are meant to record, if the person had a substance use dependence or disorder. These questions will be asked from a person having Code = 1 (yes used in the past 12 months), either in Section-5 Q 5.3 or Section-10 Q 10.3.

If the person has not used any substances in the past 12 months skip to section 13

during the past 12 months did usingcause you to give up or spend less tim (sect11q14)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 3642
Invalid: 35140

Pre question

Think about your use of _____ (one substance that might be the substance of choice or the primary substance of abuse) which you have been using regularly during the last 12 months and answer the following questions

Literal question

During the past 12 months did using cause you to give up or spend less time working, going to school,taking care of childern, doing hobbies or sports and spending time with your friends and family?

Interviewer instructions

These questions should be asked from those who have reported using any illicit substance (including tranquilizers and sedatives) in the past 12 months. These questions are meant to record, if the person had a substance use dependence or disorder. These questions will be asked from a person having Code = 1 (yes used in the past 12 months), either in Section-5 Q 5.3 or Section-10 Q 10.3.

If the person has not used any substances in the past 12 months skip to section 13

did usingcause you to have serious problems like (sect11q15)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 3642
Invalid: 35140

Pre question

Some people who use (the substance) have serious problems at home, work or school such as: missing work or school; doing a poor job at work or school; losing a job or dropping out of school; neglecting their children or family.

did usingcause you to have serious problems like (sect11q15)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Literal question

Did using cause you to have serious problems like this either at home, work or school?

did you regularly use.....use then do something where using (sect11q16)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 3642
 Invalid: 35140

Pre question

Some people who use (the substance) have serious problems at home, work or school such as: missing work or school; doing a poor job at work or school; losing a job or dropping out of school; neglecting their children or family.

Literal question

Did you regularly use and then do something where using might have put you into physical danger?

did using ... cause you to do things that repeatedly got you (sect11q17)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 3642
 Invalid: 35140

Pre question

Some people who use (the substance) have serious problems at home, work or school such as: missing work or school; doing a poor job at work or school; losing a job or dropping out of school; neglecting their children or family.

Literal question

Did using cause you to do things that repeatedly got you in trouble with the law?

did you have any problem with family or frindes that were probably (sect11q18)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 3642
 Invalid: 35140

Pre question

Some people who use (the substance) have serious problems at home, work or school such as: missing work or school; doing a poor job at work or school; losing a job or dropping out of school; neglecting their children or family.

Literal question

Did you have any problem with family or friends that were probably caused by your use of?

did you continue to use it even though you thought it might (sect11q19)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 3642
Invalid: 35140

Pre question

Some people who use (the substance) have serious problems at home, work or school such as: missing work or school; doing a poor job at work or school; losing a job or dropping out of school; neglecting their children or family.

Literal question

Did you continue to use it even though you thought it might cause problems with family or friends?

have you ever been arrested on drug related charge (sect12q1)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 3642
Invalid: 35140

Literal question

Have you ever been arrested on a drug related charge?

Post question

No (Q 12.3)
Don't know /refused (Q 12.3)

were you arrested in the 12 months on a drug related (sect12q2)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 102
Invalid: 38680

Literal question

Were you arrested in the past 12 months on a drug-related charge? (possession of drugs, dealing or trafficking of drugs)

have you ever been treated for problems related to drug use (sect12q3)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 3642
Invalid: 35140

have you ever been treated for problems related to drug use (sect12q3)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Literal question

Were you arrested in the past 12 months on a drug-related charge? (possession of drugs, dealing or trafficking of drugs)

Post question

No (End the interview)

Don't know/refused (End the interview)

how many times have you been treated (sect12q4)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4

Valid cases: 88
Invalid: 38694

Literal question

How many times have you been treated in your entire life for drug related problems?

how many times have you been treated in past 12 months (sect12q5)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4

Valid cases: 88
Invalid: 38694

Literal question

How many times have you been treated in past 12 months?

where were you treated the last time (sect12q6)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7

Valid cases: 87
Invalid: 38695

Literal question

Where were you treated the last time?

treated last specify (sect12q6spc)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

treated last specify (sect12q6spc)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete
 Format: character
 Width: 16

Valid cases: 2
 Invalid: 0

Literal question

Where were you treated the last time? Other (Specify)

treated last specify (sect10)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

treated last specify (sect11)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

in the past 12 months , has someone, who had been using drugs' (sect13q1)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 36403
 Invalid: 2379

Pre question

Finally, I am going to ask you questions about some issues you may have experienced yourself because of someone else's drug use

Thinking about the last 12 months, please tell me if each of the following has happened because of the drug use of people in your social network

Literal question

In the past 12 months, has someone, who had been using drugs harmed you physically?

in the past 12 months did you feel threatened or afraid (sect13q2)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 36403
 Invalid: 2379

Pre question

in the past 12 months did you feel threatened or afraid (sect13q2)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Finally, I am going to ask you questions about some issues you may have experienced yourself because of someone else's drug use

Thinking about the last 12 months, please tell me if each of the following has happened because of the drug use of people in your social network

Literal question

In the past 12 months, did you feel threatened or afraid because of someone's drug use at home or in some other private settings?

in the past 12 months , have you had family problems or marriage (sect13q3)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 36403
Invalid: 2379

Pre question

Finally, I am going to ask you questions about some issues you may have experienced yourself because of someone else's drug use

Thinking about the last 12 months, please tell me if each of the following has happened because of the drug use of people in your social network

Literal question

In the past 12 months, have you had family problems or marriage difficulties due to a family member's use of drugs

in the past 12 months have you had problem with a friend or neighbour (sect13q4)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 36403
Invalid: 2379

Pre question

Finally, I am going to ask you questions about some issues you may have experienced yourself because of someone else's drug use

Thinking about the last 12 months, please tell me if each of the following has happened because of the drug use of people in your social network

Literal question

In the past 12 months, have you had problems with a friend or neighbour due to their drug use?

did you stop seeing any friend , relative or neighbour because of drug use (sect13q5)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

did you stop seeing any friend , relative or neighbour becouse of drug use (sect13q5)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 36403
Invalid: 2379

Pre question

Finally, I am going to ask you questions about some issues you may have experienced yourself because of someone else's drug use

Thinking about the last 12 months, please tell me if each of the following has happened because of the drug use of people in your social network

Literal question

Did you stop seeing any friend, relative or neighbor because of their drug use?

did someone in the household spend less time working, going to school, taking ca (sect13q6)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 36403
Invalid: 2379

Pre question

Finally, I am going to ask you questions about some issues you may have experienced yourself because of someone else's drug use

Thinking about the last 12 months, please tell me if each of the following has happened because of the drug use of people in your social network

Literal question

Did someone in the household spend less time working, going to school, taking care of children, doing hobbies or sports and spending time with family because of their drug use

did a family member or friend take money or valuables that were yours (sect13q7)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 36403
Invalid: 2379

Pre question

Finally, I am going to ask you questions about some issues you may have experienced yourself because of someone else's drug use

Thinking about the last 12 months, please tell me if each of the following has happened because of the drug use of people in your social network

Literal question

Did a family member or friend take money or valuables that were yours because of their drug use?

interviewer's comments/evaluation behavior of respondent (sect14q1)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Valid cases: 38749
Invalid: 33

Literal question

Behavior of the respondent.

any other comment (any_comm)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 140

Valid cases: 33024

Literal question

Any other comments or observations made during the interview in the household that might be of importance or relevance

any other comment (any_c0)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 0
Invalid: 0

any other comment (any_c1)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 0
Invalid: 0

perm = 2 (filter) (filter__)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Valid cases: 38782
Invalid: 0

(pop_wt)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous
 Format: numeric
 Width: 8
 Decimals: 2
 Range: 394.390014648438-18712.740234375

(hh_wt)

File: NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA

Overview

Type: Continuous
 Format: numeric
 Width: 7
 Decimals: 2
 Range: 136.959457397461-7384.38671875

STATE CODE (StateCode)

File: KEY INFORMANT DATA

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-37

Valid cases: 2715
 Invalid: 73
 Minimum: 1
 Maximum: 37

Literal question

STATE Code

(StateName)

File: KEY INFORMANT DATA

Overview

Type: Discrete
 Format: character
 Width: 8

Valid cases: 2786
 Invalid: 0

Literal question

STATE NAME

LOCAL GOVERNMENT CODE (LGACode)

File: KEY INFORMANT DATA

Overview

Type: Discrete
 Format: character
 Width: 3

Valid cases: 1588
 Invalid: 0

Literal question

LGA ode

LOCAL GOVERNMENT NAME (LGAName)

File: KEY INFORMANT DATA

Overview

Type: Discrete
 Format: character
 Width: 8

Valid cases: 2640
 Invalid: 0

Literal question

LGA Name

RESPONDENT LOCALITY (Locality)

File: KEY INFORMANT DATA

Overview

Type: Discrete
 Format: character
 Width: 8

Valid cases: 2645
 Invalid: 0

Literal question

Locality

RESPONDENT SECTOR (Sector)

File: KEY INFORMANT DATA

Overview

Type: Discrete
 Format: character
 Width: 3

Valid cases: 2602
 Invalid: 0

Literal question

SECTOR

RESPONDENT NUMBER (Resp_NO)

File: KEY INFORMANT DATA

Overview

Type: Continuous
 Format: numeric
 Width: 5
 Decimals: 2
 Range: 1-86

Valid cases: 1315
 Invalid: 1473

Literal question

KI NO

DATE OF INTERVIEW (Date_of_Interview)

File: KEY INFORMANT DATA

Overview

Type: Discrete
 Format: character
 Width: 17

Literal question

Date of Interview

TIME INTERVIEW STARTED (Start_tme)

File: KEY INFORMANT DATA

Overview

Type: Discrete
 Format: character
 Width: 11

Literal question

Time Interview Started (GMT)

TIME INTERVIEW ENDED (End_Time)

File: KEY INFORMANT DATA

Overview

Type: Discrete
 Format: character
 Width: 11

Literal question

Time Interview Ended GMT)

RESULT OF THE INTERVIEW (Result_of_Interview)

File: KEY INFORMANT DATA

Overview

Type: Discrete
 Format: character
 Width: 3

Valid cases: 2303
 Invalid: 0

Literal question

Result of the interview

Interviewer instructions

(Circle the appropriate code)

INTERVIEWED RESPONDENT NUMBER (INTERVIEW_NUMBER)

File: KEY INFORMANT DATA

Overview

Type: Discrete
 Format: character
 Width: 2

RESPONDENT GENDER (Gender1)

File: KEY INFORMANT DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 2402
 Invalid: 386

Literal question

Gender of respondent

Interviewer instructions

(observe and check box)

RESPONDENT JOB POSTION (JobPosition2)

File: KEY INFORMANT DATA

Overview

Type: Discrete
 Format: character
 Width: 30

Valid cases: 2665
 Invalid: 0

Literal question

Respondent's job title position

Interviewer instructions

(check one box only)

LENGTH OF TIME LIVED IN THIS AREA (Length3)

File: KEY INFORMANT DATA

Overview

LENGTH OF TIME LIVED IN THIS AREA (Length3)**File: KEY INFORMANT DATA**

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 1-57

Minimum: 1

Maximum: 57

Mean: 14.8

Literal question

How long have you been living in this area? years

LEVEL OF CANNIBAIS USE (B1.1Cannabis)**File: KEY INFORMANT DATA****Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

Valid cases: 2737

Invalid: 51

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is First of all I am going to ask you about different types of drugs that drug users in your area might use. For each drug type that I read out, please could you say whether you think it is "commonly used" in your area, if there is "some use", if it is "rarely used", if it is not used at all in your area, or if you "don't know".

Literal question

Cannabis (herb or resin)

Interviewer instructions

INTERVIEWER: CHECK ONE BOX ON EACH LINE. YOU MAY NEED TO EXPLAIN SOME OF THER DRUG CATEGORIES LISTED IN THE TABLE

AGE OF CANNIBIS (AgeCannabis)**File: KEY INFORMANT DATA****Overview**

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 9-45

Valid cases: 1247

Invalid: 1541

Minimum: 9

Maximum: 45

Mean: 16.3

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is First of all I am going to ask you about different types of drugs that drug users in your area might use. For each drug type that I read out, please could you say whether you think it is "commonly used" in your area, if there is "some use", if it is "rarely used", if it is not used at all in your area, or if you "don't know".

Literal question

Typical Age of First Use

Interviewer instructions

INTERVIEWER: CHECK ONE BOX ON EACH LINE. YOU MAY NEED TO EXPLAIN SOME OF THER DRUG CATEGORIES LISTED IN THE TABLE

LEVEL OF METHAMPHETAMINE (CRYSTAL OR POWDER) (B1.2Methamphetamine)**File: KEY INFORMANT DATA**

LEVEL OF METHAMPHETAMINE (CRYSTAL OR POWDER) (B1.2Methamphetamine)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2349
Invalid: 439
Minimum: 1
Maximum: 9

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is First of all I am going to ask you about different types of drugs that drug users in your area might use. For each drug type that I read out, please could you say whether you think it is "commonly used" in your area, if there is "some use", if it is "rarely used", if it is not used at all in your area, or if you "don't know".

Literal question

Methamphetamine (crystal or powder)

Interviewer instructions

INTERVIEWER: CHECK ONE BOX ON EACH LINE. YOU MAY NEED TO EXPLAIN SOME OF THER DRUG CATEGORIES LISTED IN THE TABLE

AGE OF METHAMPHETAMINE (CRYSTAL OR POWDER) (AgeMeth)

File: KEY INFORMANT DATA

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 8-45

Valid cases: 323
Invalid: 2465
Minimum: 8
Maximum: 45
Mean: 19.1

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is First of all I am going to ask you about different types of drugs that drug users in your area might use. For each drug type that I read out, please could you say whether you think it is "commonly used" in your area, if there is "some use", if it is "rarely used", if it is not used at all in your area, or if you "don't know".

Literal question

Typical Age of First Use

Interviewer instructions

INTERVIEWER: CHECK ONE BOX ON EACH LINE. YOU MAY NEED TO EXPLAIN SOME OF THER DRUG CATEGORIES LISTED IN THE TABLE

LEVEL OF COCAINE USE (B1.3Cocaine)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2512
Invalid: 276
Minimum: 1
Maximum: 9

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is First of all I am going to ask you about different types of drugs that drug users in your area might use. For each drug type that I read out, please could you say whether you think it is "commonly used" in your area, if there is "some use", if it is "rarely used", if it is not used at all in your area, or if you "don't know".

Literal question

LEVEL OF COCAINE USE (B1.3Cocaine)**File: KEY INFORMANT DATA**

Cocaine

Interviewer instructions

INTERVIEWER: CHECK ONE BOX ON EACH LINE. YOU MAY NEED TO EXPLAIN SOME OF THE DRUG CATEGORIES LISTED IN THE TABLE

AGE OF COCAINE (AgeCocaine)**File: KEY INFORMANT DATA****Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 10-45

Valid cases: 611
Invalid: 2177
Minimum: 10
Maximum: 45

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is First of all I am going to ask you about different types of drugs that drug users in your area might use. For each drug type that I read out, please could you say whether you think it is "commonly used" in your area, if there is "some use", if it is "rarely used", if it is not used at all in your area, or if you "don't know".

Literal question

Typical Age of First Use

Interviewer instructions

INTERVIEWER: CHECK ONE BOX ON EACH LINE. YOU MAY NEED TO EXPLAIN SOME OF THE DRUG CATEGORIES LISTED IN THE TABLE

LEVEL OF CRACK COCAINE USE (B1.4CrackCocaine)**File: KEY INFORMANT DATA****Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2418
Invalid: 370
Minimum: 1
Maximum: 9

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is First of all I am going to ask you about different types of drugs that drug users in your area might use. For each drug type that I read out, please could you say whether you think it is "commonly used" in your area, if there is "some use", if it is "rarely used", if it is not used at all in your area, or if you "don't know".

Literal question

Crack cocaine ?

Interviewer instructions

INTERVIEWER: CHECK ONE BOX ON EACH LINE. YOU MAY NEED TO EXPLAIN SOME OF THE DRUG CATEGORIES LISTED IN THE TABLE

AGE OF CRACK COCAINE (AgeCrack)**File: KEY INFORMANT DATA****Overview**

AGE OF CRACK COCAINE (AgeCrack)**File: KEY INFORMANT DATA**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 9-45

Valid cases: 601
 Invalid: 2187
 Minimum: 9
 Maximum: 45
 Mean: 20.9
 Standard deviation: 4.8

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is First of all I am going to ask you about different types of drugs that drug users in your area might use. For each drug type that I read out, please could you say whether you think it is "commonly used" in your area, if there is "some use", if it is "rarely used", if it is not used at all in your area, or if you "don't know".

Literal question

Typical Age of First Use

Interviewer instructions

INTERVIEWER: CHECK ONE BOX ON EACH LINE. YOU MAY NEED TO EXPLAIN SOME OF THER DRUG CATEGORIES LISTED IN THE TABLE

LEVEL OF ECSTACY USE (B1.5Ecstasy)**File: KEY INFORMANT DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2312
 Invalid: 476
 Minimum: 1
 Maximum: 9

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is First of all I am going to ask you about different types of drugs that drug users in your area might use. For each drug type that I read out, please could you say whether you think it is "commonly used" in your area, if there is "some use", if it is "rarely used", if it is not used at all in your area, or if you "don't know".

Literal question

Ecstasy ?

Interviewer instructions

INTERVIEWER: CHECK ONE BOX ON EACH LINE. YOU MAY NEED TO EXPLAIN SOME OF THER DRUG CATEGORIES LISTED IN THE TABLE

AGE OF ECSTACY (AgeEcstasy)**File: KEY INFORMANT DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 9-50

Valid cases: 351
 Invalid: 2437
 Minimum: 9
 Maximum: 50
 Mean: 18.4
 Standard deviation: 5.8

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is First of all I am going to ask you about different types of drugs that drug users in your area might use. For each drug type that I read out, please could you say whether you think it is "commonly used" in your area, if there is "some use", if it is "rarely used", if it is not used at all in your area, or if you "don't know".

Literal question

Typical Age of First Use

AGE OF ECSTASY (AgeEcstasy)

File: KEY INFORMANT DATA

Interviewer instructions

INTERVIEWER: CHECK ONE BOX ON EACH LINE. YOU MAY NEED TO EXPLAIN SOME OF THEIR DRUG CATEGORIES LISTED IN THE TABLE

LEVEL OF TRANQUILIZERS (SUCH AS BROMAZEPAM, VALIUM, TROPIUM, CALMPOSE) USE (B1.6Tranquillizers)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2485
Invalid: 303
Minimum: 1
Maximum: 9

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is First of all I am going to ask you about different types of drugs that drug users in your area might use. For each drug type that I read out, please could you say whether you think it is "commonly used" in your area, if there is "some use", if it is "rarely used", if it is not used at all in your area, or if you "don't know".

Literal question

Tranquilizers (such as Bromazepam, valium, tropium, calmpose)

Interviewer instructions

INTERVIEWER: CHECK ONE BOX ON EACH LINE. YOU MAY NEED TO EXPLAIN SOME OF THEIR DRUG CATEGORIES LISTED IN THE TABLE

AGE OF TRANQUILIZERS (SUCH AS BROMAZEPAM, VALIUM, TROPIUM, CALMPOSE) (AgeTranquilizer)

File: KEY INFORMANT DATA

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 9-50

Valid cases: 740
Invalid: 2048
Minimum: 9
Maximum: 50
Mean: 17.9
Standard deviation: 4.5

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is First of all I am going to ask you about different types of drugs that drug users in your area might use. For each drug type that I read out, please could you say whether you think it is "commonly used" in your area, if there is "some use", if it is "rarely used", if it is not used at all in your area, or if you "don't know".

Literal question

Typical Age of First Use

Interviewer instructions

INTERVIEWER: CHECK ONE BOX ON EACH LINE. YOU MAY NEED TO EXPLAIN SOME OF THEIR DRUG CATEGORIES LISTED IN THE TABLE

LEVEL OF ALCOHOL USE (B1.7Alcohol)

File: KEY INFORMANT DATA

Overview

LEVEL OF ALCOHOL USE (B1.7Alcohol)**File: KEY INFORMANT DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2678
 Invalid: 110
 Minimum: 1
 Maximum: 9

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is First of all I am going to ask you about different types of drugs that drug users in your area might use. For each drug type that I read out, please could you say whether you think it is "commonly used" in your area, if there is "some use", if it is "rarely used", if it is not used at all in your area, or if you "don't know".

Literal question

Alcohol ?

Interviewer instructions

INTERVIEWER: CHECK ONE BOX ON EACH LINE. YOU MAY NEED TO EXPLAIN SOME OF THER DRUG CATEGORIES LISTED IN THE TABLE

AGE OF ALCOHOL (AgeAlcohol)**File: KEY INFORMANT DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 6-50

Valid cases: 1088
 Invalid: 1700
 Minimum: 6
 Maximum: 50
 Mean: 15.5

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is First of all I am going to ask you about different types of drugs that drug users in your area might use. For each drug type that I read out, please could you say whether you think it is "commonly used" in your area, if there is "some use", if it is "rarely used", if it is not used at all in your area, or if you "don't know".

Literal question

Typical Age of First Use

Interviewer instructions

INTERVIEWER: CHECK ONE BOX ON EACH LINE. YOU MAY NEED TO EXPLAIN SOME OF THER DRUG CATEGORIES LISTED IN THE TABLE

LEVEL OF MALTRANAL USE (B1.8Matranal)**File: KEY INFORMANT DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2065
 Invalid: 723
 Minimum: 1
 Maximum: 9

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is First of all I am going to ask you about different types of drugs that drug users in your area might use. For each drug type that I read out, please could you say whether you think it is "commonly used" in your area, if there is "some use", if it is "rarely used", if it is not used at all in your area, or if you "don't know".

Literal question

Maltranal ?

Interviewer instructions

LEVEL OF MALTRANAL USE (B1.8Matranal)**File: KEY INFORMANT DATA**

INTERVIEWER: CHECK ONE BOX ON EACH LINE. YOU MAY NEED TO EXPLAIN SOME OF THEIR DRUG CATEGORIES LISTED IN THE TABLE

AGE OF MALTRANEL (AgeMatranal)**File: KEY INFORMANT DATA****Overview**

Type: Continuous	Valid cases: 102
Format: numeric	Invalid: 2686
Width: 2	Minimum: 9
Decimals: 0	Maximum: 30
Range: 9-30	Mean: 13.6

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is First of all I am going to ask you about different types of drugs that drug users in your area might use. For each drug type that I read out, please could you say whether you think it is "commonly used" in your area, if there is "some use", if it is "rarely used", if it is not used at all in your area, or if you "don't know".

Literal question

Typical Age of First Use

Interviewer instructions

INTERVIEWER: CHECK ONE BOX ON EACH LINE. YOU MAY NEED TO EXPLAIN SOME OF THEIR DRUG CATEGORIES LISTED IN THE TABLE

LEVEL OF PAINKILLER USE (B1.9Painkiller)**File: KEY INFORMANT DATA****Overview**

Type: Discrete	Valid cases: 2612
Format: numeric	Invalid: 176
Width: 1	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is First of all I am going to ask you about different types of drugs that drug users in your area might use. For each drug type that I read out, please could you say whether you think it is "commonly used" in your area, if there is "some use", if it is "rarely used", if it is not used at all in your area, or if you "don't know".

Literal question

Painkillers or analgesics (such as Tramadol, Morphine, Pethidine, Pentazocine) ?

Interviewer instructions

INTERVIEWER: CHECK ONE BOX ON EACH LINE. YOU MAY NEED TO EXPLAIN SOME OF THEIR DRUG CATEGORIES LISTED IN THE TABLE

AGE OF PAINKILLER (AgePainkiller)**File: KEY INFORMANT DATA****Overview**

Type: Continuous	Valid cases: 1057
Format: numeric	Invalid: 1731
Width: 2	Minimum: 9
Decimals: 0	Maximum: 35
Range: 9-35	Mean: 17.3

AGE OF PAINKILLER (AgePainkiller)

File: KEY INFORMANT DATA

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is First of all I am going to ask you about different types of drugs that drug users in your area might use. For each drug type that I read out, please could you say whether you think it is "commonly used" in your area, if there is "some use", if it is "rarely used", if it is not used at all in your area, or if you "don't know".

Literal question

Typical Age of First Use

Interviewer instructions

INTERVIEWER: CHECK ONE BOX ON EACH LINE. YOU MAY NEED TO EXPLAIN SOME OF THER DRUG CATEGORIES LISTED IN THE TABLE

LEVEL OF AMPHETAMINE TABLETS (B1.10Amphetamine)

File: KEY INFORMANT DATA

Overview

Type: Discrete	Valid cases: 2302
Format: numeric	Invalid: 486
Width: 1	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is First of all I am going to ask you about different types of drugs that drug users in your area might use. For each drug type that I read out, please could you say whether you think it is "commonly used" in your area, if there is "some use", if it is "rarely used", if it is not used at all in your area, or if you "don't know".

Literal question

Amphetamines such as Dexedrine or Adderall ?

Interviewer instructions

INTERVIEWER: CHECK ONE BOX ON EACH LINE. YOU MAY NEED TO EXPLAIN SOME OF THER DRUG CATEGORIES LISTED IN THE TABLE

AGE OF AMPHETAMINE TABLETS (AgeAmphetamine)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 283
Format: numeric	Invalid: 2505
Width: 2	Minimum: 8
Decimals: 0	Maximum: 35
Range: 8-35	Mean: 18.2

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is First of all I am going to ask you about different types of drugs that drug users in your area might use. For each drug type that I read out, please could you say whether you think it is "commonly used" in your area, if there is "some use", if it is "rarely used", if it is not used at all in your area, or if you "don't know".

Literal question

Typical Age of First Use

Interviewer instructions

INTERVIEWER: CHECK ONE BOX ON EACH LINE. YOU MAY NEED TO EXPLAIN SOME OF THER DRUG CATEGORIES LISTED IN THE TABLE

LEVEL OF METHAMPHETAMINE TABLETS USE (B1.11Meth)**File: KEY INFORMANT DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2277
 Invalid: 511
 Minimum: 1
 Maximum: 9

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is First of all I am going to ask you about different types of drugs that drug users in your area might use. For each drug type that I read out, please could you say whether you think it is "commonly used" in your area, if there is "some use", if it is "rarely used", if it is not used at all in your area, or if you "don't know".

Literal question

Methamphetamine tablets such as Pervitin, Methedrine, or Desoxyn ?

Interviewer instructions

INTERVIEWER: CHECK ONE BOX ON EACH LINE. YOU MAY NEED TO EXPLAIN SOME OF THER DRUG CATEGORIES LISTED IN THE TABLE

AGE OF METHAMPHETAMINE TABLETS (Age_Meth)**File: KEY INFORMANT DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 8-35

Valid cases: 226
 Invalid: 2562
 Minimum: 8
 Maximum: 35
 Mean: 17.9

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is First of all I am going to ask you about different types of drugs that drug users in your area might use. For each drug type that I read out, please could you say whether you think it is "commonly used" in your area, if there is "some use", if it is "rarely used", if it is not used at all in your area, or if you "don't know".

Literal question

Typical Age of First Use

Interviewer instructions

INTERVIEWER: CHECK ONE BOX ON EACH LINE. YOU MAY NEED TO EXPLAIN SOME OF THER DRUG CATEGORIES LISTED IN THE TABLE

LEVEL OF HEROIN USE (B1.12Heroin)**File: KEY INFORMANT DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2428
 Invalid: 360
 Minimum: 1
 Maximum: 9

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is First of all I am going to ask you about different types of drugs that drug users in your area might use. For each drug type that I read out, please could you say whether you think it is "commonly used" in your area, if there is "some use", if it is "rarely used", if it is not used at all in your area, or if you "don't know".

Literal question

Heroin ?

LEVEL OF HEROIN USE (B1.12Heroin)

File: KEY INFORMANT DATA

Interviewer instructions

INTERVIEWER: CHECK ONE BOX ON EACH LINE. YOU MAY NEED TO EXPLAIN SOME OF THEIR DRUG CATEGORIES LISTED IN THE TABLE

AGE OF HEROIN (AgeHeroin)

File: KEY INFORMANT DATA

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 9-40

Valid cases: 561
Invalid: 2227
Minimum: 9
Maximum: 40
Mean: 20.1

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is First of all I am going to ask you about different types of drugs that drug users in your area might use. For each drug type that I read out, please could you say whether you think it is "commonly used" in your area, if there is "some use", if it is "rarely used", if it is not used at all in your area, or if you "don't know".

Literal question

Typical Age of First Use

Interviewer instructions

INTERVIEWER: CHECK ONE BOX ON EACH LINE. YOU MAY NEED TO EXPLAIN SOME OF THEIR DRUG CATEGORIES LISTED IN THE TABLE

LEVEL OF LSD (LYSERGIC ACID DIETHYLAMIDE) (B1.13LSD)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2223
Invalid: 565
Minimum: 1
Maximum: 9

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is First of all I am going to ask you about different types of drugs that drug users in your area might use. For each drug type that I read out, please could you say whether you think it is "commonly used" in your area, if there is "some use", if it is "rarely used", if it is not used at all in your area, or if you "don't know".

Literal question

LSD (Lysergic Acid Diethylamide) ?

Interviewer instructions

INTERVIEWER: CHECK ONE BOX ON EACH LINE. YOU MAY NEED TO EXPLAIN SOME OF THEIR DRUG CATEGORIES LISTED IN THE TABLE

AGE OF LSD (LYSERGIC ACID DIETHYLAMIDE) (AgeLSD)

File: KEY INFORMANT DATA

Overview

AGE OF LSD (LYSERGIC ACID DIETHYLAMIDE) (AgeLSD)**File: KEY INFORMANT DATA**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 9-40

Valid cases: 148
 Invalid: 2640
 Minimum: 9
 Maximum: 40
 Mean: 15.5

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is First of all I am going to ask you about different types of drugs that drug users in your area might use. For each drug type that I read out, please could you say whether you think it is "commonly used" in your area, if there is "some use", if it is "rarely used", if it is not used at all in your area, or if you "don't know".

Literal question

Typical Age of First Use

Interviewer instructions

INTERVIEWER: CHECK ONE BOX ON EACH LINE. YOU MAY NEED TO EXPLAIN SOME OF THER DRUG CATEGORIES LISTED IN THE TABLE

LEVEL OF PCP (PHENCYCLIDINE) (B1.14PCP)**File: KEY INFORMANT DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2210
 Invalid: 578
 Minimum: 1
 Maximum: 9

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is First of all I am going to ask you about different types of drugs that drug users in your area might use. For each drug type that I read out, please could you say whether you think it is "commonly used" in your area, if there is "some use", if it is "rarely used", if it is not used at all in your area, or if you "don't know".

Literal question

PCP (Phencyclidine) ?

Interviewer instructions

INTERVIEWER: CHECK ONE BOX ON EACH LINE. YOU MAY NEED TO EXPLAIN SOME OF THER DRUG CATEGORIES LISTED IN THE TABLE

AGE OF PHENCYCLIDINE (AgePCP)**File: KEY INFORMANT DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 9-35

Valid cases: 137
 Invalid: 2651
 Minimum: 9
 Maximum: 35
 Mean: 14.1

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is First of all I am going to ask you about different types of drugs that drug users in your area might use. For each drug type that I read out, please could you say whether you think it is "commonly used" in your area, if there is "some use", if it is "rarely used", if it is not used at all in your area, or if you "don't know".

Literal question

Typical Age of First Use

Interviewer instructions

AGE OF PHENCYCLIDINE (AgePCP)**File: KEY INFORMANT DATA**

INTERVIEWER: CHECK ONE BOX ON EACH LINE. YOU MAY NEED TO EXPLAIN SOME OF THEIR DRUG CATEGORIES LISTED IN THE TABLE

LEVEL OF SOLVENTS/INHALANTS (SUCH AS GLUE)**(B1.15Solvents)****File: KEY INFORMANT DATA****Overview**

Type: Discrete	Valid cases: 2403
Format: numeric	Invalid: 385
Width: 1	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is First of all I am going to ask you about different types of drugs that drug users in your area might use. For each drug type that I read out, please could you say whether you think it is "commonly used" in your area, if there is "some use", if it is "rarely used", if it is not used at all in your area, or if you "don't know".

Literal question

Solvents/Inhalants (such as glue) ?

Interviewer instructions

INTERVIEWER: CHECK ONE BOX ON EACH LINE. YOU MAY NEED TO EXPLAIN SOME OF THEIR DRUG CATEGORIES LISTED IN THE TABLE

AGE OF SOLVENTS/INHALANTS (SUCH AS GLUE) (AgeSolvents)**File: KEY INFORMANT DATA****Overview**

Type: Continuous	Valid cases: 588
Format: numeric	Invalid: 2200
Width: 2	Minimum: 9
Decimals: 0	Maximum: 35
Range: 9-35	Mean: 17.1

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is First of all I am going to ask you about different types of drugs that drug users in your area might use. For each drug type that I read out, please could you say whether you think it is "commonly used" in your area, if there is "some use", if it is "rarely used", if it is not used at all in your area, or if you "don't know".

Literal question

Typical Age of First Use

Interviewer instructions

INTERVIEWER: CHECK ONE BOX ON EACH LINE. YOU MAY NEED TO EXPLAIN SOME OF THEIR DRUG CATEGORIES LISTED IN THE TABLE

LEVEL OF COUGH SYRUP (E.G COLDEX) (B1.16CoughSyr)**File: KEY INFORMANT DATA****Overview**

LEVEL OF COUGH SYRUP (E.G COLDEX) (B1.16CoughSyr)**File: KEY INFORMANT DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2535
 Invalid: 253
 Minimum: 1
 Maximum: 9

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is First of all I am going to ask you about different types of drugs that drug users in your area might use. For each drug type that I read out, please could you say whether you think it is "commonly used" in your area, if there is "some use", if it is "rarely used", if it is not used at all in your area, or if you "don't know".

Literal question

Cough syrup (e.g. Coldex) ?

Interviewer instructions

INTERVIEWER: CHECK ONE BOX ON EACH LINE. YOU MAY NEED TO EXPLAIN SOME OF THER DRUG CATEGORIES LISTED IN THE TABLE

AGE OF COUGH STRUP (E.G COLDEX) (AgeCoughSyr)**File: KEY INFORMANT DATA****Overview**

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 6-50

Valid cases: 957
 Invalid: 1831
 Minimum: 6
 Maximum: 50
 Mean: 16.9

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is First of all I am going to ask you about different types of drugs that drug users in your area might use. For each drug type that I read out, please could you say whether you think it is "commonly used" in your area, if there is "some use", if it is "rarely used", if it is not used at all in your area, or if you "don't know".

Literal question

Typical Age of First Use

Interviewer instructions

INTERVIEWER: CHECK ONE BOX ON EACH LINE. YOU MAY NEED TO EXPLAIN SOME OF THER DRUG CATEGORIES LISTED IN THE TABLE

OTHERS SPECIFIED LEVEL (B1.17Other)**File: KEY INFORMANT DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 575
 Invalid: 2213
 Minimum: 1
 Maximum: 9

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is First of all I am going to ask you about different types of drugs that drug users in your area might use. For each drug type that I read out, please could you say whether you think it is "commonly used" in your area, if there is "some use", if it is "rarely used", if it is not used at all in your area, or if you "don't know".

Literal question

Others (specify)

Interviewer instructions

OTHERS SPECIFIED LEVEL (B1.17Other)

File: KEY INFORMANT DATA

INTERVIEWER: CHECK ONE BOX ON EACH LINE. YOU MAY NEED TO EXPLAIN SOME OF THEIR DRUG CATEGORIES LISTED IN THE TABLE

AGE OF OTHER SPECIFIED (AgeOther)

File: KEY INFORMANT DATA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-32

Valid cases: 129
 Invalid: 2659
 Minimum: 1
 Maximum: 32
 Mean: 15.8

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is

Literal question

Typical Age of First Use

THREE DRUGS COMMONLY USED BY MEN IN YOUR AREA (B2aMenCommon)

File: KEY INFORMANT DATA

Overview

Type: Discrete
 Format: character
 Width: 2

Valid cases: 2696
 Invalid: 0

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is

Now I would like you to think about the types of drugs that MEN in your area use.

Literal question

In general which out of the drug types we just talked about, would you say are the THREE drugs most commonly used by MEN in your area?

Most common drug used by MEN

Interviewer instructions

(Record in order starting with the MOST common drug)

SECOND MOST COMMONLY USED DRUGS BY MEN IN YOUR AREA (B2bMenCommon)

File: KEY INFORMANT DATA

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-17

Valid cases: 2719
 Invalid: 69

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is

Literal question

SECOND MOST COMMONLY USED DRUGS BY MEN IN YOUR AREA (B2bMenCommon)

File: KEY INFORMANT DATA

In general which out of the drug types we just talked about, would you say are the THREE drugs most commonly used by MEN in your area?

Second most common drug used by MEN

Interviewer instructions

(Record in order starting with the MOST common drug)

THIRD MOST COMMONLY USED DRUGS BY MEN IN YOUR AREA (B2cMenCommon)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Valid cases: 2683
Invalid: 105

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is

Literal question

In general which out of the drug types we just talked about, would you say are the THREE drugs most commonly used by MEN in your area?

Third most common drug used by MEN

Interviewer instructions

(Record in order starting with the MOST common drug)

THREE DRUGS COMMONLY USED BY WOMEN IN YOUR AREA (B3aWomenCom)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Valid cases: 2683
Invalid: 105

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is

Now I would like you to think about the types of drugs that WOMEN in your area use.

Literal question

In general which out of the drug types we just talked about, would you say are the THREE drugs most commonly used by WOMEN in your area?

Most common drug used by WOMEN

Interviewer instructions

(Record in order starting with the MOST common drug)

SECOND MOST COMMONLY USED DRUGS BY WOMEN IN YOUR AREA (B3bWomenCommon)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Valid cases: 2646
Invalid: 142

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is

Now I would like you to think about the types of drugs that WOMEN in your area use.

Literal question

In general which out of the drug types we just talked about, would you say are the THREE drugs most commonly used by WOMEN in your area?

Second most common drug used by WOMEN

Interviewer instructions

(Record in order starting with the MOST common drug)

THIRD MOST COMMONLY USED DRUGS BY WOMEN IN YOUR AREA (B3cWomenCommon)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Valid cases: 2566
Invalid: 222

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is

Now I would like you to think about the types of drugs that WOMEN in your area use.

Literal question

In general which out of the drug types we just talked about, would you say are the THREE drugs most commonly used by WOMEN in your area?

Third most common drug used by WOMEN

Interviewer instructions

(Record in order starting with the MOST common drug)

THREE DRUGS COMMONLY USED BY YOUTH IN YOUR AREA (B4aYouthCom)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-17

Valid cases: 2663
Invalid: 125

Pre question

THREE DRUGS COMMONLY USED BY YOUTH IN YOUR AREA (B4aYouthCom)

File: KEY INFORMANT DATA

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is

Please think now about YOUNG PEOPLE in your area. By “young” I mean young men and women who are between 16 and 25 years old.

Literal question

Which of the drug types we just talked about, would you say are the THREE drugs most commonly used by YOUNG people in your area?

Most common drug used by young men and women aged 16-25 years

Interviewer instructions

(Record in order with the MOST common drug)

SECOND MOST COMMONLY USED DRUGS BY YOUTH IN YOUR AREA (B4bYouthCommon)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-17

Valid cases: 2702
Invalid: 86

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is

Please think now about YOUNG PEOPLE in your area. By “young” I mean young men and women who are between 16 and 25 years old.

Literal question

Which of the drug types we just talked about, would you say are the THREE drugs most commonly used by YOUNG people in your area?

Second most common used by young 5 men and women aged 16-25 years

Interviewer instructions

(Record in order with the MOST common drug)

THIRD MOST COMMONLY USED DRUGS BY YOUTH IN YOUR AREA (B4cYouthCom)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Valid cases: 2661
Invalid: 127

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is

Please think now about YOUNG PEOPLE in your area. By “young” I mean young men and women who are between 16 and 25 years old.

Literal question

THIRD MOST COMMONLY USED DRUGS BY YOUTH IN YOUR AREA (B4cYouthCom)

File: KEY INFORMANT DATA

Which of the drug types we just talked about, would you say are the THREE drugs most commonly used by YOUNG people in your area?

Third most common used by young men and women aged 16-25 years

Interviewer instructions

(Record in order with the MOST common drug)

THREE DRUGS COMMONLY USED BY ADOLESCENTS IN YOUR AREA (B5aAdolescent)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Valid cases: 2645
Invalid: 143

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is

And finally, think specifically about ADOLESCENTS in you area. By "adolescents" I mean boys and girls less than 16 years of age.

Literal question

Which of the drug types we just talked about, would you say are the THREE drugs most commonly used by ADOLESCENTS in your area?

Most common drug used by adolescents boys and girls less than 16 years

Interviewer instructions

(Record in order with the MOST common drug)

SECOND MOST COMMONLY USED DRUGS BY ADOLESCENTS IN YOUR AREA (B5bAdolescent)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Valid cases: 2595
Invalid: 193

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is

And finally, think specifically about ADOLESCENTS in you area. By "adolescents" I mean boys and girls less than 16 years of age.

Literal question

Which of the drug types we just talked about, would you say are the THREE drugs most commonly used by ADOLESCENTS in your area?

Second most common used by adolescents boys and girls less than 16 years

Interviewer instructions

(Record in order with the MOST common drug)

THIRD MOST COMMONLY USED DRUGS BY ADOLESCENT IN YOUR AREA (B5cAdolescent)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Valid cases: 2495
Invalid: 293

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is

And finally, think specifically about ADOLESCENTS in you area. By "adolescents" I mean boys and girls less than 16 years of age.

Literal question

Which of the drug types we just talked about, would you say are the THREE drugs most commonly used by ADOLESCENTS in your area?

Third most common used by adolescents boys and girls less than 16 years

Interviewer instructions

(Record in order with the MOST common drug)

LEVEL OF INJECTION AMONG DRUG USERS IN YOUR AREA (B6Injection)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2645
Invalid: 143

Pre question

In this first section, we are interested in obtaining your general views about drugs and their use in this area/area which is

Literal question

Overall, how common would you say drug use by injection is amongst drug users in your area?

since last five years (C1.1Cannabis)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2680
Invalid: 108

Pre question

We are interested in knowing how patterns of drug use in your area might have changed in the past few years. Firstly, please think about changes in patterns of drug use which have occurred in your area SINCE 2009

Literal question

The options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Cannabis (herb or resin) in your area has increased/decreased since last 5 years?

since last five years (C1.2Meth)**File: KEY INFORMANT DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2266
 Invalid: 522

Pre question

We are interested in knowing how patterns of drug use in your area might have changed in the past few years. Firstly, please think about changes in patterns of drug use which have occurred in your area SINCE 2009

Literal question

The options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Methamphetamine (crystal or powder) in your area has increased/decreased since last 5 years?

since last five years (C1.3Cocaine)**File: KEY INFORMANT DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2460
 Invalid: 328

Pre question

We are interested in knowing how patterns of drug use in your area might have changed in the past few years. Firstly, please think about changes in patterns of drug use which have occurred in your area SINCE 2009

Literal question

The options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Cocaine in your area has increased/decreased since last 5 years?

since last five years (C1.4CrackC)**File: KEY INFORMANT DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2370
 Invalid: 418

Pre question

We are interested in knowing how patterns of drug use in your area might have changed in the past few years. Firstly, please think about changes in patterns of drug use which have occurred in your area SINCE 2009

Literal question

The options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Crack cocaine in your area has increased/decreased since last 5 years?

since last five years (C1.5Ecstasy)**File: KEY INFORMANT DATA****Overview**

since last five years (C1.5Ecstasy)**File: KEY INFORMANT DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2274
 Invalid: 514

Pre question

We are interested in knowing how patterns of drug use in your area might have changed in the past few years. Firstly, please think about changes in patterns of drug use which have occurred in your area SINCE 2009

Literal question

The options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Ecstasy in your area has increased/decreased since last 5 years?

since last five years (C1.6Tranquillizers)**File: KEY INFORMANT DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2417
 Invalid: 371

Pre question

We are interested in knowing how patterns of drug use in your area might have changed in the past few years. Firstly, please think about changes in patterns of drug use which have occurred in your area SINCE 2009

Literal question

The options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Tranquilizers (such as Bromazepam, valium, tropium, calmpose) in your area has increased/decreased since last 5 years?

since last five years (C1.7Alcohol)**File: KEY INFORMANT DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2605
 Invalid: 183

Pre question

We are interested in knowing how patterns of drug use in your area might have changed in the past few years. Firstly, please think about changes in patterns of drug use which have occurred in your area SINCE 2009

Literal question

The options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Alcohol in your area has increased/decreased since last 5 years?

since last five years (C1.8Maltranal)**File: KEY INFORMANT DATA****Overview**

since last five years (C1.8Maltranal)**File: KEY INFORMANT DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2060
 Invalid: 728

Pre question

We are interested in knowing how patterns of drug use in your area might have changed in the past few years. Firstly, please think about changes in patterns of drug use which have occurred in your area SINCE 2009

Literal question

The options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Maltranal in your area has increased/decreased since last 5 years?

since last five years (C1.9Painkillers)**File: KEY INFORMANT DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2538
 Invalid: 250

Pre question

We are interested in knowing how patterns of drug use in your area might have changed in the past few years. Firstly, please think about changes in patterns of drug use which have occurred in your area SINCE 2009

Literal question

The options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Painkillers or analgesics (such as Tramadol, Morphine, Pethidine, Pentazocine) in your area has increased/decreased since last 5 years?

since last five years (C1.10Amphetamine)**File: KEY INFORMANT DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2278
 Invalid: 510

Pre question

We are interested in knowing how patterns of drug use in your area might have changed in the past few years. Firstly, please think about changes in patterns of drug use which have occurred in your area SINCE 2009

Literal question

The options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Amphetamines such as Dexedrine or Adderall in your area has increased/decreased since last 5 years?

since last five years (C1.11MethTab)**File: KEY INFORMANT DATA****Overview**

since last five years (C1.11MethTab)**File: KEY INFORMANT DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2272
 Invalid: 516

Pre question

We are interested in knowing how patterns of drug use in your area might have changed in the past few years. Firstly, please think about changes in patterns of drug use which have occurred in your area SINCE 2009

Literal question

The options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Methamphetamine tablets such as Pervitin, Methedrine, or Desoxyn in your area has increased/decreased since last 5 years?

since last five years (C1.12Heroin)**File: KEY INFORMANT DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2422
 Invalid: 366

Pre question

We are interested in knowing how patterns of drug use in your area might have changed in the past few years. Firstly, please think about changes in patterns of drug use which have occurred in your area SINCE 2009

Literal question

The options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Heroin in your area has increased/decreased since last 5 years?

since last five years (C1.13LSD)**File: KEY INFORMANT DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2213
 Invalid: 575

Pre question

We are interested in knowing how patterns of drug use in your area might have changed in the past few years. Firstly, please think about changes in patterns of drug use which have occurred in your area SINCE 2009

Literal question

The options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of LSD (Lysergic Acid Diethylamide) in your area has increased/decreased since last 5 years?

since last five years (C1.14PCP)**File: KEY INFORMANT DATA****Overview**

since last five years (C1.14PCP)**File: KEY INFORMANT DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2202
 Invalid: 586

Pre question

We are interested in knowing how patterns of drug use in your area might have changed in the past few years. Firstly, please think about changes in patterns of drug use which have occurred in your area SINCE 2009

Literal question

The options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of PCP (Phencyclidine) in your area has increased/decreased since last 5 years?

since last five years (C1.15Solvents)**File: KEY INFORMANT DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2400
 Invalid: 388

Pre question

We are interested in knowing how patterns of drug use in your area might have changed in the past few years. Firstly, please think about changes in patterns of drug use which have occurred in your area SINCE 2009

Literal question

The options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Solvents/Inhalants (such as glue) in your area has increased/decreased since last 5 years?

since last five years (C1.16Cough)**File: KEY INFORMANT DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2535
 Invalid: 253

Pre question

We are interested in knowing how patterns of drug use in your area might have changed in the past few years. Firstly, please think about changes in patterns of drug use which have occurred in your area SINCE 2009

Literal question

The options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Cough syrup (e.g. Coldex) in your area has increased/decreased since last 5 years?

since last five years (C1.17Other)**File: KEY INFORMANT DATA****Overview**

since last five years (C1.17Other)**File: KEY INFORMANT DATA**

Type: Discrete
 Format: character
 Width: 24

Valid cases: 793
 Invalid: 0

Pre question

We are interested in knowing how patterns of drug use in your area might have changed in the past few years. Firstly, please think about changes in patterns of drug use which have occurred in your area SINCE 2009

Literal question

The options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Other drugs (specify) in your area has increased/decreased since last 5 years?

REASONS FOR CHANGE OF SPECIFIC DRUGS OVER THE LAST FIVE YEARS IN YOUR AREA (C2ChangeReason)

File: KEY INFORMANT DATA**Overview**

Type: Discrete
 Format: character
 Width: 201

Pre question

We are interested in knowing how patterns of drug use in your area might have changed in the past few years. Firstly, please think about changes in patterns of drug use which have occurred in your area SINCE 2009

Literal question

If you could think and describe in your own words, what, in your opinion, could be the reasons that may be important for this change (decrease and/or increase) in the use of specific drugs over the past five years in your area? Ask probing questions [List drug type and write additional reasons]

DRUG DECREASE SINCE LAST 12 MONTH (C3.1Cannabis)**File: KEY INFORMANT DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2553
 Invalid: 235

Pre question

We are interested in knowing how patterns of drug use in your area might have changed in the past few years. Firstly, please think about changes in patterns of drug use which have occurred in your area SINCE 2009.

Now, if you could think of some recent changes, i.e., in the PAST 12 MONTHS in the patterns or trends of drug use in your area and answer the questions

Literal question

As above, the options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Cannabis (herb or resin) in your area has increased/decreased since last 12 months?

DRUG DECREASE SINCE LAST 12 MONTH (C3.2Meth)**File: KEY INFORMANT DATA****Overview**

DRUG DECREASE SINCE LAST 12 MONTH (C3.2Meth)**File: KEY INFORMANT DATA**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2190
 Invalid: 598

Pre question

We are interested in knowing how patterns of drug use in your area might have changed in the past few years. Firstly, please think about changes in patterns of drug use which have occurred in your area SINCE 2009.

Now, if you could think of some recent changes, i.e., in the PAST 12 MONTHS in the patterns or trends of drug use in your area and answer the questions

Literal question

As above, the options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Methamphetamine (crystal or powder) in your area has increased/decreased since last 12 months?

DRUG DECREASE SINCE LAST 12 MONTH (C3.3Cocaine)**File: KEY INFORMANT DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2349
 Invalid: 439

Pre question

We are interested in knowing how patterns of drug use in your area might have changed in the past few years. Firstly, please think about changes in patterns of drug use which have occurred in your area SINCE 2009.

Now, if you could think of some recent changes, i.e., in the PAST 12 MONTHS in the patterns or trends of drug use in your area and answer the questions

Literal question

As above, the options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Cocaine in your area has increased/decreased since last 12 months?

DRUG DECREASE SINCE LAST 12 MONTH (C3.4CrackCocaine)**File: KEY INFORMANT DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2280
 Invalid: 508

Pre question

We are interested in knowing how patterns of drug use in your area might have changed in the past few years. Firstly, please think about changes in patterns of drug use which have occurred in your area SINCE 2009.

Now, if you could think of some recent changes, i.e., in the PAST 12 MONTHS in the patterns or trends of drug use in your area and answer the questions

Literal question

As above, the options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Cocaine in your area has increased/decreased since last 12 months?

DRUG DECREASE SINCE LAST 12 MONTH (C3.5Ecstasy)**File: KEY INFORMANT DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2193
 Invalid: 595

Pre question

We are interested in knowing how patterns of drug use in your area might have changed in the past few years. Firstly, please think about changes in patterns of drug use which have occurred in your area SINCE 2009.

Now, if you could think of some recent changes, i.e., in the PAST 12 MONTHS in the patterns or trends of drug use in your area and answer the questions

Literal question

As above, the options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Ecstasy in your area has increased/decreased since last 12 months?

DRUG DECREASE SINCE LAST 12 MONTH (C3.6Tranquilizer)**File: KEY INFORMANT DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2337
 Invalid: 451

Pre question

We are interested in knowing how patterns of drug use in your area might have changed in the past few years. Firstly, please think about changes in patterns of drug use which have occurred in your area SINCE 2009.

Now, if you could think of some recent changes, i.e., in the PAST 12 MONTHS in the patterns or trends of drug use in your area and answer the questions

Literal question

As above, the options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Tranquilizers (such as Bromazepam, valium, tropium, calmpose) in your area has increased/decreased since last 12 months?

DRUG DECREASE SINCE LAST 12 MONTH (C3.7Alcohol)**File: KEY INFORMANT DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2520
 Invalid: 268

Pre question

We are interested in knowing how patterns of drug use in your area might have changed in the past few years. Firstly, please think about changes in patterns of drug use which have occurred in your area SINCE 2009.

Now, if you could think of some recent changes, i.e., in the PAST 12 MONTHS in the patterns or trends of drug use in your area and answer the questions

Literal question

DRUG DECREASE SINCE LAST 12 MONTH (C3.7Alcohol)**File: KEY INFORMANT DATA**

As above, the options for each answer are “Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot”. Overall would say that use of Alcohol in your area has increased/decreased since last 12 months?

DRUG DECREASE SINCE LAST 12 MONTH (C3.8Maltranal)**File: KEY INFORMANT DATA****Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2026
Invalid: 762

Pre question

We are interested in knowing how patterns of drug use in your area might have changed in the past few years. Firstly, please think about changes in patterns of drug use which have occurred in your area SINCE 2009.

Now, if you could think of some recent changes, i.e., in the PAST 12 MONTHS in the patterns or trends of drug use in your area and answer the questions

Literal question

As above, the options for each answer are “Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot”. Overall would say that use of Maltranal in your area has increased/decreased since last 12 months?

DRUG DECREASE SINCE LAST 12 MONTH (C3.9PainKiller)**File: KEY INFORMANT DATA****Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2418
Invalid: 370

Pre question

We are interested in knowing how patterns of drug use in your area might have changed in the past few years. Firstly, please think about changes in patterns of drug use which have occurred in your area SINCE 2009.

Now, if you could think of some recent changes, i.e., in the PAST 12 MONTHS in the patterns or trends of drug use in your area and answer the questions

Literal question

As above, the options for each answer are “Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot”. Overall would say that use of Painkillers or analgesics (such as Tramadol, Morphine, Pethidine, Pentazocine) in your area has increased/decreased since last 12 months?

DRUG DECREASE SINCE LAST 12 MONTH (C3.10Amph)**File: KEY INFORMANT DATA****Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2177
Invalid: 611

DRUG DECREASE SINCE LAST 12 MONTH (C3.10Amph)**File: KEY INFORMANT DATA****Pre question**

We are interested in knowing how patterns of drug use in your area might have changed in the past few years. Firstly, please think about changes in patterns of drug use which have occurred in your area SINCE 2009.

Now, if you could think of some recent changes, i.e., in the PAST 12 MONTHS in the patterns or trends of drug use in your area and answer the questions

Literal question

As above, the options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Amphetamines such as Dexedrine or Adderall in your area has increased/decreased since last 12 months?

DRUG DECREASE SINCE LAST 12 MONTH (C3.11Meth)**File: KEY INFORMANT DATA****Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2158
Invalid: 630

Pre question

We are interested in knowing how patterns of drug use in your area might have changed in the past few years. Firstly, please think about changes in patterns of drug use which have occurred in your area SINCE 2009.

Now, if you could think of some recent changes, i.e., in the PAST 12 MONTHS in the patterns or trends of drug use in your area and answer the questions

Literal question

As above, the options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Methamphetamine tablets such as Pervitin, Methedrine, or Desoxyn in your area has increased/decreased since last 12 months?

DRUG DECREASE SINCE LAST 12 MONTH (C3.12Heroin)**File: KEY INFORMANT DATA****Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2312
Invalid: 476

Pre question

We are interested in knowing how patterns of drug use in your area might have changed in the past few years. Firstly, please think about changes in patterns of drug use which have occurred in your area SINCE 2009.

Now, if you could think of some recent changes, i.e., in the PAST 12 MONTHS in the patterns or trends of drug use in your area and answer the questions

Literal question

As above, the options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Heroin in your area has increased/decreased since last 12 months?

DRUG DECREASE SINCE LAST 12 MONTH (C3.13LSD)**File: KEY INFORMANT DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2113
 Invalid: 675

Pre question

We are interested in knowing how patterns of drug use in your area might have changed in the past few years. Firstly, please think about changes in patterns of drug use which have occurred in your area SINCE 2009.

Now, if you could think of some recent changes, i.e., in the PAST 12 MONTHS in the patterns or trends of drug use in your area and answer the questions

Literal question

As above, the options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of LSD (Lysergic Acid Diethylamide) in your area has increased/decreased since last 12 months?

DRUG DECREASE SINCE LAST 12 MONTH (C3.14PCP)**File: KEY INFORMANT DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2107
 Invalid: 681

Pre question

We are interested in knowing how patterns of drug use in your area might have changed in the past few years. Firstly, please think about changes in patterns of drug use which have occurred in your area SINCE 2009.

Now, if you could think of some recent changes, i.e., in the PAST 12 MONTHS in the patterns or trends of drug use in your area and answer the questions

Literal question

As above, the options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of PCP (Phencyclidine) in your area has increased/decreased since last 12 months?

DRUG DECREASE SINCE LAST 12 MONTH (C3.15Solvents)**File: KEY INFORMANT DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2320
 Invalid: 468

Pre question

We are interested in knowing how patterns of drug use in your area might have changed in the past few years. Firstly, please think about changes in patterns of drug use which have occurred in your area SINCE 2009.

Now, if you could think of some recent changes, i.e., in the PAST 12 MONTHS in the patterns or trends of drug use in your area and answer the questions

Literal question

DRUG DECREASE SINCE LAST 12 MONTH (C3.15Solvents)**File: KEY INFORMANT DATA**

As above, the options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Solvents/Inhalants (such as glue) in your area has increased/decreased since last 12 months?

DRUG DECREASE SINCE LAST 12 MONTH (C3.16Cough)**File: KEY INFORMANT DATA****Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2431
Invalid: 357

Pre question

We are interested in knowing how patterns of drug use in your area might have changed in the past few years. Firstly, please think about changes in patterns of drug use which have occurred in your area SINCE 2009.

Now, if you could think of some recent changes, i.e., in the PAST 12 MONTHS in the patterns or trends of drug use in your area and answer the questions

Literal question

As above, the options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Cough syrup (e.g. Coldex) in your area has increased/decreased since last 12 months?

DRUG DECREASE SINCE LAST 12 MONTH (C3.17Others)**File: KEY INFORMANT DATA****Overview**

Type: Discrete
Format: character
Width: 26

Valid cases: 607
Invalid: 0

Pre question

We are interested in knowing how patterns of drug use in your area might have changed in the past few years. Firstly, please think about changes in patterns of drug use which have occurred in your area SINCE 2009.

Now, if you could think of some recent changes, i.e., in the PAST 12 MONTHS in the patterns or trends of drug use in your area and answer the questions

Literal question

As above, the options for each answer are "Not used (in the area), Decreased a lot, Decreased a little, Not changed, Increased a little or Increased a lot". Overall would say that use of Other drugs (specify) in your area has increased/decreased since last 12 months?

REASONS FOR CHANGE OF SPECIFIC DRUGS IN YOUR AREA OVER THE LAST ONE YEAR (C4OneYearReason)**File: KEY INFORMANT DATA****Overview**

Type: Discrete
Format: character
Width: 100

Pre question

REASONS FOR CHANGE OF SPECIFIC DRUGS IN YOUR AREA OVER THE LAST ONE YEAR (C4OneYearReason)

File: KEY INFORMANT DATA

We are interested in knowing how patterns of drug use in your area might have changed in the past few years. Firstly, please think about changes in patterns of drug use which have occurred in your area SINCE 2009

Literal question

If you could think and describe in your own words, what, in your opinion, could be the major reasons that may be important for this change (decrease and/or increase) in the use of specific drugs over the last one year in your area? Ask probing questions [List drug type and write additional reasons]

EVIDENCE OF NEW DRUGS BEING USED OVER THE LAST YEAR IN YOUR AREA (C5NewDrug)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: character
Width: 16

Valid cases: 2514
Invalid: 0

Pre question

We are interested in knowing how patterns of drug use in your area might have changed in the past few years. Firstly, please think about changes in patterns of drug use which have occurred in your area SINCE 2009

Literal question

Would you say there has been evidence of any new drugs being used over the last year or so, in your area?

E.G OF NEW DRUGS (C5NAME)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: character
Width: 30

Valid cases: 272
Invalid: 0

Pre question

We are interested in knowing how patterns of drug use in your area might have changed in the past few years. Firstly, please think about changes in patterns of drug use which have occurred in your area SINCE 2009

Literal question

If yes, please specify

MEN LOWER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D1iMenlowincome)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-12

Valid cases: 2456
Invalid: 332

Pre question

MEN LOWER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D1iMenlowincome)

File: KEY INFORMANT DATA

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's talk about the socio economic status (e.g. low income group / poor, middle class, upper class, etc) of the people who use drugs in your area.

So, firstly, thinking about ALL MEN and the 3 common drugs they use in your area, as we discussed earlier,

Literal question

What in your opinion are the socio economic status of MEN using [drug] in your area?

Low income

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

MEN MIDDLE INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D1iMenMiddleincome)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1781
Invalid: 1007

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's talk about the socio economic status (e.g. low income group / poor, middle class, upper class, etc) of the people who use drugs in your area.

Literal question

What in your opinion are the socio economic status of MEN using [drug] in your area?

Middle income

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

MEN UPPER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D1iMenUpperincome)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1658
Invalid: 1130

Pre question

MEN UPPER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D1iMenUpperincome)

File: KEY INFORMANT DATA

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's talk about the socio economic status (e.g. low income group / poor, middle class, upper class, etc) of the people who use drugs in your area.

Literal question

What in your opinion are the socio economic status of MEN using [drug] in your area?

Upper income

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

MEN LOWER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D1iiMenLowIncom)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2387
Invalid: 401

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's talk about the socio economic status (e.g. low income group / poor, middle class, upper class, etc) of the people who use drugs in your area.

Literal question

What in your opinion are the socio economic status of MEN using [drug] in your area?

Low income

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

MEN MIDDLE INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D1iiMenMiddleincome)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-12

Valid cases: 1814
Invalid: 974

Pre question

MEN MIDDLE INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D1iiMenMiddleincome)

File: KEY INFORMANT DATA

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's talk about the socio economic status (e.g. low income group / poor, middle class, upper class, etc) of the people who use drugs in your area.

Literal question

What in your opinion are the socio economic status of MEN using [drug] in your area?

Middle income

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

MEN UPPER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D1iiMenUpperIncome)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1657
Invalid: 1131

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's talk about the socio economic status (e.g. low income group / poor, middle class, upper class, etc) of the people who use drugs in your area.

Literal question

What in your opinion are the socio economic status of MEN using [drug] in your area?

Upper income

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

MEN LOWER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D1iiiMenLowIncome)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2372
Invalid: 416

Pre question

MEN LOWER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D1iiiMenLowIncome)

File: KEY INFORMANT DATA

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's talk about the socio economic status (e.g. low income group / poor, middle class, upper class, etc) of the people who use drugs in your area.

Literal question

What in your opinion are the socio economic status of MEN using [drug] in your area?

Low income

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

MEN MIDDLE INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D1iiiMenMiddleIncome)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1759
Invalid: 1029

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's talk about the socio economic status (e.g. low income group / poor, middle class, upper class, etc) of the people who use drugs in your area.

Literal question

What in your opinion are the socio economic status of MEN using [drug] in your area?

Middle income

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

MEN UPPER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D1iiiMenUpperIncome)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1667
Invalid: 1121

Pre question

MEN UPPER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D1iiiMenUpperIncome)

File: KEY INFORMANT DATA

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's talk about the socio economic status (e.g. low income group / poor, middle class, upper class, etc) of the people who use drugs in your area.

Literal question

What in your opinion are the socio economic status of MEN using [drug] in your area?

Upper income

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

WOMEN LOWER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D2iWomLowIncome)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2319
Invalid: 469

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's talk about the socio economic status (e.g. low income group / poor, middle class, upper class, etc) of the people who use drugs in your area.

I would now, like you to think about the WOMEN who use drugs in your area.

Literal question

What in your opinion are the socio-economic status of WOMEN using [drug] in your area? Low income

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

WOMEN MIDDLE INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D2iWomMiddleIncome)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1813
Invalid: 975

Pre question

WOMEN MIDDLE INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D2iWomMiddleIncome)

File: KEY INFORMANT DATA

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's talk about the socio economic status (e.g. low income group / poor, middle class, upper class, etc) of the people who use drugs in your area.

I would now, like you to think about the WOMEN who use drugs in your area.

Literal question

What in your opinion are the socio-economic status of WOMEN using [drug] in your area? Middle income

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

WOMEN UPPER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D2iWomUpperIncome)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1653
Invalid: 1135

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's talk about the socio economic status (e.g. low income group / poor, middle class, upper class, etc) of the people who use drugs in your area.

I would now, like you to think about the WOMEN who use drugs in your area.

Literal question

What in your opinion are the socio-economic status of WOMEN using [drug] in your area? Upper income

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

WOMEN LOWER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D2iiWomenLowIncome)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2295
Invalid: 493

Pre question

WOMEN LOWER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D2iiWomenLowIncome)

File: KEY INFORMANT DATA

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's talk about the socio economic status (e.g. low income group / poor, middle class, upper class, etc) of the people who use drugs in your area.

I would now, like you to think about the WOMEN who use drugs in your area.

Literal question

What in your opinion are the socio-economic status of WOMEN using [drug] in your area? Low income

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

WOMEN MIDDLE INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D2iiWomenMidIncome)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1757
Invalid: 1031

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's talk about the socio economic status (e.g. low income group / poor, middle class, upper class, etc) of the people who use drugs in your area.

I would now, like you to think about the WOMEN who use drugs in your area.

Literal question

What in your opinion are the socio-economic status of WOMEN using [drug] in your area? Middle income

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

WOMEN UPPER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D2iiWomUpperIncome)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1627
Invalid: 1161

Pre question

WOMEN UPPER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D2iiWomUpperIncome)

File: KEY INFORMANT DATA

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's talk about the socio economic status (e.g. low income group / poor, middle class, upper class, etc) of the people who use drugs in your area.

I would now, like you to think about the WOMEN who use drugs in your area.

Literal question

What in your opinion are the socio-economic status of WOMEN using [drug] in your area?Upper income

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

WOMEN LOWER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D2iiiWomLowIncome)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2227
Invalid: 561

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's talk about the socio economic status (e.g. low income group / poor, middle class, upper class, etc) of the people who use drugs in your area.

I would now, like you to think about the WOMEN who use drugs in your area.

Literal question

What in your opinion are the socio-economic status of WOMEN using [drug] in your area?Low income

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

WOMEN MIDDLE INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D2iiiWomMidIncome)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1657
Invalid: 1131

Pre question

WOMEN MIDDLE INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D2iiiWomMidIncome)

File: KEY INFORMANT DATA

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's talk about the socio economic status (e.g. low income group / poor, middle class, upper class, etc) of the people who use drugs in your area.

I would now, like you to think about the WOMEN who use drugs in your area.

Literal question

What in your opinion are the socio-economic status of WOMEN using [drug] in your area? Middle income

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

WOMEN UPPER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D2iiiWomUpperIncome)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1586
Invalid: 1202

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's talk about the socio economic status (e.g. low income group / poor, middle class, upper class, etc) of the people who use drugs in your area.

I would now, like you to think about the WOMEN who use drugs in your area.

Literal question

What in your opinion are the socio-economic status of WOMEN using [drug] in your area? Upper income

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

YOUTH LOWER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D3iYouthLowIncome)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2355
Invalid: 433

Pre question

YOUTH LOWER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D3iYouthLowIncome)

File: KEY INFORMANT DATA

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's talk about the socio economic status (e.g. low income group / poor, middle class, upper class, etc) of the people who use drugs in your area.

Now, if you could think of YOUNG PEOPLE i.e., both young men and women who are between 16 and 25 years old, who use drugs in your area:

Literal question

What in your opinion are the socio economic status of YOUNG MEN and WOMEN using [drug] in your area? Low Income

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

YOUTH MIDDLE INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D3iYouthMidIncome)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1691
Invalid: 1097

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's talk about the socio economic status (e.g. low income group / poor, middle class, upper class, etc) of the people who use drugs in your area.

Now, if you could think of YOUNG PEOPLE i.e., both young men and women who are between 16 and 25 years old, who use drugs in your area:

Literal question

What in your opinion are the socio economic status of YOUNG MEN and WOMEN using [drug] in your area? Middle Income

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

YOUTH UPPER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D3iYouthUpperIncome)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1605
Invalid: 1183

YOUTH UPPER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D3iYouthUpperIncome)

File: KEY INFORMANT DATA

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's talk about the socio economic status (e.g. low income group / poor, middle class, upper class, etc) of the people who use drugs in your area.

Now, if you could think of YOUNG PEOPLE i.e., both young men and women who are between 16 and 25 years old, who use drugs in your area:

Literal question

What in your opinion are the socio economic status of YOUNG MEN and WOMEN using [drug] in your area? Upper Income

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

YOUTH LOWER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D3iiYouthLowIncome)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2405
Invalid: 383

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's talk about the socio economic status (e.g. low income group / poor, middle class, upper class, etc) of the people who use drugs in your area.

Now, if you could think of YOUNG PEOPLE i.e., both young men and women who are between 16 and 25 years old, who use drugs in your area:

Literal question

What in your opinion are the socio economic status of YOUNG MEN and WOMEN using [drug] in your area? Low Income

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

YOUTH MIDDLE INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D3iiYouthMidIncome)

File: KEY INFORMANT DATA

Overview

YOUTH MIDDLE INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D3iiYouthMidIncome)

File: KEY INFORMANT DATA

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1728
Invalid: 1060

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's talk about the socio economic status (e.g. low income group / poor, middle class, upper class, etc) of the people who use drugs in your area.

Now, if you could think of YOUNG PEOPLE i.e., both young men and women who are between 16 and 25 years old, who use drugs in your area:

Literal question

What in your opinion are the socio economic status of YOUNG MEN and WOMEN using [drug] in your area? Middle Income

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

YOUTH UPPER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D3iiYouthUpperIncome)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1609
Invalid: 1179

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's talk about the socio economic status (e.g. low income group / poor, middle class, upper class, etc) of the people who use drugs in your area.

Now, if you could think of YOUNG PEOPLE i.e., both young men and women who are between 16 and 25 years old, who use drugs in your area:

Literal question

What in your opinion are the socio economic status of YOUNG MEN and WOMEN using [drug] in your area? Upper Income

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

YOUTH LOWER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D3iiiYouthLowIncome)

File: KEY INFORMANT DATA

YOUTH LOWER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D3iiiYouthLowIncome)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2298
Invalid: 490

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's talk about the socio economic status (e.g. low income group / poor, middle class, upper class, etc) of the people who use drugs in your area.

Now, if you could think of YOUNG PEOPLE i.e., both young men and women who are between 16 and 25 years old, who use drugs in your area:

Literal question

What in your opinion are the socio economic status of YOUNG MEN and WOMEN using [drug] in your area? Low Income

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

YOUTH MIDDLE INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D3iiiYouthMidIncome)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1729
Invalid: 1059

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's talk about the socio economic status (e.g. low income group / poor, middle class, upper class, etc) of the people who use drugs in your area.

Now, if you could think of YOUNG PEOPLE i.e., both young men and women who are between 16 and 25 years old, who use drugs in your area:

Literal question

What in your opinion are the socio economic status of YOUNG MEN and WOMEN using [drug] in your area? Middle Income

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

YOUTH UPPER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D3iiiYouthUpperIncome)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1622
Invalid: 1166

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's talk about the socio economic status (e.g. low income group / poor, middle class, upper class, etc) of the people who use drugs in your area.

Now, if you could think of YOUNG PEOPLE i.e., both young men and women who are between 16 and 25 years old, who use drugs in your area:

Literal question

What in your opinion are the socio economic status of YOUNG MEN and WOMEN using [drug] in your area? Upper Income

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

ADOLESCENTS LOWER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D4iAdolLowIncome)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2400
Invalid: 388

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's talk about the socio economic status (e.g. low income group / poor, middle class, upper class, etc) of the people who use drugs in your area.

And finally, think specifically about ADOLESCENTS in you area. As I had said, by "adolescents" I mean boys and girls less than 16 years of age.

Literal question

What in your opinion are the socio economic status of ADOLESCENTS using [drug] in your area? Low income

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

ADOLESCENTS MIDDLE INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D4iAdolMidIncome)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1648
Invalid: 1140

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's talk about the socio economic status (e.g. low income group / poor, middle class, upper class, etc) of the people who use drugs in your area.

And finally, think specifically about ADOLESCENTS in you area. As I had said, by "adolescents" I mean boys and girls less than 16 years of age.

Literal question

What in your opinion are the socio economic status of ADOLESCENTS using [drug] in your area? Middle income

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

ADOLESCENTS UPPER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D4iAdolUpperIncome)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1570
Invalid: 1218

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's talk about the socio economic status (e.g. low income group / poor, middle class, upper class, etc) of the people who use drugs in your area.

And finally, think specifically about ADOLESCENTS in you area. As I had said, by "adolescents" I mean boys and girls less than 16 years of age.

Literal question

What in your opinion are the socio economic status of ADOLESCENTS using [drug] in your area? Upper income

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

ADOLESCENTS LOWER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D4iiAdolLowIncome)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2293
Invalid: 495

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's talk about the socio economic status (e.g. low income group / poor, middle class, upper class, etc) of the people who use drugs in your area.

And finally, think specifically about ADOLESCENTS in you area. As I had said, by "adolescents" I mean boys and girls less than 16 years of age.

Literal question

What in your opinion are the socio economic status of ADOLESCENTS using [drug] in your area? Low income

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

ADOLESCENTS MIDDLE INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D4iiAdolMidIncome)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1640
Invalid: 1148

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's talk about the socio economic status (e.g. low income group / poor, middle class, upper class, etc) of the people who use drugs in your area.

And finally, think specifically about ADOLESCENTS in you area. As I had said, by "adolescents" I mean boys and girls less than 16 years of age.

Literal question

What in your opinion are the socio economic status of ADOLESCENTS using [drug] in your area Middle income

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

ADOLESCENTS UPPER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D4iiAdolUpperIncome)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1522
Invalid: 1266

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's talk about the socio economic status (e.g. low income group / poor, middle class, upper class, etc) of the people who use drugs in your area.

And finally, think specifically about ADOLESCENTS in you area. As I had said, by "adolescents" I mean boys and girls less than 16 years of age.

Literal question

What in your opinion are the socio economic status of ADOLESCENTS using [drug] in your area? Upper income

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

ADOLESCENTS LOWER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D4iiiAdolLowIncome)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2154
Invalid: 634

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's talk about the socio economic status (e.g. low income group / poor, middle class, upper class, etc) of the people who use drugs in your area.

And finally, think specifically about ADOLESCENTS in you area. As I had said, by "adolescents" I mean boys and girls less than 16 years of age.

Literal question

What in your opinion are the socio economic status of ADOLESCENTS using [drug] in your area? Low income

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

ADOLESCENTS MIDDLE INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D4iiiAdolMidIncome)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1587
Invalid: 1201

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's talk about the socio economic status (e.g. low income group / poor, middle class, upper class, etc) of the people who use drugs in your area.

And finally, think specifically about ADOLESCENTS in you area. As I had said, by "adolescents" I mean boys and girls less than 16 years of age.

Literal question

What in your opinion are the socio economic status of ADOLESCENTS using [drug] in your area? Middle income

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

ADOLESCENTS UPPER INCOME OF SOCIO ECONOMIC STATUS (USING DRUGS) (D4iiiAdolUpperIncome)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1557
Invalid: 1231

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's talk about the socio economic status (e.g. low income group / poor, middle class, upper class, etc) of the people who use drugs in your area.

And finally, think specifically about ADOLESCENTS in you area. As I had said, by "adolescents" I mean boys and girls less than 16 years of age.

Literal question

What in your opinion are the socio economic status of ADOLESCENTS using [drug] in your area? Upper income

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY MEN IN YOUR AREA (D5iMenSetting1)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2362
Invalid: 426

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's focus on the common settings/locations in which drugs are used in your area. Some of the locations or settings in which drugs are used can be abandoned buildings, parks, on the streets, home, schools, graveyards, etc. So thinking about all the MEN and the common drugs they use in your area,

Literal question

What in your opinion/knowledge are the common settings/locations in which drugs are used by MEN in your area?
Setting 1

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY MEN IN YOUR AREA (D5iMenSetting2)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2108
Invalid: 680

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's focus on the common settings/locations in which drugs are used in your area. Some of the locations or settings in which drugs are used can be abandoned buildings, parks, on the streets, home, schools, graveyards, etc. So thinking about all the MEN and the common drugs they use in your area,

Literal question

What in your opinion/knowledge are the common settings/locations in which drugs are used by MEN in your area?
Setting 2

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY MEN IN YOUR AREA (D5iMenSetting3)

File: KEY INFORMANT DATA

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY MEN IN YOUR AREA (D5iMenSetting3)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2062
Invalid: 726

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's focus on the common settings/locations in which drugs are used in your area. Some of the locations or settings in which drugs are used can be abandoned buildings, parks, on the streets, home, schools, graveyards, etc. So thinking about all the MEN and the common drugs they use in your area,

Literal question

What in your opinion/knowledge are the common settings/locations in which drugs are used by MEN in your area?
Setting 3

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY MEN IN YOUR AREA (D5iMenSetting4)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1915
Invalid: 873

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's focus on the common settings/locations in which drugs are used in your area. Some of the locations or settings in which drugs are used can be abandoned buildings, parks, on the streets, home, schools, graveyards, etc. So thinking about all the MEN and the common drugs they use in your area,

Literal question

What in your opinion/knowledge are the common settings/locations in which drugs are used by MEN in your area?
Setting4

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY MEN IN YOUR AREA (D5iiMenSetting1)

File: KEY INFORMANT DATA

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY MEN IN YOUR AREA (D5iiMenSetting1)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2423
Invalid: 365

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's focus on the common settings/locations in which drugs are used in your area. Some of the locations or settings in which drugs are used can be abandoned buildings, parks, on the streets, home, schools, graveyards, etc. So thinking about all the MEN and the common drugs they use in your area,

Literal question

What in your opinion/knowledge are the common settings/locations in which drugs are used by MEN in your area?
Setting1

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY MEN IN YOUR AREA (D5iiMenSetting2)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2084
Invalid: 704

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's focus on the common settings/locations in which drugs are used in your area. Some of the locations or settings in which drugs are used can be abandoned buildings, parks, on the streets, home, schools, graveyards, etc. So thinking about all the MEN and the common drugs they use in your area,

Literal question

What in your opinion/knowledge are the common settings/locations in which drugs are used by MEN in your area?
Setting2

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY MEN IN YOUR AREA (D5iiMenSetting3)

File: KEY INFORMANT DATA

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY MEN IN YOUR AREA (D5iiMenSetting3)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2004
Invalid: 784

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's focus on the common settings/locations in which drugs are used in your area. Some of the locations or settings in which drugs are used can be abandoned buildings, parks, on the streets, home, schools, graveyards, etc. So thinking about all the MEN and the common drugs they use in your area,

Literal question

What in your opinion/knowledge are the common settings/locations in which drugs are used by MEN in your area?
Setting3

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY MEN IN YOUR AREA (D5iiMenSetting4)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1900
Invalid: 888

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's focus on the common settings/locations in which drugs are used in your area. Some of the locations or settings in which drugs are used can be abandoned buildings, parks, on the streets, home, schools, graveyards, etc. So thinking about all the MEN and the common drugs they use in your area,

Literal question

What in your opinion/knowledge are the common settings/locations in which drugs are used by MEN in your area?
Setting4

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY MEN IN YOUR AREA (D5iiiMenSetting1)

File: KEY INFORMANT DATA

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY MEN IN YOUR AREA (D5iiiMenSetting1)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-12

Valid cases: 2401
Invalid: 387

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's focus on the common settings/locations in which drugs are used in your area. Some of the locations or settings in which drugs are used can be abandoned buildings, parks, on the streets, home, schools, graveyards, etc. So thinking about all the MEN and the common drugs they use in your area,

Literal question

What in your opinion/knowledge are the common settings/locations in which drugs are used by MEN in your area?
Setting1

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY MEN IN YOUR AREA (D5iiiMenSetting2)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2096
Invalid: 692

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's focus on the common settings/locations in which drugs are used in your area. Some of the locations or settings in which drugs are used can be abandoned buildings, parks, on the streets, home, schools, graveyards, etc. So thinking about all the MEN and the common drugs they use in your area,

Literal question

What in your opinion/knowledge are the common settings/locations in which drugs are used by MEN in your area?
Setting2

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY MEN IN YOUR AREA (D5iiiMenSetting3)

File: KEY INFORMANT DATA

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY MEN IN YOUR AREA (D5iiiMenSetting3)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1967
Invalid: 821

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's focus on the common settings/locations in which drugs are used in your area. Some of the locations or settings in which drugs are used can be abandoned buildings, parks, on the streets, home, schools, graveyards, etc. So thinking about all the MEN and the common drugs they use in your area,

Literal question

What in your opinion/knowledge are the common settings/locations in which drugs are used by MEN in your area?
Setting3

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY MEN IN YOUR AREA (D5iiiMenSetting4)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1894
Invalid: 894

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now, let's focus on the common settings/locations in which drugs are used in your area. Some of the locations or settings in which drugs are used can be abandoned buildings, parks, on the streets, home, schools, graveyards, etc. So thinking about all the MEN and the common drugs they use in your area,

Literal question

What in your opinion/knowledge are the common settings/locations in which drugs are used by MEN in your area?
Setting4

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY WOMEN IN YOUR AREA (D6iWomSetting1)

File: KEY INFORMANT DATA

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY WOMEN IN YOUR AREA (D6iWomSetting1)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2406
Invalid: 382

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now think of the WOMEN and the common drugs they use in your area,

Literal question

What in your opinion/knowledge are the common sittings/locations in which drugs are used by WOMEN in your area?
Setting 1

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY WOMEN IN YOUR AREA (D6iWomSetting2)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2106
Invalid: 682

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now think of the WOMEN and the common drugs they use in your area,

Literal question

What in your opinion/knowledge are the common sittings/locations in which drugs are used by WOMEN in your area?
Setting 2

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY WOMEN IN YOUR AREA (D6iWomSetting3)

File: KEY INFORMANT DATA

Overview

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY WOMEN IN YOUR AREA (D6iWomSetting3)

File: KEY INFORMANT DATA

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1980
Invalid: 808

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now think of the WOMEN and the common drugs they use in your area,

Literal question

What in your opinion/knowledge are the common sittings/locations in which drugs are used by WOMEN in your area?
Setting 3

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY WOMEN IN YOUR AREA (D6iWomSetting4)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1855
Invalid: 933

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now think of the WOMEN and the common drugs they use in your area,

Literal question

What in your opinion/knowledge are the common sittings/locations in which drugs are used by WOMEN in your area?
Setting 4

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY WOMEN IN YOUR AREA (D6iiWomSetting1)

File: KEY INFORMANT DATA

Overview

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY WOMEN IN YOUR AREA (D6iiWomSetting1)

File: KEY INFORMANT DATA

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2367
Invalid: 421

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now think of the WOMEN and the common drugs they use in your area,

Literal question

What in your opinion/knowledge are the common sittings/locations in which drugs are used by WOMEN in your area?
Setting 1

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY WOMEN IN YOUR AREA (D6iiWomSetting2)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2057
Invalid: 731

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now think of the WOMEN and the common drugs they use in your area,

Literal question

What in your opinion/knowledge are the common sittings/locations in which drugs are used by WOMEN in your area?
Setting 2

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY WOMEN IN YOUR AREA (D6iiWomSetting3)

File: KEY INFORMANT DATA

Overview

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY WOMEN IN YOUR AREA (D6iiWomSetting3)

File: KEY INFORMANT DATA

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1926
Invalid: 862

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now think of the WOMEN and the common drugs they use in your area,

Literal question

What in your opinion/knowledge are the common sittings/locations in which drugs are used by WOMEN in your area?
Setting 3

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY WOMEN IN YOUR AREA (D6iiWomSetting4)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1810
Invalid: 978

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now think of the WOMEN and the common drugs they use in your area,

Literal question

What in your opinion/knowledge are the common sittings/locations in which drugs are used by WOMEN in your area?
Setting 4

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY WOMEN IN YOUR AREA (D6iiiWomSetting1)

File: KEY INFORMANT DATA

Overview

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY WOMEN IN YOUR AREA (D6iiiWomSetting1)

File: KEY INFORMANT DATA

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2274
Invalid: 514

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now think of the WOMEN and the common drugs they use in your area,

Literal question

What in your opinion/knowledge are the common sittings/locations in which drugs are used by WOMEN in your area?
Setting 1

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY WOMEN IN YOUR AREA (D6iiiWomSetting2)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1975
Invalid: 813

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now think of the WOMEN and the common drugs they use in your area,

Literal question

What in your opinion/knowledge are the common sittings/locations in which drugs are used by WOMEN in your area?
Setting 2

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY WOMEN IN YOUR AREA (D6iiiWomSetting3)

File: KEY INFORMANT DATA

Overview

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY WOMEN IN YOUR AREA (D6iiiWomSetting3)

File: KEY INFORMANT DATA

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1852
Invalid: 936

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now think of the WOMEN and the common drugs they use in your area,

Literal question

What in your opinion/knowledge are the common sittings/locations in which drugs are used by WOMEN in your area?
Setting 3

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY WOMEN IN YOUR AREA (D6iiiWomSetting4)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1505
Invalid: 1283

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Now think of the WOMEN and the common drugs they use in your area,

Literal question

What in your opinion/knowledge are the common sittings/locations in which drugs are used by WOMEN in your area?
Setting 4

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY YOUTH IN YOUR AREA (D7iYouthSetting1)

File: KEY INFORMANT DATA

Overview

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY YOUTH IN YOUR AREA (D7iYouthSetting1)

File: KEY INFORMANT DATA

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-12

Valid cases: 2446
Invalid: 342

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

And thinking about YOUNG PEOPLE, i.e., young men and women between 16 and 25 years old, who use drugs in your area.

Literal question

What in your opinion/knowledge are the common Settings/locations in which drugs are used by YOUNG PEOPLE in your area? Setting 1

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY YOUTH IN YOUR AREA (D7iYouthSetting2)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2128
Invalid: 660

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

And thinking about YOUNG PEOPLE, i.e., young men and women between 16 and 25 years old, who use drugs in your area.

Literal question

What in your opinion/knowledge are the common Settings/locations in which drugs are used by YOUNG PEOPLE in your area? Setting 2

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY YOUTH IN YOUR AREA (D7iYouthSetting3)

File: KEY INFORMANT DATA

Overview

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY YOUTH IN YOUR AREA (D7iYouthSetting3)

File: KEY INFORMANT DATA

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2070
Invalid: 718

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

And thinking about YOUNG PEOPLE, i.e., young men and women between 16 and 25 years old, who use drugs in your area.

Literal question

What in your opinion/knowledge are the common Settings/locations in which drugs are used by YOUNG PEOPLE in your area? Setting 3

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY YOUTH IN YOUR AREA (D7iYouthSetting4)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1906
Invalid: 882

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

And thinking about YOUNG PEOPLE, i.e., young men and women between 16 and 25 years old, who use drugs in your area.

Literal question

What in your opinion/knowledge are the common Settings/locations in which drugs are used by YOUNG PEOPLE in your area? Setting 4

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY YOUTH IN YOUR AREA (D7iiYouthSetting1)

File: KEY INFORMANT DATA

Overview

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY YOUTH IN YOUR AREA (D7iiYouthSetting1)

File: KEY INFORMANT DATA

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2431
Invalid: 357

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

And thinking about YOUNG PEOPLE, i.e., young men and women between 16 and 25 years old, who use drugs in your area.

Literal question

What in your opinion/knowledge are the common Settings/locations in which drugs are used by YOUNG PEOPLE in your area? Setting 1

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY YOUTH IN YOUR AREA (D7iiYouthSetting2)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2138
Invalid: 650

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

And thinking about YOUNG PEOPLE, i.e., young men and women between 16 and 25 years old, who use drugs in your area.

Literal question

What in your opinion/knowledge are the common Settings/locations in which drugs are used by YOUNG PEOPLE in your area? Setting 2

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY YOUTH IN YOUR AREA (D7iiYouthSetting3)

File: KEY INFORMANT DATA

Overview

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY YOUTH IN YOUR AREA (D7iiYouthSetting3)

File: KEY INFORMANT DATA

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2032
Invalid: 756

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

And thinking about YOUNG PEOPLE, i.e., young men and women between 16 and 25 years old, who use drugs in your area.

Literal question

What in your opinion/knowledge are the common Settings/locations in which drugs are used by YOUNG PEOPLE in your area? Setting 3

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY YOUTH IN YOUR AREA (D7iiYouthSetting4)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1920
Invalid: 868

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

And thinking about YOUNG PEOPLE, i.e., young men and women between 16 and 25 years old, who use drugs in your area.

Literal question

What in your opinion/knowledge are the common Settings/locations in which drugs are used by YOUNG PEOPLE in your area? Setting 4

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY YOUTH IN YOUR AREA (D7iiiYouthSetting1)

File: KEY INFORMANT DATA

Overview

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY YOUTH IN YOUR AREA (D7iiiYouthSetting1)

File: KEY INFORMANT DATA

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2384
Invalid: 404

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

And thinking about YOUNG PEOPLE, i.e., young men and women between 16 and 25 years old, who use drugs in your area.

Literal question

What in your opinion/knowledge are the common Settings/locations in which drugs are used by YOUNG PEOPLE in your area? Setting 1

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY YOUTH IN YOUR AREA (D7iiiYouthSetting2)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-12

Valid cases: 2091
Invalid: 697

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

And thinking about YOUNG PEOPLE, i.e., young men and women between 16 and 25 years old, who use drugs in your area.

Literal question

What in your opinion/knowledge are the common Settings/locations in which drugs are used by YOUNG PEOPLE in your area? Setting 2

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY YOUTH IN YOUR AREA (D7iiiYouthSetting3)

File: KEY INFORMANT DATA

Overview

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY YOUTH IN YOUR AREA (D7iiiYouthSetting3)

File: KEY INFORMANT DATA

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1975
Invalid: 813

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

And thinking about YOUNG PEOPLE, i.e., young men and women between 16 and 25 years old, who use drugs in your area.

Literal question

What in your opinion/knowledge are the common Settings/locations in which drugs are used by YOUNG PEOPLE in your area? Setting 3

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY YOUTH IN YOUR AREA (D7iiiYouthSetting4)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1859
Invalid: 929

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

And thinking about YOUNG PEOPLE, i.e., young men and women between 16 and 25 years old, who use drugs in your area.

Literal question

What in your opinion/knowledge are the common Settings/locations in which drugs are used by YOUNG PEOPLE in your area? Setting 4

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY ADOLESCENTS IN YOUR AREA (D8iAdolSetting1)

File: KEY INFORMANT DATA

Overview

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY ADOLESENTS IN YOUR AREA (D8iAdolSetting1)

File: KEY INFORMANT DATA

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2357
Invalid: 431

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

And finally thinking about ADOLESCENTS by which I mean boys and girls under 16 years of age, and the common drugs they use in you area.

Literal question

What in your opinion/knowledge are the common sittings/locations in which [drug] are used by ADOLESCENTS in your area? Setting 1

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY ADOLESENTS IN YOUR AREA (D8iAdolSetting2)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2019
Invalid: 769

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

And finally thinking about ADOLESCENTS by which I mean boys and girls under 16 years of age, and the common drugs they use in you area.

Literal question

What in your opinion/knowledge are the common sittings/locations in which [drug] are used by ADOLESCENTS in your area? Setting 2

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY ADOLESENTS IN YOUR AREA (D8iAdolSetting3)

File: KEY INFORMANT DATA

Overview

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY ADOLESENTS IN YOUR AREA (D8iAdolSetting3)

File: KEY INFORMANT DATA

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1924
Invalid: 864
Minimum: 1
Maximum: 9

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

And finally thinking about ADOLESCENTS by which I mean boys and girls under 16 years of age, and the common drugs they use in you area.

Literal question

What in your opinion/knowledge are the common sittings/locations in which [drug] are used by ADOLESCENTS in your area? Setting 3

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY ADOLESENTS IN YOUR AREA (D8iAdolSetting4)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-34

Valid cases: 1821
Invalid: 967

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

And finally thinking about ADOLESCENTS by which I mean boys and girls under 16 years of age, and the common drugs they use in you area.

Literal question

What in your opinion/knowledge are the common sittings/locations in which [drug] are used by ADOLESCENTS in your area? Setting 4

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY ADOLESENTS IN YOUR AREA (D8iiAdolSetting1)

File: KEY INFORMANT DATA

Overview

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY ADOLESENTS IN YOUR AREA (D8iiAdolSetting1)

File: KEY INFORMANT DATA

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2253
Invalid: 535

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

And finally thinking about ADOLESCENTS by which I mean boys and girls under 16 years of age, and the common drugs they use in you area.

Literal question

What in your opinion/knowledge are the common sittings/locations in which [drug] are used by ADOLESCENTS in your area? Setting 1

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY ADOLESENTS IN YOUR AREA (D8iiAdolSetting2)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1936
Invalid: 852

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

And finally thinking about ADOLESCENTS by which I mean boys and girls under 16 years of age, and the common drugs they use in you area.

Literal question

What in your opinion/knowledge are the common sittings/locations in which [drug] are used by ADOLESCENTS in your area? Setting 2

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY ADOLESENTS IN YOUR AREA (D8iiAdolSetting3)

File: KEY INFORMANT DATA

Overview

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY ADOLESENTS IN YOUR AREA (D8iiAdolSetting3)

File: KEY INFORMANT DATA

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1806
Invalid: 982

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

And finally thinking about ADOLESCENTS by which I mean boys and girls under 16 years of age, and the common drugs they use in you area.

Literal question

What in your opinion/knowledge are the common sittings/locations in which [drug] are used by ADOLESCENTS in your area? Setting 3

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY ADOLESENTS IN YOUR AREA (D8iiAdolSetting4)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-13

Valid cases: 1731
Invalid: 1057

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

And finally thinking about ADOLESCENTS by which I mean boys and girls under 16 years of age, and the common drugs they use in you area.

Literal question

What in your opinion/knowledge are the common sittings/locations in which [drug] are used by ADOLESCENTS in your area? Setting 4

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY ADOLESENTS IN YOUR AREA (D8iiidolSetting1)

File: KEY INFORMANT DATA

Overview

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY ADOLESENTS IN YOUR AREA (D8iiidolSetting1)

File: KEY INFORMANT DATA

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2190
Invalid: 598

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

And finally thinking about ADOLESCENTS by which I mean boys and girls under 16 years of age, and the common drugs they use in you area.

Literal question

What in your opinion/knowledge are the common sittings/locations in which [drug] are used by ADOLESCENTS in your area?
Setting 1

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY ADOLESENTS IN YOUR AREA (D8iiidolSetting2)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1915
Invalid: 873

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

And finally thinking about ADOLESCENTS by which I mean boys and girls under 16 years of age, and the common drugs they use in you area.

Literal question

What in your opinion/knowledge are the common sittings/locations in which [drug] are used by ADOLESCENTS in your area?
Setting 2

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY ADOLESENTS IN YOUR AREA (D8iiidolSetting3)

File: KEY INFORMANT DATA

Overview

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY ADOLESCENTS IN YOUR AREA (D8iiidolSetting3)

File: KEY INFORMANT DATA

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-16

Valid cases: 1764
Invalid: 1024

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

And finally thinking about ADOLESCENTS by which I mean boys and girls under 16 years of age, and the common drugs they use in you area.

Literal question

What in your opinion/knowledge are the common sittings/locations in which [drug] are used by ADOLESCENTS in your area?
Setting 3

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

COMMON SETTINGS/LOCATIONS IN WHICH DRUGS ARE USED BY ADOLESCENTS IN YOUR AREA (D8iiidolSetting4)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1706
Invalid: 1082

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

And finally thinking about ADOLESCENTS by which I mean boys and girls under 16 years of age, and the common drugs they use in you area.

Literal question

What in your opinion/knowledge are the common sittings/locations in which [drug] are used by ADOLESCENTS in your area?
Setting 4

Interviewer instructions

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

EFFECTS OF USE OF CANNIBIS IN YOUR AREA (D9.1ProbCannabis)

File: KEY INFORMANT DATA

Overview

EFFECTS OF USE OF CANNIBIS IN YOUR AREA (D9.1ProbCannabis)

File: KEY INFORMANT DATA

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2606
Invalid: 182

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Let's now go back to all the drugs we had talked about that are used in your area and I would like you to think for a moment about all the problems that may be caused by the use of these drugs. These problems could be health or family related, social or legal.

Literal question

Now, for each drug type that I read out, I would like you to say if you think that in your area its use causes "major problems", "some problems", "no problems" or that you "don't know".
Cannabis (herb or resin)

Interviewer instructions

[Please check the column marked "Not used" if the drug is not used in the area]

EFFECTS OF USE OF MATHAMPHETAMINE IN YOUR AREA (D9.2ProbMeth)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2211
Invalid: 577

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Let's now go back to all the drugs we had talked about that are used in your area and I would like you to think for a moment about all the problems that may be caused by the use of these drugs. These problems could be health or family related, social or legal.

Literal question

Now, for each drug type that I read out, I would like you to say if you think that in your area its use causes "major problems", "some problems", "no problems" or that you "don't know".
Methamphetamine (crystal or powder)

Interviewer instructions

[Please check the column marked "Not used" if the drug is not used in the area]

EFFECTS OF USE OF COCAINE IN YOUR AREA (D9.3Probcocaine)

File: KEY INFORMANT DATA

Overview

EFFECTS OF USE OF COCAINE IN YOUR AREA (D9.3ProbCocaine)

File: KEY INFORMANT DATA

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2398
Invalid: 390

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Let's now go back to all the drugs we had talked about that are used in your area and I would like you to think for a moment about all the problems that may be caused by the use of these drugs. These problems could be health or family related, social or legal.

Literal question

Now, for each drug type that I read out, I would like you to say if you think that in your area its use causes "major problems", "some problems", "no problems" or that you "don't know".

Cocaine

Interviewer instructions

[Please check the column marked "Not used" if the drug is not used in the area]

EFFECTS OF USE OF CRACK COCAINE IN YOUR AREA (D9.4ProbCrack)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2320
Invalid: 468

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Let's now go back to all the drugs we had talked about that are used in your area and I would like you to think for a moment about all the problems that may be caused by the use of these drugs. These problems could be health or family related, social or legal.

Literal question

Now, for each drug type that I read out, I would like you to say if you think that in your area its use causes "major problems", "some problems", "no problems" or that you "don't know".

Crack cocaine

Interviewer instructions

[Please check the column marked "Not used" if the drug is not used in the area]

EFFECTS OF USE OF ECTASY IN YOUR AREA (D9.5ProbEcstasy)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2213
Invalid: 575

EFFECTS OF USE OF ECSTASY IN YOUR AREA (D9.5ProbEcstasy)

File: KEY INFORMANT DATA

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Let's now go back to all the drugs we had talked about that are used in your area and I would like you to think for a moment about all the problems that may be caused by the use of these drugs. These problems could be health or family related, social or legal.

Literal question

Now, for each drug type that I read out, I would like you to say if you think that in your area its use causes "major problems", "some problems", "no problems" or that you "don't know".

Ecstasy

Interviewer instructions

[Please check the column marked "Not used" if the drug is not used in the area]

EFFECTS OF USE OF TRANQUILIZERS IN YOUR AREA (D9.6ProbTranquilizer)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2395
Invalid: 393

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Let's now go back to all the drugs we had talked about that are used in your area and I would like you to think for a moment about all the problems that may be caused by the use of these drugs. These problems could be health or family related, social or legal.

Literal question

Now, for each drug type that I read out, I would like you to say if you think that in your area its use causes "major problems", "some problems", "no problems" or that you "don't know".

Tranquilizers (such as Bromazepam, valium, tropium, calmpose)

Interviewer instructions

[Please check the column marked "Not used" if the drug is not used in the area]

EFFECTS OF USE OF ALCOHOL IN YOUR AREA (D9.7ProbAlcohol)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1217
Invalid: 1571

Pre question

EFFECTS OF USE OF ALCOHOL IN YOUR AREA (D9.7ProbAlcohol)

File: KEY INFORMANT DATA

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Let's now go back to all the drugs we had talked about that are used in your area and I would like you to think for a moment about all the problems that may be caused by the use of these drugs. These problems could be health or family related, social or legal.

Literal question

Now, for each drug type that I read out, I would like you to say if you think that in your area its use causes "major problems", "some problems", "no problems" or that you "don't know".

Alcohol

Interviewer instructions

[Please check the column marked "Not used" if the drug is not used in the area]

EFFECTS OF USE OF MALTRAL IN YOUR AREA (D9.8ProbMaltranal)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2053
Invalid: 735

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Let's now go back to all the drugs we had talked about that are used in your area and I would like you to think for a moment about all the problems that may be caused by the use of these drugs. These problems could be health or family related, social or legal.

Literal question

Now, for each drug type that I read out, I would like you to say if you think that in your area its use causes "major problems", "some problems", "no problems" or that you "don't know".

Maltranal

Interviewer instructions

[Please check the column marked "Not used" if the drug is not used in the area]

EFFECTS OF USE OF PAINKILLER OR ANALGESICS IN YOUR AREA (D9.9PainKillers)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2503
Invalid: 285

Pre question

EFFECTS OF USE OF PAINKILLER OR ANALGESICS IN YOUR AREA (D9.9PainKillers)

File: KEY INFORMANT DATA

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Let's now go back to all the drugs we had talked about that are used in your area and I would like you to think for a moment about all the problems that may be caused by the use of these drugs. These problems could be health or family related, social or legal.

Literal question

Now, for each drug type that I read out, I would like you to say if you think that in your area its use causes "major problems", "some problems", "no problems" or that you "don't know".

Painkillers or analgesics (such as Tramadol, Morphine, Pethidine, Pentazocine)

Interviewer instructions

[Please check the column marked "Not used" if the drug is not used in the area]

EFFECTS OF USE OF AMPHETAMINES IN YOUR AREA (D9.10ProbAmphetamine)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2219
Invalid: 569

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Let's now go back to all the drugs we had talked about that are used in your area and I would like you to think for a moment about all the problems that may be caused by the use of these drugs. These problems could be health or family related, social or legal.

Literal question

Now, for each drug type that I read out, I would like you to say if you think that in your area its use causes "major problems", "some problems", "no problems" or that you "don't know".

Amphetamines such as Dexedrine or Adderall

Interviewer instructions

[Please check the column marked "Not used" if the drug is not used in the area]

EFFECTS OF USE OF METHAMPHETAMINE IN YOUR AREA (D9.11ProbMethTab)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2202
Invalid: 586

Pre question

EFFECTS OF USE OF METHAMPHETAMINE IN YOUR AREA (D9.11ProbMethTab)

File: KEY INFORMANT DATA

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Let's now go back to all the drugs we had talked about that are used in your area and I would like you to think for a moment about all the problems that may be caused by the use of these drugs. These problems could be health or family related, social or legal.

Literal question

Now, for each drug type that I read out, I would like you to say if you think that in your area its use causes "major problems", "some problems", "no problems" or that you "don't know".

Methamphetamine tablets such as Pervitin, Methedrine, or Desoxyn

Interviewer instructions

[Please check the column marked "Not used" if the drug is not used in the area]

EFFECTS OF USE OF HEROIN IN YOUR AREA (D9.12ProbHeroin)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2365
Invalid: 423

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Let's now go back to all the drugs we had talked about that are used in your area and I would like you to think for a moment about all the problems that may be caused by the use of these drugs. These problems could be health or family related, social or legal.

Literal question

Now, for each drug type that I read out, I would like you to say if you think that in your area its use causes "major problems", "some problems", "no problems" or that you "don't know".

Heroin

Interviewer instructions

[Please check the column marked "Not used" if the drug is not used in the area]

EFFECTS OF USE OF LSD (LYSERGIC ACID DIETHYLAMIDE) IN YOUR AREA (D9.13ProbLSD)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2175
Invalid: 613

Pre question

EFFECTS OF USE OF LSD (LYSERGIC ACID DIETHYLAMIDE) IN YOUR AREA (D9.13ProbLSD)

File: KEY INFORMANT DATA

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Let's now go back to all the drugs we had talked about that are used in your area and I would like you to think for a moment about all the problems that may be caused by the use of these drugs. These problems could be health or family related, social or legal.

Literal question

Now, for each drug type that I read out, I would like you to say if you think that in your area its use causes "major problems", "some problems", "no problems" or that you "don't know".

LSD (Lysergic Acid Diethylamide)

Interviewer instructions

[Please check the column marked "Not used" if the drug is not used in the area]

EFFECTS OF USE OF PCP (PHENCYCLIDINE) IN YOUR AREA (D9.14ProbPCP)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2185
Invalid: 603

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Let's now go back to all the drugs we had talked about that are used in your area and I would like you to think for a moment about all the problems that may be caused by the use of these drugs. These problems could be health or family related, social or legal.

Literal question

Now, for each drug type that I read out, I would like you to say if you think that in your area its use causes "major problems", "some problems", "no problems" or that you "don't know".

PCP (Phencyclidine)

Interviewer instructions

[Please check the column marked "Not used" if the drug is not used in the area]

EFFECTS OF USE OF SOLVENTS/INHALANTS IN YOUR AREA (D9.15ProbSolvents)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2155
Invalid: 633

Pre question

EFFECTS OF USE OF SOLVENTS/INHALANTS IN YOUR AREA (D9.15ProbSolvents)

File: KEY INFORMANT DATA

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Let's now go back to all the drugs we had talked about that are used in your area and I would like you to think for a moment about all the problems that may be caused by the use of these drugs. These problems could be health or family related, social or legal.

Literal question

Now, for each drug type that I read out, I would like you to say if you think that in your area its use causes "major problems", "some problems", "no problems" or that you "don't know".

Solvents/Inhalants (such as glue)

Interviewer instructions

[Please check the column marked "Not used" if the drug is not used in the area]

EFFECTS OF USE OF COUGH CYRUP IN YOUR AREA (D9.16ProbCoughSyrup)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2320
Invalid: 468

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Let's now go back to all the drugs we had talked about that are used in your area and I would like you to think for a moment about all the problems that may be caused by the use of these drugs. These problems could be health or family related, social or legal.

Literal question

Now, for each drug type that I read out, I would like you to say if you think that in your area its use causes "major problems", "some problems", "no problems" or that you "don't know".

Cough syrup (e.g. Coldex)

Interviewer instructions

[Please check the column marked "Not used" if the drug is not used in the area]

EFFECTS OF USE OTHER SPECIFIED IN YOUR AREA (D9.17Others)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: character
Width: 29

Valid cases: 174
Invalid: 0

Pre question

EFFECTS OF USE OTHER SPECIFIED IN YOUR AREA (D9.17Others)

File: KEY INFORMANT DATA

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Let's now go back to all the drugs we had talked about that are used in your area and I would like you to think for a moment about all the problems that may be caused by the use of these drugs. These problems could be health or family related, social or legal.

Literal question

Now, for each drug type that I read out, I would like you to say if you think that in your area its use causes "major problems", "some problems", "no problems" or that you "don't know".

Others (specify)

Interviewer instructions

[Please check the column marked "Not used" if the drug is not used in the area]

FEELINGS OVER PROBLEMS FACED BY DRUG USERS AS REGARD RELATIONS (D10DrugUserRelations)

File: KEY INFORMANT DATA

Overview

Type: Discrete

Valid cases: 1865

Format: character

Width: 104

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Literal question

Could you describe in your own words what you feel are the most important problems faced by DRUG USERS as a result of drug use in your area?

Relations with parents, family and friends

Interviewer instructions

Probe for answers if necessary,. Ask the list below if not mentioned in their description)

FEELINGS OVER PROBLEMS FACED BY DRUG USERS AS REGARD WORK (D10WorkRelated)

File: KEY INFORMANT DATA

Overview

Type: Discrete

Format: character

Width: 103

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Literal question

Could you describe in your own words what you feel are the most important problems faced by DRUG USERS as a result of drug use in your area?

Work related

Interviewer instructions

FEELINGS OVER PROBLEMS FACED BY DRUG USERS AS REGARD WORK (D10WorkRelated)

File: KEY INFORMANT DATA

Probe for answers if necessary,. Ask the list below if not mentioned in their description)

FEELINGS OVER PROBLEMS FACED BY DRUG USERS AS REGARD POLICE OR THE LEGAL SYSTEM (D10PoliceLegal)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: character
Width: 100

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Literal question

Could you describe in your own words what you feel are the most important problems faced by DRUG USERS as a result of drug use in your area? (
Police or the legal system

Interviewer instructions

Probe for answers if necessary,. Ask the list below if not mentioned in their description)

FEELINGS OVER PROBLEMS FACED BY DRUG USERS AS REGARD SCHOOL DROPPED OUT (D10School)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: character
Width: 101

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Literal question

Could you describe in your own words what you feel are the most important problems faced by DRUG USERS as a result of drug use in your area? (
School drop-out

Interviewer instructions

Probe for answers if necessary,. Ask the list below if not mentioned in their description)

FEELINGS OVER PROBLEMS FACED BY DRUG USERS AS VOILENCE (D10Violence)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: character
Width: 100

FEELINGS OVER PROBLEMS FACED BY DRUG USERS AS VOILENCE (D10Violence)

File: KEY INFORMANT DATA

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Literal question

Could you describe in your own words what you feel are the most important problems faced by DRUG USERS as a result of drug use in your area? (Violence

Interviewer instructions

Probe for answers if necessary,. Ask the list below if not mentioned in their description)

FEELINGS OVER PROBLEMS FACED BY DRUG USERS AS HEALTH ISSUES WITH INFECTIONS (d10Health)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: character
Width: 100

Valid cases: 1289
Invalid: 0

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Literal question

Could you describe in your own words what you feel are the most important problems faced by DRUG USERS as a result of drug use in your area? (Health issues like infections (HBV, HCV, HIV, etc)

Interviewer instructions

Probe for answers if necessary,. Ask the list below if not mentioned in their description)

FEELINGS OVER PROBLEMS FACED BY THE COMMUNITY AS REGARD FAMILIES' RELATION (D11FamiliesRelations)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: character
Width: 102

Valid cases: 1425

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Literal question

Now, could you describe in your own words what you feel are the most important problems faced by the COMMUNITY as a result of drug use in your area?
Families' relations

Interviewer instructions

(probe for answers if necessary)

FEELINGS OVER PROBLEMS FACED BY THE COMMUNITY AS REGARD WORK/EMPLOYED RELATED (D11WorkEmployment)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: character
Width: 102

Valid cases: 1107

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Literal question

Now, could you describe in your own words what you feel are the most important problems faced by the COMMUNITY as a result of drug use in your area? Work/employment related

Interviewer instructions

(probe for answers if necessary)

FEELINGS OVER PROBLEMS FACED BY THE COMMUNITY AS REGARD POLICE OR THE LEGAL SYSTEM (D11PoliceLegal)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: character
Width: 100

Valid cases: 813
Invalid: 0

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Literal question

Now, could you describe in your own words what you feel are the most important problems faced by the COMMUNITY as a result of drug use in your area? Police or the legal system

Interviewer instructions

(probe for answers if necessary)

FEELINGS OVER PROBLEMS FACED BY THE COMMUNITY AS REGARD SEX WORK/OTHER SEXUAL LIFE STYLES/PREFERENCES (D11SexSexual)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: character
Width: 102

Valid cases: 851

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Literal question

Now, could you describe in your own words what you feel are the most important problems faced by the COMMUNITY as a result of drug use in your area? Sex work or other sexual life styles and preferences

Interviewer instructions

FEELINGS OVER PROBLEMS FACED BY THE COMMUNITY AS REGARD SEX WORK/OTHER SEXUAL LIFE STYLES/PREFERENCES (D11SexSexual)

File: KEY INFORMANT DATA

(probe for answers if necessary)

FEELINGS OVER PROBLEMS FACED BY THE COMMUNITY AS REGARD ORGANISED CRIMES, GANGS, ETC (D11OrganizeCriGang)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: character
Width: 100

Valid cases: 971
Invalid: 0

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Literal question

Now, could you describe in your own words what you feel are the most important problems faced by the COMMUNITY as a result of drug use in your area? Organized crimes, gangs, etc

Interviewer instructions

(probe for answers if necessary)

FEELINGS OVER PROBLEMS FACED BY THE COMMUNITY AS REGARD HEALTH ISSUES AND INFECTIONS LIKE HIV, HBV ETC (D11Health)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: character
Width: 100

Valid cases: 1023
Invalid: 0

Pre question

We are interested in trying to get a detailed picture of drug use patterns in your area. By this I mean information such as age at which drug users typically start to use drugs, their socio economic status, and which drugs are associated with serious problems in your area and so on.

Literal question

Now, could you describe in your own words what you feel are the most important problems faced by the COMMUNITY as a result of drug use in your area? SHealth issues and infections like HIV, HBV, OR HCV

Interviewer instructions

(probe for answers if necessary)

NO CONTACT WITH DRUG USER OVER THE LAST 12 MONTH (E1NoContact)

File: KEY INFORMANT DATA

Overview

NO CONTACT WITH DRUG USER OVER THE LAST 12 MONTH (E1NoContact)

File: KEY INFORMANT DATA

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 2-5000

Valid cases: 1348
Invalid: 1440

Pre question

As I had mentioned in the last section, we are trying to build up a picture of drug use in the country. In this section, I will ask you some questions about how common different patterns of drug use are in your area. Don't worry if you can not give an exact response to questions, your best guess is OK. The next questions are about drug users of e.g. Marijuana, Cocaine, Heroin, Tramadol, etc.

Literal question

Approximately how many (if any) drug users have you had personal contact with in any way at all over the past year? NO CONTACT

If you are involved with the treatment of drug users or with the police then please include all these contacts in the figure. If you do not have personal contact with any drug users in any way, then please say so and I will move to another section of the questionnaire.

Post question

IF NO TO ABOVE SKIP TO SECTION F.

Interviewer instructions

IF NO Drug Users PLEASE CHECK THIS BOX 9

[INTERVIEWER - PLEASE RECORD THE ANSWER IN THE RELEVANT BOXES EITHER AS A NUMBER OR AS PERCENTAGE]

NOTE: IF THE RESPONDENT IS INVOLVED IN A TREATMENT PROGRAMME IN ANY WAY, CHECK THIS BOX, SKIP THE NEXT QUESTION, AND ASK Q.3 Respondent involved in drug treatment ?9 SKIP NEXT QUESTION

HAD PERSONAL CONTACT WITH DRUG USER OVER THE LAST 12 MONTH (E1percContact)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 1-100

Valid cases: 420
Invalid: 2368

Pre question

As I had mentioned in the last section, we are trying to build up a picture of drug use in the country. In this section, I will ask you some questions about how common different patterns of drug use are in your area. Don't worry if you can not give an exact response to questions, your best guess is OK. The next questions are about drug users of e.g. Marijuana, Cocaine, Heroin, Tramadol, etc.

Literal question

Approximately how many (if any) drug users have you had personal contact with in any way at all over the past year?
NUMBER or PERCENTAGE

If you are involved with the treatment of drug users or with the police then please include all these contacts in the figure. If you do not have personal contact with any drug users in any way, then please say so and I will move to another section of the questionnaire.

RESPONDENT INVOLVED IN DRUG TREATMENT (E1aTreatment_Involvement)

File: KEY INFORMANT DATA

RESPONDENT INVOLVED IN DRUG TREATMENT (E1aTreatment_Involvement)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 2-800

Valid cases: 210
Invalid: 2578

Pre question

As I had mentioned in the last section, we are trying to build up a picture of drug use in the country. In this section, I will ask you some questions about how common different patterns of drug use are in your area. Don't worry if you can not give an exact response to questions, your best guess is OK. The next questions are about drug users of e.g. Marijuana, Cocaine, Heroin, Tramadol, etc.

Literal question

Thinking of all the different types of drug users (we have talked about) with whom you have had contact over the last 12 months, how many would you estimate have received treatment for drug use during the last 12 months?

If you are involved with the treatment of drug users or with the police then please include all these contacts in the figure. If you do not have personal contact with any drug users in any way, then please say so and I will move to another section of the questionnaire.

Don't worry if you can not give an exact response to questions, your best guess is OK, but if you have no idea at all then please say so and I will continue with the next question.

Interviewer instructions

NOTE: IF THE RESPONDENT IS INVOLVED IN A TREATMENT PROGRAMME IN ANY WAY, CHECK THIS BOX, SKIP THE NEXT QUESTION, AND ASK Q.3 Respondent involved in drug treatment ?9 SKIP NEXT QUESTION

NO CONTACT WITH DRUG USER OVER THE LAST 12 MONTH (E2Received)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 1-500

Valid cases: 607
Invalid: 2181

Pre question

As I had mentioned in the last section, we are trying to build up a picture of drug use in the country. In this section, I will ask you some questions about how common different patterns of drug use are in your area. Don't worry if you can not give an exact response to questions, your best guess is OK. The next questions are about drug users of e.g. Marijuana, Cocaine, Heroin, Tramadol, etc.

Literal question

Approximately how many (if any) drug users have you had personal contact with in any way at all over the past year? NO CONTACT

If you are involved with the treatment of drug users or with the police then please include all these contacts in the figure. If you do not have personal contact with any drug users in any way, then please say so and I will move to another section of the questionnaire.

HAD PERSONAL CONTACT WITH DRUG USER OVER THE LAST 12 MONTH (E2Receivedperc)

File: KEY INFORMANT DATA

HAD PERSONAL CONTACT WITH DRUG USER OVER THE LAST 12 MONTH (E2Receivedperc)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 3-99

Valid cases: 228
Invalid: 2560

Pre question

As I had mentioned in the last section, we are trying to build up a picture of drug use in the country. In this section, I will ask you some questions about how common different patterns of drug use are in your area. Don't worry if you can not give an exact response to questions, your best guess is OK. The next questions are about drug users of e.g. Marijuana, Cocaine, Heroin, Tramadol, etc.

Literal question

Approximately how many (if any) drug users have you had personal contact with in any way at all over the past year?
NUMBER or PERCENTAGE

If you are involved with the treatment of drug users or with the police then please include all these contacts in the figure. If you do not have personal contact with any drug users in any way, then please say so and I will move to another section of the questionnaire.

RESPONDENT INVOLVED IN DRUG TREATMENT (E2aInvolvedPolice)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Valid cases: 74
Invalid: 2714

Pre question

As I had mentioned in the last section, we are trying to build up a picture of drug use in the country. In this section, I will ask you some questions about how common different patterns of drug use are in your area. Don't worry if you can not give an exact response to questions, your best guess is OK. The next questions are about drug users of e.g. Marijuana, Cocaine, Heroin, Tramadol, etc.

[Read]: We would like to know something about the proportion of drug (Cannabis, Cocaine, , Heroin and Tramadol etc)

Literal question

Thinking of all the different types of drug users (we have talked about) with whom you have had contact over the last 12 months, how many would you estimate have received treatment for drug use during the last 12 months?

Don't worry if you can not give an exact response to questions, your best guess is OK, but if you have no idea at all then please say so and I will continue with the next question.

Interviewer instructions

NOTE: IF THE RESPONDENT IS INVOLVED WITH THE POLICE IN ANY WAY, CHECK THIS BOX AND SKIP NEXT QUESTION
Respondent involved in Police SKIP NEXT QUESTION

NUMBERS OF DRUG USERS ARRESTED IN YOUR AREA (E3Drug_Arrest)

File: KEY INFORMANT DATA

Overview

NUMBERS OF DRUG USERS ARRESTED IN YOUR AREA (E3Drug_Arrest)

File: KEY INFORMANT DATA

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 1-500

Valid cases: 1047
Invalid: 1741

Pre question

As I had mentioned in the last section, we are trying to build up a picture of drug use in the country. In this section, I will ask you some questions about how common different patterns of drug use are in your area. Don't worry if you can not give an exact response to questions, your best guess is OK. The next questions are about drug users of e.g. Marijuana, Cocaine, Heroin, Tramadol, etc.

We would like to know something about the proportion of drug users who are arrested and charged each year.

Literal question

Thinking of all the different types of drug users (we have talked about) with whom you have had contact over the last 12 months, how many would you think have been arrested during the last 12 months for drug related charges?

Don't worry if you cannot give an exact response to questions, your best guess is OK, but if you have no idea at all then please say so and I will continue with the next question.

PERCENTAGE OF AGE OF DRUG USER (CANNIBIS) AS REGARD MEN (E4.1CannabisMen)

File: KEY INFORMANT DATA

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 2-100

Valid cases: 1481
Invalid: 1307
Minimum: 2
Maximum: 100
Mean: 52.8

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Cannabis (herb or resin) users are Men?

PERCENTAGE OF AGE OF DRUG USER (CANNIBIS) AS REGARD WOMEN (E4.1Women)

File: KEY INFORMANT DATA

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 2-100

Valid cases: 1401
Invalid: 1387
Minimum: 2
Maximum: 100
Mean: 23.6

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Cannabis (herb or resin) users are Women?

PERCENTAGE OF AGE OF DRUG USER (CANNIBIS) AS REGARD YOUTH (E4.1Youth)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 1416
Format: numeric	Invalid: 1372
Width: 3	Minimum: 2
Decimals: 0	Maximum: 100
Range: 2-100	Mean: 38.6

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Cannabis (herb or resin) users Are young (b/w 16-25yrs)

PERCENTAGE OF AGE OF DRUG USER (CANNIBIS) AS REGARD ADOLESCENT (E4.1Adolescent)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 1269
Format: numeric	Invalid: 1519
Width: 3	Minimum: 1
Decimals: 0	Maximum: 100
Range: 1-100	Mean: 19.7

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Cannabis (herb or resin) users Are adolescent (less than 16 yrs)

PERCENTAGE OF AGE OF DRUG USER (METHAMPHETAMINE) AS REGARD MEN (E4.2MethMen)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 618
Format: numeric	Invalid: 2170
Width: 3	Minimum: 1
Decimals: 0	Maximum: 100
Range: 1-100	Mean: 20.5

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Methamphetamine (crystal or powder) users are Men

PERCENTAGE OF AGE OF DRUG USER (METHAMPHETAMINE) AS REGARD WOMEN (E4.2Women)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 580
Format: numeric	Invalid: 2208
Width: 3	Minimum: 0
Decimals: 0	Maximum: 100
Range: 0-100	Mean: 16.2

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Methamphetamine (crystal or powder) users are Women

PERCENTAGE OF AGE OF DRUG USER (METHAMPHETAMINE) AS REGARD YOUTH (E4.2Youth)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 594
Format: numeric	Invalid: 2194
Width: 3	Minimum: 1
Decimals: 0	Maximum: 100
Range: 1-100	Mean: 17.3

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Methamphetamine (crystal or powder) users Are young (b/w 16-25yrs)

PERCENTAGE OF AGE OF DRUG USER (METHAMPHETAMINE) AS REGARD ADOLESCENT (E4.2Adolescent)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 564
Format: numeric	Invalid: 2224
Width: 2	Minimum: 2
Decimals: 0	Maximum: 99
Range: 2-99	Mean: 15.5

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Methamphetamine (crystal or powder) users Are adolescent (less than 16 yrs)

PERCENTAGE OF AGE OF DRUG USER (COCAINE) AS REGARD MEN (E4.3CocaineMen)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 943
Format: numeric	Invalid: 1845
Width: 3	Minimum: 2
Decimals: 0	Maximum: 100
Range: 2-100	Mean: 32.2

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Cocaine users are Men

PERCENTAGE OF AGE OF DRUG USER (COCAINE) AS WOMEN (E4.3WomenCocain)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 861
Format: numeric	Invalid: 1927
Width: 2	Minimum: 1
Decimals: 0	Maximum: 99
Range: 1-99	Mean: 18

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Cocaine users are Women

PERCENTAGE OF AGE OF DRUG USER (COCAINE) AS YOUTH (E4.3YouthCocaine)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 838
Format: numeric	Invalid: 1950
Width: 2	Minimum: 1
Decimals: 0	Maximum: 99
Range: 1-99	Mean: 20.9

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Cocaine users Are young (b/w 16-25yrs)

PERCENTAGE OF AGE OF DRUG USER (COCAINE) AS ADOLESCENT (E4.3Adolscentcocaine)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 751
Format: numeric	Invalid: 2037
Width: 3	Minimum: 1
Decimals: 0	Maximum: 100
Range: 1-100	Mean: 14.4

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Cocaine users Are adolescent (less than 16 yrs)

PERCENTAGE OF AGE OF DRUG USER (CRACK COCAINE) AS REGARD MEN (E4.4MenCrackCocaine)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 864
Format: numeric	Invalid: 1924
Width: 3	Minimum: 1
Decimals: 0	Maximum: 100
Range: 1-100	Mean: 33

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Crack cocaine users are Men

PERCENTAGE OF AGE OF DRUG USER (CRACK COCAINE) AS REGARD WOMEN (E4.4WomenCrackCocaine)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 821
Format: numeric	Invalid: 1967
Width: 2	Minimum: 1
Decimals: 0	Maximum: 99
Range: 1-99	Mean: 17.4

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Crack cocaine users are women

PERCENTAGE OF AGE OF DRUG USER (CRACK COCAINE) AS REGARD YOUTH (E4.4YouthCrackCocaine)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 806
Format: numeric	Invalid: 1982
Width: 2	Minimum: 2
Decimals: 0	Maximum: 99
Range: 2-99	Mean: 20.9

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Crack cocaine users are Are young (b/w 16-25yrs)

PERCENTAGE OF AGE OF DRUG USER (CRACK COCAINE) AS REGARD ADOLESCENT (E4.4AdolscentCrackCocaine)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 726
Format: numeric	Invalid: 2062
Width: 2	Minimum: 1
Decimals: 0	Maximum: 99
Range: 1-99	Mean: 14.5

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Crack cocaine users Are adolescent (less than 16 yrs)

PERCENTAGE OF AGE OF DRUG USER (ECSTACY) AS REGARD MEN (E4.5MenEcstasy)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 693
Format: numeric	Invalid: 2095
Width: 3	Minimum: 1
Decimals: 0	Maximum: 100
Range: 1-100	Mean: 23.5

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Ecstasy users are Men

PERCENTAGE OF AGE OF DRUG USER (ECSTACY) AS REGARD WOMEN (E4.5WomenEcstasy)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 643
Format: numeric	Invalid: 2145
Width: 2	Minimum: 2
Decimals: 0	Maximum: 99
Range: 2-99	Mean: 18.6

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Ecstasy users are Women

PERCENTAGE OF AGE OF DRUG USER (ECSTACY) AS REGARD YOUTH (E4.5YouthEcstasy)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 662
Format: numeric	Invalid: 2126
Width: 3	Minimum: 1
Decimals: 0	Maximum: 100
Range: 1-100	Mean: 20.8

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Ecstasy users are Are young (b/w 16-25yrs)

PERCENTAGE OF AGE OF DRUG USER (ECSTACY) AS REGARD ADOLESCENT (E4.5Adolscent)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 624
Format: numeric	Invalid: 2164
Width: 2	Minimum: 1
Decimals: 0	Maximum: 99
Range: 1-99	Mean: 16

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Ecstasy users Are adolescent (less than 16 yrs)

PERCENTAGE OF AGE OF DRUG USER (TRANQUILIZER) AS REGARD MEN (E4.6MenTranquilizer)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 964
Format: numeric	Invalid: 1824
Width: 3	Minimum: 1
Decimals: 0	Maximum: 100
Range: 1-100	Mean: 35.9

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Tranquilizers (such as Bromazepam, valium, tropium, calmpose) users are Men?

PERCENTAGE OF AGE OF DRUG USER (TRANQUILIZER) AS REGARD WOMEN (E4.6WomenTranq)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 928
Format: numeric	Invalid: 1860
Width: 3	Minimum: 1
Decimals: 0	Maximum: 100
Range: 1-100	Mean: 25.2

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Tranquilizers (such as Bromazepam, valium, tropium, calmpose) users are Women

PERCENTAGE OF AGE OF DRUG USER (TRANQUILIZER) AS REGARD YOUTH (E4.6YouthTranq)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 912
Format: numeric	Invalid: 1876
Width: 3	Minimum: 1
Decimals: 0	Maximum: 100
Range: 1-100	Mean: 31.8

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Tranquilizers (such as Bromazepam, valium, tropium, calmpose) users Are young (b/w 16-25yrs)

PERCENTAGE OF AGE OF DRUG USER (TRANQUILIZER) AS REGARD ADOLESCENT (E4.6AdolscentTranq)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 846
Format: numeric	Invalid: 1942
Width: 3	Minimum: 1
Decimals: 0	Maximum: 100
Range: 1-100	Mean: 19.5

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Tranquilizers (such as Bromazepam, valium, tropium, calmpose) users are Are adolescent (less than 16 yrs)

PERCENTAGE OF AGE OF DRUG USER (ALCOHOL) AS REGARD MEN (E4.7MenAlcohol)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 1265
Format: numeric	Invalid: 1523
Width: 3	Minimum: 2
Decimals: 0	Maximum: 100
Range: 2-100	Mean: 56.7

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Alcohol users are Men

PERCENTAGE OF AGE OF DRUG USER (ALCOHOL) AS REGARD WOMEN (E4.7WomenAlcohol)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 1280
Format: numeric	Invalid: 1508
Width: 3	Minimum: 1
Decimals: 0	Maximum: 100
Range: 1-100	Mean: 34.4

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Alcohol users are Women

PERCENTAGE OF AGE OF DRUG USER (ALCOHOL) AS REGARD YOUTH (E4.7YouthAlcohol)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 1275
Format: numeric	Invalid: 1513
Width: 3	Minimum: 1
Decimals: 0	Maximum: 100
Range: 1-100	Mean: 41.6

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Alcohol users Are young (b/w 16-25yrs)

PERCENTAGE OF AGE OF DRUG USER (ALCOHOL) AS REGARD ADOLESCENT (E4.7AdolscentAlcohol)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 1146
Format: numeric	Invalid: 1642
Width: 3	Minimum: 1
Decimals: 0	Maximum: 100
Range: 1-100	Mean: 23.6

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Alcohol users Are adolescent (less than 16 yrs)

PERCENTAGE OF AGE OF DRUG USER (MALTRANAL) AS REGARD MEN (E4.8MenMaltranal)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 495
Format: numeric	Invalid: 2293
Width: 3	Minimum: 1
Decimals: 0	Maximum: 100
Range: 1-100	Mean: 16.4

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Maltranal users are Men

PERCENTAGE OF AGE OF DRUG USER (MALTRANAL) AS REGARD WOMEN (E4.8WomenMaltranal)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 476
Format: numeric	Invalid: 2312
Width: 3	Minimum: 5
Decimals: 0	Maximum: 100
Range: 5-100	Mean: 16.2

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Maltranal users are Women

PERCENTAGE OF AGE OF DRUG USER (MALTRANAL) AS REGARD YOUTH (E4.8YouthMaltranal)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 476
Format: numeric	Invalid: 2312
Width: 3	Minimum: 2
Decimals: 0	Maximum: 100
Range: 2-100	Mean: 17

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Maltranal users Are young (b/w 16-25yrs)

PERCENTAGE OF AGE OF DRUG USER (MALTRANAL) AS REGARD ADOLESCENT (E4.8AdolscentMaltranal)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 486
Format: numeric	Invalid: 2302
Width: 2	Minimum: 2
Decimals: 0	Maximum: 99
Range: 2-99	Mean: 15.8

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Maltranal users Are adolescent (less than 16 yrs)

PERCENTAGE OF AGE OF DRUG USER (PAINKILLER) AS REGARD MEN (E4.9PainKillerMen)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 1282
Format: numeric	Invalid: 1506
Width: 3	Minimum: 2
Decimals: 0	Maximum: 100
Range: 2-100	Mean: 47

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Painkillers or analgesics (such as Tramadol, Morphine, Pethidine, Pentazocine) users are Men

PERCENTAGE OF AGE OF DRUG USER (PAINKILLER) AS REGARD WOMEN (E4.9WomenPain)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 1245
Format: numeric	Invalid: 1543
Width: 3	Minimum: 2
Decimals: 0	Maximum: 100
Range: 2-100	Mean: 27.1

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Painkillers or analgesics (such as Tramadol, Morphine, Pethidine, Pentazocine) users are Women

PERCENTAGE OF AGE OF DRUG USER (PAINKILLER) AS REGARD YOUTH (E4.9YouthPain)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 1247
Format: numeric	Invalid: 1541
Width: 3	Minimum: 1
Decimals: 0	Maximum: 100
Range: 1-100	Mean: 40.9

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Painkillers or analgesics (such as Tramadol, Morphine, Pethidine, Pentazocine) users Are young (b/w 16-25yrs)

PERCENTAGE OF AGE OF DRUG USER (PAINKILLER) AS REGARD ADOLESCENT (E4.9AdolscentPain)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 1133
Format: numeric	Invalid: 1655
Width: 3	Minimum: 1
Decimals: 0	Maximum: 100
Range: 1-100	Mean: 21.2

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Painkillers or analgesics (such as Tramadol, Morphine, Pethidine, Pentazocine) users Are adolescent (less than 16 yrs)

PERCENTAGE OF AGE OF DRUG USER (AMPHETAMINES) AS REGARD MEN (E4.10AmpheMen)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 530
Format: numeric	Invalid: 2258
Width: 2	Minimum: 1
Decimals: 0	Maximum: 99
Range: 1-99	Mean: 17

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Amphetamines such as Dexedrine or Adderall users are Men

PERCENTAGE OF AGE OF DRUG USER (AMPHETAMINES) AS REGARD WOMEN (E4.10WomenAmph)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 503
Format: numeric	Invalid: 2285
Width: 2	Minimum: 1
Decimals: 0	Maximum: 99
Range: 1-99	Mean: 15.5

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Amphetamines such as Dexedrine or Adderall users are Women

PERCENTAGE OF AGE OF DRUG USER (AMPHETAMINES) AS REGARD YOUTH (E4.10YouthAmph)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 511
Format: numeric	Invalid: 2277
Width: 2	Minimum: 1
Decimals: 0	Maximum: 99
Range: 1-99	Mean: 17.6

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Amphetamines such as Dexedrine or Adderall users Are young (b/w 16-25yrs)

PERCENTAGE OF AGE OF DRUG USER (AMPHETAMINES) AS REGARD ADOLESCENT (E4.10AdolscentAmph)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 505
Format: numeric	Invalid: 2283
Width: 2	Minimum: 1
Decimals: 0	Maximum: 99
Range: 1-99	Mean: 15.4

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Amphetamines such as Dexedrine or Adderall users Are adolescent (less than 16 yrs)

PERCENTAGE OF AGE OF DRUG USER (METHAMPHETAMINE TABLETS) AS REGARD MEN (E4.11MenMethTab)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 519
Format: numeric	Invalid: 2269
Width: 2	Minimum: 2
Decimals: 0	Maximum: 99
Range: 2-99	Mean: 18.9

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Methamphetamine tablets such as Pervitin, Methedrine, or Desoxyn users are Men

PERCENTAGE OF AGE OF DRUG USER (METHAMPHETAMINE TABLETS) AS REGARD WOMEN (E4.11WomenMethTab)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 512
Format: numeric	Invalid: 2276
Width: 2	Minimum: 1
Decimals: 0	Maximum: 99
Range: 1-99	Mean: 14.9

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Methamphetamine tablets such as Pervitin, Methedrine, or Desoxyn users are Women

PERCENTAGE OF AGE OF DRUG USER (METHAMPHETAMINE TABLETS) AS REGARD YOUTH (E4.11YouthMethTab)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 511
Format: numeric	Invalid: 2277
Width: 2	Minimum: 1
Decimals: 0	Maximum: 99
Range: 1-99	Mean: 17.9

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Methamphetamine tablets such as Pervitin, Methedrine, or Desoxyn users Are young (b/w 16-25yrs)

PERCENTAGE OF AGE OF DRUG USER (METHAMPHETAMINE TABLETS) AS REGARD ADOLESCENT (E4.11AdolscentMethTab)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 498
Format: numeric	Invalid: 2290
Width: 3	Minimum: 1
Decimals: 0	Maximum: 100
Range: 1-100	Mean: 15.1

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Methamphetamine tablets such as Pervitin, Methedrine, or Desoxyn users Are adolescent (less than 16 yrs)

PERCENTAGE OF AGE OF DRUG USER (HEROIN) AS REGARD MEN (E4.12MenHeroin)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 889
Format: numeric	Invalid: 1899
Width: 3	Minimum: 2
Decimals: 0	Maximum: 100
Range: 2-100	Mean: 31.9

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Heroin users are Men

PERCENTAGE OF AGE OF DRUG USER (HEROIN) AS REGARD WOMEN (E4.12WomenHeroin)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 836
Format: numeric	Invalid: 1952
Width: 2	Minimum: 1
Decimals: 0	Maximum: 99
Range: 1-99	Mean: 17.9

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Heroin users are Women

PERCENTAGE OF AGE OF DRUG USER (HEROIN) AS REGARD YOUTH (E4.12YouthHeroin)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 857
Format: numeric	Invalid: 1931
Width: 2	Minimum: 2
Decimals: 0	Maximum: 99
Range: 2-99	Mean: 22.2

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Heroin users Are young (b/w 16-25yrs)

PERCENTAGE OF AGE OF DRUG USER (HEROIN) AS REGARD ADOLESCENT (E4.12AdolscentHeroin)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 783
Format: numeric	Invalid: 2005
Width: 3	Minimum: 1
Decimals: 0	Maximum: 100
Range: 1-100	Mean: 13.8

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Heroin users Are adolescent (less than 16 yrs)

PERCENTAGE OF AGE OF DRUG USER (LSD (LYSERGIC ACID DIETHYLAMIDE) AS REGARD MEN (E4.13MenLSD)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 526
Format: numeric	Invalid: 2262
Width: 3	Minimum: 1
Decimals: 0	Maximum: 100
Range: 1-100	Mean: 20.6

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of LSD (Lysergic Acid Diethylamide) users are Men

PERCENTAGE OF AGE OF DRUG USER (LSD (LYSERGIC ACID DIETHYLAMIDE) AS REGARD WOMEN (E4.13WomenLSD)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 513
Format: numeric	Invalid: 2275
Width: 3	Minimum: 1
Decimals: 0	Maximum: 100
Range: 1-100	Mean: 15.6

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of LSD (Lysergic Acid Diethylamide) users are Women

PERCENTAGE OF AGE OF DRUG USER (LSD (LYSERGIC ACID DIETHYLAMIDE) AS REGARD YOUTH (E4.13YouthLSD)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 510
Format: numeric	Invalid: 2278
Width: 3	Minimum: 1
Decimals: 0	Maximum: 100
Range: 1-100	Mean: 18.3

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of LSD (Lysergic Acid Diethylamide) users Are young (b/w 16-25yrs)

PERCENTAGE OF AGE OF DRUG USER (LSD (LYSERGIC ACID DIETHYLAMIDE) AS REGARD ADOLESCENT (E4.13AdolscentLSD)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 515
Format: numeric	Invalid: 2273
Width: 3	Minimum: 0.5
Decimals: 0	Maximum: 100
Range: 0.5-100	Mean: 15.5

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of LSD (Lysergic Acid Diethylamide) users Are adolescent (less than 16 yrs)

PERCENTAGE OF AGE OF DRUG USER (PCP (PHENCYCLIDINE) AS REGARD MEN (E4.14MenPCP)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 2515
Format: numeric	Invalid: 273
Width: 3	Minimum: 0.5
Decimals: 0	Maximum: 99
Range: 0.5-99	Mean: 4.1

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of PCP (Phencyclidine) users are Men

PERCENTAGE OF AGE OF DRUG USER (PCP (PHENCYCLIDINE) AS REGARD WOMEN (E4.14WomenPCP)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 486
Format: numeric	Invalid: 2302
Width: 3	Minimum: 0.5
Decimals: 0	Maximum: 99
Range: 0.5-99	Mean: 16.2

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of PCP (Phencyclidine) users are Women

PERCENTAGE OF AGE OF DRUG USER (PCP (PHENCYCLIDINE) AS REGARD YOUTH (E4.14YouthPCP)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 483
Format: numeric	Invalid: 2305
Width: 2	Minimum: 5
Decimals: 0	Maximum: 99
Range: 5-99	Mean: 17.9

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of PCP (Phencyclidine) users Are young (b/w 16-25yrs)

PERCENTAGE OF AGE OF DRUG USER (PCP (PHENCYCLIDINE) AS REGARD ADOLESCENT (E4.14AdolscentPCP)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 497
Format: numeric	Invalid: 2291
Width: 3	Minimum: 2
Decimals: 0	Maximum: 100
Range: 2-100	Mean: 15.6

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of PCP (Phencyclidine) users Are adolescent (less than 16 yrs)

PERCENTAGE OF AGE OF DRUG USER (SOLVENTS/INHALANTS) AS REGARD MEN (E4.15MenSolvent)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 870
Format: numeric	Invalid: 1918
Width: 3	Minimum: 1
Decimals: 0	Maximum: 100
Range: 1-100	Mean: 33.9

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Solvents/Inhalants (such as glue) users are Men

PERCENTAGE OF AGE OF DRUG USER (SOLVENTS/INHALANTS) AS REGARD WOMEN (E4.15WomenSolvent)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 773
Format: numeric	Invalid: 2015
Width: 2	Minimum: 1
Decimals: 0	Maximum: 99
Range: 1-99	Mean: 16.2

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Solvents/Inhalants (such as glue) users are Women

PERCENTAGE OF AGE OF DRUG USER (SOLVENTS/INHALANTS) AS REGARD YOUTH (E4.15YouthSolvent)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 854
Format: numeric	Invalid: 1934
Width: 3	Minimum: 2
Decimals: 0	Maximum: 100
Range: 2-100	Mean: 30.4

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Solvents/Inhalants (such as glue) users Are young (b/w 16-25yrs)

PERCENTAGE OF AGE OF DRUG USER (SOLVENTS/INHALANTS) AS REGARD ADOLESCENT (E4.15AdolscentSolvent)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 820
Format: numeric	Invalid: 1968
Width: 3	Minimum: 1
Decimals: 0	Maximum: 100
Range: 1-100	Mean: 20.4

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Solvents/Inhalants (such as glue) users Are adolescent (less than 16 yrs)

PERCENTAGE OF AGE OF DRUG USER (SOLVENTS/INHALANTS) AS REGARD MEN (E4.16MenCough)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 1115
Format: numeric	Invalid: 1673
Width: 3	Mean: 43.9
Decimals: 0	
Range: 1-100	

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Cough syrup (e.g. Coldex) users are Men

PERCENTAGE OF AGE OF DRUG USER (SOLVENTS/INHALANTS) AS REGARD WOMEN (E4.16WomenCough)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 1175
Format: numeric	Invalid: 1613
Width: 3	Minimum: 1
Decimals: 0	Maximum: 100
Range: 1-100	Mean: 32.4

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Cough syrup (e.g. Coldex) users are Women

PERCENTAGE OF AGE OF DRUG USER (SOLVENTS/INHALANTS) AS REGARD YOUTH (E4.16YouthCough)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 1185
Format: numeric	Invalid: 1603
Width: 3	Minimum: 1
Decimals: 0	Maximum: 100
Range: 1-100	Mean: 41.4

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Cough syrup (e.g. Coldex) users Are young (b/w 16-25yrs)

PERCENTAGE OF AGE OF DRUG USER (SOLVENTS/INHALANTS) AS REGARD ADOLESCENT (E4.16AdolscentCough)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 1079
Format: numeric	Invalid: 1709
Width: 3	Minimum: 2
Decimals: 0	Maximum: 100
Range: 2-100	Mean: 25.4

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Cough syrup (e.g. Coldex) users Are adolescent (less than 16 yrs)

PERCENTAGE OF AGE OF DRUG USER (OTHERS) (E4.17OtherSpecify)

File: KEY INFORMANT DATA

Overview

Type: Discrete	Valid cases: 66
Format: character	Invalid: 0
Width: 20	

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximate percentage of Other drugs (specify) users

PERCENTAGE OF AGE OF DRUG USER (OTHERS) AS REGARD MEN (E4.17MenOther)

File: KEY INFORMANT DATA

PERCENTAGE OF AGE OF DRUG USER (OTHERS) AS REGARD MEN (E4.17MenOther)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 207
Format: numeric	Invalid: 2581
Width: 3	Minimum: 1
Decimals: 0	Maximum: 100
Range: 1-100	Mean: 35.7

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Other drugs (specify) users are Men

PERCENTAGE OF AGE OF DRUG USER (OTHERS) AS REGARD WOMEN (E4.17WomenOther)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 196
Format: numeric	Invalid: 2592
Width: 3	Minimum: 2
Decimals: 0	Maximum: 100
Range: 2-100	Mean: 30

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Other drugs (specify) users are Women

PERCENTAGE OF AGE OF DRUG USER (OTHERS) AS REGARD YOUTH (E4.17YouthOther)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 199
Format: numeric	Invalid: 2589
Width: 3	Minimum: 4
Decimals: 0	Maximum: 100
Range: 4-100	Mean: 34.4

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Other drugs (specify) users Are young (b/w 16-25yrs)

PERCENTAGE OF AGE OF DRUG USER (OTHERS) AS REGARD ADOLESCENT (E4.17AdolscentOther)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 166
Format: numeric	Invalid: 2622
Width: 3	Minimum: 0.5
Decimals: 0	Maximum: 99
Range: 0.5-99	Mean: 21.3

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

Approximately what percentage of Other drugs (specify) users Are adolescent (less than 16 yrs)

PERCENTAGE OF DRUG USERS IN YOUR AREA THAT ARE INJECTING DRUG USERS (E5PercentInjecting)

File: KEY INFORMANT DATA

Overview

Type: Continuous	Valid cases: 1403
Format: numeric	Invalid: 1385
Width: 2	Minimum: 1
Decimals: 0	Maximum: 99
Range: 1-99	Mean: 19.3

Pre question

Now please think of the drug using population in your area overall (i.e., those you have had personal contact with plus those whom you do not know personally). I want your overall impression of the area, so once again please estimate answers where you can; if you can not provide an approximate answer please say so and I will move on to another question.

Literal question

And finally, approximately what percentage of drug users in your area do you think are INJECTING DRUG USERS?

PRIVATE HOSPITAL/CLINIC EXIST IN YOUR AREA (F1.1PrivateEx)

File: KEY INFORMANT DATA

Overview

Type: Discrete	Valid cases: 2485
Format: numeric	Invalid: 303
Width: 1	
Decimals: 0	
Range: 1-9	

Pre question

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area

Literal question

Do any of the following services exist in your area?

Private clinic

Interviewer instructions

Note: If no Service exist then skip next questions and go to the question 8.

PSYHIATRIC HOSPITAL EXIST IN YOUR AREA (F1.2PsychiatricEx)**File: KEY INFORMANT DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2488
 Invalid: 300

Pre question

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area

Literal question

Do any of the following services exist in your area?
 Psychiatric hospital

Interviewer instructions

Note: If no Service exist then skip next questions and go to the question 8.

OTHER GOVERNMENT HOSPITAL EXIST IN YOUR AREA (F1.3GovEx)**File: KEY INFORMANT DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2471
 Invalid: 317

Pre question

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area

Literal question

Do any of the following services exist in your area?
 Other Government Hospitals

Interviewer instructions

Note: If no Service exist then skip next questions and go to the question 8.

NGO/TREATMENT CENTER EXIST IN YOUR AREA (F1.4NGOEx)**File: KEY INFORMANT DATA****Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2416
 Invalid: 372

Pre question

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area

Literal question

Do any of the following services exist in your area?
 NGO/Treatment Centre

NGO/TREATMENT CENTER EXIST IN YOUR AREA (F1.4NGOEx)

File: KEY INFORMANT DATA

Interviewer instructions

Note: If no Service exist then skip next questions and go to the question 8.

HOME BASED MANAGMENT EXIST IN YOUR AREA (F1.5HomebaseEx)

File: KEY INFORMANT DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2417
 Invalid: 371

Pre question

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area

Literal question

Do any of the following services exist in your area?

Home treatment

Interviewer instructions

Note: If no Service exist then skip next questions and go to the question 8.

FAITH BASED TREATMENT CENTRE EXIST IN YOUR AREA (F1.6FaithEx)

File: KEY INFORMANT DATA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 2460
 Invalid: 328

Pre question

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area

Literal question

Do any of the following services exist in your area?

Faith Based Treatment Centre

Interviewer instructions

Note: If no Service exist then skip next questions and go to the question 8.

NDLEA CONSELLING CENTRE EXIST IN YOUR AREA (F1.7NDLEAEx)

File: KEY INFORMANT DATA

Overview

NDLEA CONSELLING CENTRE EXIST IN YOUR AREA (F1.7NDLEAEx)

File: KEY INFORMANT DATA

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2425
Invalid: 363

Pre question

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area

Literal question

Do any of the following services exist in your area?
NDLEA counselling centre exist in your area

Interviewer instructions

Note: If no Service exist then skip next questions and go to the question 8.

OTHER SPECIFIED CENTER THAT EXIST IN YOUR AREA (F1.8OtherSpecify)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: character
Width: 29

Valid cases: 132
Invalid: 0

Pre question

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area

Literal question

Do any of the following services exist in your area?
Other (specify)

Interviewer instructions

Note: If no Service exist then skip next questions and go to the question 8.

LEVEL OF PRIVATE HOSPITAL/CLINIC USUALLY VISITED BY DRUG USERS (F2.1PrivateMost)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1964
Invalid: 824

Pre question

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

The next questions are about drug treatment centre which may be available for drug users in your area

Literal question

LEVEL OF PRIVATE HOSPITAL/CLINIC USUALLY VISITED BY DRUG USERS (F2.1PrivateMost)

File: KEY INFORMANT DATA

Which of the following places do drug users in your area most often go for treatment of their drug problems?
Private clinic

LEVEL OF PYSCIATRIC HOSPITAL USUALLY VISITED BY DRUG USERS (F2.2PsychiatricMost)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1965
Invalid: 823

Pre question

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

The next questions are about drug treatment centre which may be available for drug users in your area

Literal question

Which of the following places do drug users in your area most often go for treatment of their drug problems?
Psychiatric hospital

LEVEL OF OTHER GOVERNMENT HOSPITALS VISITED BY DRUG USERS (F2.3GovMost)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1930
Invalid: 858

Pre question

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

The next questions are about drug treatment centre which may be available for drug users in your area

Literal question

Which of the following places do drug users in your area most often go for treatment of their drug problems?
Other Government Hospitals

LEVEL OF PRIVATE NGO/TREATMENT CENTER USUALLY VISITED BY DRUG USERS (F2.4NGOMost)

File: KEY INFORMANT DATA

Overview

LEVEL OF PRIVATE NGO/TREATMENT CENTER USUALLY VISITED BY DRUG USERS (F2.4NGOMost)

File: KEY INFORMANT DATA

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1795
Invalid: 993

Pre question

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

The next questions are about drug treatment centre which may be available for drug users in your area

Literal question

Which of the following places do drug users in your area most often go for treatment of their drug problems?
NGO/Treatment Centre

LEVEL OF PRIVATE HOME USUALLY VISITED BY DRUG USERS (F2.5HomeMost)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1817
Invalid: 971

Pre question

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

The next questions are about drug treatment centre which may be available for drug users in your area

Literal question

Which of the following places do drug users in your area most often go for treatment of their drug problems?
Home treatment

LEVEL OF FAITH BASED TREATMENT CENTRE USUALLY VISITED BY DRUG USERS (F2.6FaithMost)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1894
Invalid: 894

Pre question

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

The next questions are about drug treatment centre which may be available for drug users in your area

Literal question

LEVEL OF FAITH BASED TREATMENT CENTRE USUALLY VISITED BY DRUG USERS (F2.6FaithMost)

File: KEY INFORMANT DATA

Which of the following places do drug users in your area most often go for treatment of their drug problems?
Faith Based Treatment Centre

LEVEL OF NDLEA CONSELLING CENTRE USUALLY VISITED BY DRUG USERS (F2.7NDLEAMost)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1822
Invalid: 966

Pre question

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

The next questions are about drug treatment centre which may be available for drug users in your area

Literal question

Which of the following places do drug users in your area most often go for treatment of their drug problems?
NDLEA Treatment Centre

LEVEL OF OTHERS USUALLY VISITED BY DRUG USERS (F2.8Other)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: character
Width: 27

Valid cases: 360
Invalid: 0

Pre question

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

The next questions are about drug treatment centre which may be available for drug users in your area

Literal question

Which of the following places do drug users in your area most often go for treatment of their drug problems?
Other specify

LEVEL OF ACCESSABILITY OF PRIVATE CLINIC IN YOUR AREA (F3.1Privaccessible)

File: KEY INFORMANT DATA

Overview

LEVEL OF ACCESSABILITY OF PRIVATE CLINIC IN YOUR AREA (F3.1Privaccessible)

File: KEY INFORMANT DATA

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1903
Invalid: 885

Pre question

I will ask the next few questions about the effectiveness of the available treatment services in your area. For effectiveness we would look at the accessibility, coverage, availability of treatment slots, treatment regimens offered, meeting diverse needs of the clients, etc. I will ask about each one by one. In response, you may give your answers as "least effective, "somewhat" or "very effective"

Literal question

So, overall, in your opinion how accessible are the available treatment services in your area?
Private clinic

Accessibility with regard to location, working hours, equality and eligibility regardless of the person's status or payment capacity, etc.

LEVEL OF ACCSSABILITY OF PSYCHIATRIC HOSPITAL IN YOUR AREA (F3.2PsychiaAccessible)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1895
Invalid: 893

Pre question

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

I will ask the next few questions about the effectiveness of the available treatment services in your area. For effectiveness we would look at the accessibility, coverage, availability of treatment slots, treatment regimens offered, meeting diverse needs of the clients, etc. I will ask about each one by one. In response, you may give your answers as "least effective, "somewhat" or "very effective"

Literal question

So, overall, in your opinion how accessible are the available treatment services in your area?
Psychiatric hospital

Accessibility with regard to location, working hours, equality and eligibility regardless of the person's status or payment capacity, etc.

LEVEL OF ACCSSABILITY OF OTHER GOVERNMENT HOSPITALS IN YOUR AREA (F3.3GovAccessible)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1903
Invalid: 885

LEVEL OF ACCESSABILITY OF OTHER GOVERNMENT HOSPITALS IN YOUR AREA (F3.3GovAccessible)

File: KEY INFORMANT DATA

Pre question

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

I will ask the next few questions about the effectiveness of the available treatment services in your area. For effectiveness we would look at the accessibility, coverage, availability of treatment slots, treatment regimens offered, meeting diverse needs of the clients, etc. I will ask about each one by one. In response, you may give your answers as "least effective, "somewhat" or "very effective"

Literal question

So, overall, in your opinion how accessible are the available treatment services in your area?
Other Government Hospitals

Accessibility with regard to location, working hours, equality and eligibility regardless of the person's status or payment capacity, etc.

LEVEL OF ACCESSABILITY OF NGO/TREATMENT CENTRE IN YOUR AREA (F3.4NGOaccessible)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1754
Invalid: 1034

Pre question

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

I will ask the next few questions about the effectiveness of the available treatment services in your area. For effectiveness we would look at the accessibility, coverage, availability of treatment slots, treatment regimens offered, meeting diverse needs of the clients, etc. I will ask about each one by one. In response, you may give your answers as "least effective, "somewhat" or "very effective"

Literal question

So, overall, in your opinion how accessible are the available treatment services in your area?
NGO/Treatment Centre

Accessibility with regard to location, working hours, equality and eligibility regardless of the person's status or payment capacity, etc.

LEVEL OF ACCESSABILITY OF HOME BASED IN YOUR AREA (F3.5HomeAccessible)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1776
Invalid: 1012

Pre question

LEVEL OF ACCESSABILITY OF HOME BASED IN YOUR AREA (F3.5HomeAccessible)

File: KEY INFORMANT DATA

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

I will ask the next few questions about the effectiveness of the available treatment services in your area. For effectiveness we would look at the accessibility, coverage, availability of treatment slots, treatment regimens offered, meeting diverse needs of the clients, etc. I will ask about each one by one. In response, you may give your answers as "least effective, "somewhat" or "very effective"

Literal question

So, overall, in your opinion how accessible are the available treatment services in your area?
Home treatment

Accessibility with regard to location, working hours, equality and eligibility regardless of the person's status or payment capacity, etc.

LEVEL OF ACCESSABILITY OF FAITH BASED TREATMENT CENTRE IN YOUR AREA (F3.6FaithAccessible)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1821
Invalid: 967

Pre question

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

I will ask the next few questions about the effectiveness of the available treatment services in your area. For effectiveness we would look at the accessibility, coverage, availability of treatment slots, treatment regimens offered, meeting diverse needs of the clients, etc. I will ask about each one by one. In response, you may give your answers as "least effective, "somewhat" or "very effective"

Literal question

So, overall, in your opinion how accessible are the available treatment services in your area?
Faith Based Treatment Centre

Accessibility with regard to location, working hours, equality and eligibility regardless of the person's status or payment capacity, etc.

LEVEL OF ACCESSABILITY OF NDLEA COUNSELLING CENTRE IN YOUR AREA (F3.7NDLEAAccessible)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1784
Invalid: 1004

Pre question

LEVEL OF ACCESSABILITY OF NDLEA COUNSELLING CENTRE IN YOUR AREA (F3.7NDLEAAccessible)

File: KEY INFORMANT DATA

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

I will ask the next few questions about the effectiveness of the available treatment services in your area. For effectiveness we would look at the accessibility, coverage, availability of treatment slots, treatment regimens offered, meeting diverse needs of the clients, etc. I will ask about each one by one. In response, you may give your answers as "least effective, "somewhat" or "very effective"

Literal question

So, overall, in your opinion how accessible are the available treatment services in your area?
NDLEA Treatment Centre

Accessibility with regard to location, working hours, equality and eligibility regardless of the person's status or payment capacity, etc.

LEVEL OF ACCEPTABILITY OF PRIVATE CLINIC IN YOUR AREA (F4.1Privateacceptable)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1943
Invalid: 845

Pre question

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

I will ask the next few questions about the effectiveness of the available treatment services in your area. For effectiveness we would look at the accessibility, coverage, availability of treatment slots, treatment regimens offered, meeting diverse needs of the clients, etc. I will ask about each one by one. In response, you may give your answers as "least effective, "somewhat" or "very effective"

Literal question

In your opinion how acceptable are the available treatments services in your area?
Private clinic

LEVEL OF ACCEPTABILITY OF PSYCHIATRIC HOSPITAL IN YOUR AREA (F4.2PsychiaAcceptible)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1928
Invalid: 860

Pre question

LEVEL OF ACCEPTABILITY OF PSYCHIATRIC HOSPITAL IN YOUR AREA (F4.2PsychiaAcceptible)

File: KEY INFORMANT DATA

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

I will ask the next few questions about the effectiveness of the available treatment services in your area. For effectiveness we would look at the accessibility, coverage, availability of treatment slots, treatment regimens offered, meeting diverse needs of the clients, etc. I will ask about each one by one. In response, you may give your answers as "least effective, "somewhat" or "very effective"

Literal question

In your opinion how acceptable are the available treatments services in your area?
Psychiatric hospital

LEVEL OF ACCEPTABILITY OF OTHER GOVERNMENT HOSPITALS IN YOUR AREA (F4.3GovAcceptible)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1933
Invalid: 855

Pre question

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

I will ask the next few questions about the effectiveness of the available treatment services in your area. For effectiveness we would look at the accessibility, coverage, availability of treatment slots, treatment regimens offered, meeting diverse needs of the clients, etc. I will ask about each one by one. In response, you may give your answers as "least effective, "somewhat" or "very effective"

Literal question

In your opinion how acceptable are the available treatments services in your area?
Other Government Hospitals

LEVEL OF ACCEPTABILITY OF NGO/TREATMENT CENTRE IN YOUR AREA (F4.4NGOAcceptible)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1798
Invalid: 990

Pre question

LEVEL OF ACCEPTABILITY OF NGO/TREATMENT CENTRE IN YOUR AREA (F4.4NGOAcceptible)

File: KEY INFORMANT DATA

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

I will ask the next few questions about the effectiveness of the available treatment services in your area. For effectiveness we would look at the accessibility, coverage, availability of treatment slots, treatment regimens offered, meeting diverse needs of the clients, etc. I will ask about each one by one. In response, you may give your answers as "least effective, "somewhat" or "very effective"

Literal question

In your opinion how acceptable are the available treatments services in your area?
NGO/Treatment Centre

LEVEL OF ACCEPTABILITY OF HOME BASED IN YOUR AREA (F4.5HomeAcceptible)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1812
Invalid: 976

Pre question

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

I will ask the next few questions about the effectiveness of the available treatment services in your area. For effectiveness we would look at the accessibility, coverage, availability of treatment slots, treatment regimens offered, meeting diverse needs of the clients, etc. I will ask about each one by one. In response, you may give your answers as "least effective, "somewhat" or "very effective"

Literal question

In your opinion how acceptable are the available treatments services in your area?
Home treatment

LEVEL OF ACCEPTABILITY OF FAITH BASED TREATMENT CENTRE IN YOUR AREA (F4.6FaithAcceptible)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1874
Invalid: 914

Pre question

LEVEL OF ACCEPTABILITY OF FAITH BASED TREATMENT CENTRE IN YOUR AREA (F4.6FaithAcceptible)

File: KEY INFORMANT DATA

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

I will ask the next few questions about the effectiveness of the available treatment services in your area. For effectiveness we would look at the accessibility, coverage, availability of treatment slots, treatment regimens offered, meeting diverse needs of the clients, etc. I will ask about each one by one. In response, you may give your answers as "least effective, "somewhat" or "very effective"

Literal question

In your opinion how acceptable are the available treatments services in your area?
Faith Based Treatment Centre

LEVEL OF ACCEPTABILITY OF NDLEA CONSELLING CENTRE IN YOUR AREA (F4.7NDLEAAcceptible)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1809
Invalid: 979

Pre question

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

I will ask the next few questions about the effectiveness of the available treatment services in your area. For effectiveness we would look at the accessibility, coverage, availability of treatment slots, treatment regimens offered, meeting diverse needs of the clients, etc. I will ask about each one by one. In response, you may give your answers as "least effective, "somewhat" or "very effective"

Literal question

In your opinion how acceptable are the available treatments services in your area?
NDLEA Treatment Centre

LEVEL OF EFFECTIVENESS OF PRIVATE CLINIC IN YOUR AREA (F5.1PrivateEffective)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1933
Invalid: 855

Pre question

LEVEL OF EFFECTIVENESS OF PRIVATE CLINIC IN YOUR AREA (F5.1PrivateEffective)

File: KEY INFORMANT DATA

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

I will ask the next few questions about the effectiveness of the available treatment services in your area. For effectiveness we would look at the accessibility, coverage, availability of treatment slots, treatment regimens offered, meeting diverse needs of the clients, etc. I will ask about each one by one. In response, you may give your answers as "least effective, "somewhat" or "very effective"

Literal question

In your opinion how effective would you say the available treatment services are for offering a range of services, treatment options and or modalities to their clients?

Private clinic

LEVEL OF EFFECTIVENESS OF PSYCHIATRIC HOSPITAL IN YOUR AREA (F5.2PsychiacEffective)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1919
Invalid: 869

Pre question

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

I will ask the next few questions about the effectiveness of the available treatment services in your area. For effectiveness we would look at the accessibility, coverage, availability of treatment slots, treatment regimens offered, meeting diverse needs of the clients, etc. I will ask about each one by one. In response, you may give your answers as "least effective, "somewhat" or "very effective"

Literal question

In your opinion how effective would you say the available treatment services are for offering a range of services, treatment options and or modalities to their clients?

Psychiatric hospital

LEVEL OF EFFECTIVENESS OF OTHER GOVERNMENT HOSPITALS IN YOUR AREA (F5.3GovEffective)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1933
Invalid: 855

Pre question

LEVEL OF EFFECTIVENESS OF OTHER GOVERNMENT HOSPITALS IN YOUR AREA (F5.3GovEffective)

File: KEY INFORMANT DATA

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

I will ask the next few questions about the effectiveness of the available treatment services in your area. For effectiveness we would look at the accessibility, coverage, availability of treatment slots, treatment regimens offered, meeting diverse needs of the clients, etc. I will ask about each one by one. In response, you may give your answers as "least effective, "somewhat" or "very effective"

Literal question

In your opinion how effective would you say the available treatment services are for offering a range of services, treatment options and or modalities to their clients?

Other Government Hospitals

LEVEL OF EFFECTIVENESS OF NGO/TREATMENT CENTRE IN YOUR AREA (F5.4NGOEffective)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1779
Invalid: 1009

Pre question

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

I will ask the next few questions about the effectiveness of the available treatment services in your area. For effectiveness we would look at the accessibility, coverage, availability of treatment slots, treatment regimens offered, meeting diverse needs of the clients, etc. I will ask about each one by one. In response, you may give your answers as "least effective, "somewhat" or "very effective"

Literal question

In your opinion how effective would you say the available treatment services are for offering a range of services, treatment options and or modalities to their clients?

NGO/Treatment Centre

LEVEL OF EFFECTIVENESS OF HOME BASED IN YOUR AREA (F5.5HomeEffective)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1792
Invalid: 996

Pre question

LEVEL OF EFFECTIVENESS OF HOME BASED IN YOUR AREA (F5.5HomeEffective)

File: KEY INFORMANT DATA

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

I will ask the next few questions about the effectiveness of the available treatment services in your area. For effectiveness we would look at the accessibility, coverage, availability of treatment slots, treatment regimens offered, meeting diverse needs of the clients, etc. I will ask about each one by one. In response, you may give your answers as "least effective, "somewhat" or "very effective"

Literal question

In your opinion how effective would you say the available treatment services are for offering a range of services, treatment options and or modalities to their clients?

Home treatment

LEVEL OF EFFECTIVENESS OF FAITH BASED TREATMENT CENTRE IN YOUR AREA (F5.6FaithEffective)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1847
Invalid: 941

Pre question

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

I will ask the next few questions about the effectiveness of the available treatment services in your area. For effectiveness we would look at the accessibility, coverage, availability of treatment slots, treatment regimens offered, meeting diverse needs of the clients, etc. I will ask about each one by one. In response, you may give your answers as "least effective, "somewhat" or "very effective"

Literal question

In your opinion how effective would you say the available treatment services are for offering a range of services, treatment options and or modalities to their clients?

Faith Based Treatment Centre

LEVEL OF EFFECTIVENESS OF NDLEA CONSELLING CENTRE IN YOUR AREA (F5.7NDLEAEffective)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1799
Invalid: 989

Pre question

LEVEL OF EFFECTIVENESS OF NDLEA COUNSELLING CENTRE IN YOUR AREA (F5.7NDLEAEffective)

File: KEY INFORMANT DATA

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

I will ask the next few questions about the effectiveness of the available treatment services in your area. For effectiveness we would look at the accessibility, coverage, availability of treatment slots, treatment regimens offered, meeting diverse needs of the clients, etc. I will ask about each one by one. In response, you may give your answers as "least effective, "somewhat" or "very effective"

Literal question

In your opinion how effective would you say the available treatment services are for offering a range of services, treatment options and or modalities to their clients?

NDLEA Treatment Centre

LEVEL OF SATISFACTION OF PRIVATE CLINIC IN YOUR AREA (F6.1PrivateSatisfaction)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1912
Invalid: 876

Pre question

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

I will ask the next few questions about the effectiveness of the available treatment services in your area. For effectiveness we would look at the accessibility, coverage, availability of treatment slots, treatment regimens offered, meeting diverse needs of the clients, etc. I will ask about each one by one. In response, you may give your answers as "least effective, "somewhat" or "very effective"

Literal question

Then, how effective in your opinion would you say the available treatment services are for clients' satisfaction and or retention of clients?

Private clinic

LEVEL OF SATISFACTION OF PSYCHIATRIC HOSPITAL IN YOUR AREA (F6.2PsychiacSatisfaction)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1889
Invalid: 899

Pre question

LEVEL OF SATISFACTION OF PSYCHIATRIC HOSPITAL IN YOUR AREA (F6.2PsychiacSatisfaction)

File: KEY INFORMANT DATA

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

I will ask the next few questions about the effectiveness of the available treatment services in your area. For effectiveness we would look at the accessibility, coverage, availability of treatment slots, treatment regimens offered, meeting diverse needs of the clients, etc. I will ask about each one by one. In response, you may give your answers as "least effective, "somewhat" or "very effective"

Literal question

Then, how effective in your opinion would you say the available treatment services are for clients' satisfaction and or retention of clients?

Psychiatric hospital

LEVEL OF SATISFACTION OF OTHER GOVERNMENT HOSPITALS IN YOUR AREA (F6.3GovSatisfaction)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1904
Invalid: 884

Pre question

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

I will ask the next few questions about the effectiveness of the available treatment services in your area. For effectiveness we would look at the accessibility, coverage, availability of treatment slots, treatment regimens offered, meeting diverse needs of the clients, etc. I will ask about each one by one. In response, you may give your answers as "least effective, "somewhat" or "very effective"

Literal question

Then, how effective in your opinion would you say the available treatment services are for clients' satisfaction and or retention of clients?

Other Government Hospitals

LEVEL OF SATISFACTION OF NGO/TREATMENT CENTRE IN YOUR AREA (F6.4NGOSatisfaction)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1777
Invalid: 1011

Pre question

LEVEL OF SATISFACTION OF NGO/TREATMENT CENTRE IN YOUR AREA (F6.4NGOSatisfaction)

File: KEY INFORMANT DATA

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

I will ask the next few questions about the effectiveness of the available treatment services in your area. For effectiveness we would look at the accessibility, coverage, availability of treatment slots, treatment regimens offered, meeting diverse needs of the clients, etc. I will ask about each one by one. In response, you may give your answers as "least effective, "somewhat" or "very effective"

Literal question

Then, how effective in your opinion would you say the available treatment services are for clients' satisfaction and or retention of clients?

NGO/Treatment Centre

LEVEL OF SATISFACTION OF HOME BASED IN YOUR AREA (F6.5HomeSatisfaction)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1767
Invalid: 1021

Pre question

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

I will ask the next few questions about the effectiveness of the available treatment services in your area. For effectiveness we would look at the accessibility, coverage, availability of treatment slots, treatment regimens offered, meeting diverse needs of the clients, etc. I will ask about each one by one. In response, you may give your answers as "least effective, "somewhat" or "very effective"

Literal question

Then, how effective in your opinion would you say the available treatment services are for clients' satisfaction and or retention of clients?

Home treatment

LEVEL OF SATISFACTION OF FAITH BASED TREATMENT CENTRE IN YOUR AREA (F6.6FaithSatisfaction)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1815
Invalid: 973

Pre question

LEVEL OF SATISFACTION OF FAITH BASED TREATMENT CENTRE IN YOUR AREA (F6.6FaithSatisfaction)

File: KEY INFORMANT DATA

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

I will ask the next few questions about the effectiveness of the available treatment services in your area. For effectiveness we would look at the accessibility, coverage, availability of treatment slots, treatment regimens offered, meeting diverse needs of the clients, etc. I will ask about each one by one. In response, you may give your answers as "least effective, "somewhat" or "very effective"

Literal question

Then, how effective in your opinion would you say the available treatment services are for clients' satisfaction and or retention of clients?

Faith Based Treatment Centre

LEVEL OF SATISFACTION OF NDLEA CONSELLING CENTRE IN YOUR AREA (F6.7NDLEASatisfaction)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1794
Invalid: 994

Pre question

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

I will ask the next few questions about the effectiveness of the available treatment services in your area. For effectiveness we would look at the accessibility, coverage, availability of treatment slots, treatment regimens offered, meeting diverse needs of the clients, etc. I will ask about each one by one. In response, you may give your answers as "least effective, "somewhat" or "very effective"

Literal question

Then, how effective in your opinion would you say the available treatment services are for clients' satisfaction and or retention of clients?

NDLEA Treatment Centre

LEVEL OF POSITIVE CHANGE OF PRIVATE CLINIC IN YOUR AREA (F7.1PrivatePositive)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1913
Invalid: 875

Pre question

LEVEL OF POSITIVE CHANGE OF PRIVATE CLINIC IN YOUR AREA (F7.1PrivatePositive)

File: KEY INFORMANT DATA

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

I will ask the next few questions about the effectiveness of the available treatment services in your area. For effectiveness we would look at the accessibility, coverage, availability of treatment slots, treatment regimens offered, meeting diverse needs of the clients, etc. I will ask about each one by one. In response, you may give your answers as "least effective, "somewhat" or "very effective"

Literal question

And finally, how effective do you think these services are in bringing positive changes to clients?
Private clinic

LEVEL OF POSITIVE CHANGE OF PSYCHIATRIC HOSPITAL IN YOUR AREA (F7.2PsychiacPositive)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1890
Invalid: 898

Pre question

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

I will ask the next few questions about the effectiveness of the available treatment services in your area. For effectiveness we would look at the accessibility, coverage, availability of treatment slots, treatment regimens offered, meeting diverse needs of the clients, etc. I will ask about each one by one. In response, you may give your answers as "least effective, "somewhat" or "very effective"

Literal question

And finally, how effective do you think these services are in bringing positive changes to clients?
Psychiatric hospital

LEVEL OF POSITIVE CHANGE OF OTHER GOVERNMENT HOSPITALS IN YOUR AREA (F7.3GovPositive)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1916
Invalid: 872

Pre question

LEVEL OF POSITIVE CHANGE OF OTHER GOVERNMENT HOSPITALS IN YOUR AREA (F7.3GovPositive)

File: KEY INFORMANT DATA

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

I will ask the next few questions about the effectiveness of the available treatment services in your area. For effectiveness we would look at the accessibility, coverage, availability of treatment slots, treatment regimens offered, meeting diverse needs of the clients, etc. I will ask about each one by one. In response, you may give your answers as "least effective, "somewhat" or "very effective"

Literal question

And finally, how effective do you think these services are in bringing positive changes to clients?
Other Government Hospitals

LEVEL OF POSITIVE CHANGE OF NGO/TREATMENT CENTRE IN YOUR AREA (F7.4NGOPositive)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1779
Invalid: 1009

Pre question

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

I will ask the next few questions about the effectiveness of the available treatment services in your area. For effectiveness we would look at the accessibility, coverage, availability of treatment slots, treatment regimens offered, meeting diverse needs of the clients, etc. I will ask about each one by one. In response, you may give your answers as "least effective, "somewhat" or "very effective"

Literal question

And finally, how effective do you think these services are in bringing positive changes to clients?
NGO/Treatment Centre

LEVEL OF POSITIVE CHANGE OF HOME BASED IN YOUR AREA (F7.5HomePositive)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1772
Invalid: 1016

Pre question

LEVEL OF POSITIVE CHANGE OF HOME BASED IN YOUR AREA (F7.5HomePositive)

File: KEY INFORMANT DATA

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

I will ask the next few questions about the effectiveness of the available treatment services in your area. For effectiveness we would look at the accessibility, coverage, availability of treatment slots, treatment regimens offered, meeting diverse needs of the clients, etc. I will ask about each one by one. In response, you may give your answers as "least effective, "somewhat" or "very effective"

Literal question

And finally, how effective do you think these services are in bringing positive changes to clients?
Home treatment

LEVEL OF POSITIVE CHANGE OF FAITH BASED TREATMENT CENTRE IN YOUR AREA (F7.6FaithPositive)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1835
Invalid: 953

Pre question

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

I will ask the next few questions about the effectiveness of the available treatment services in your area. For effectiveness we would look at the accessibility, coverage, availability of treatment slots, treatment regimens offered, meeting diverse needs of the clients, etc. I will ask about each one by one. In response, you may give your answers as "least effective, "somewhat" or "very effective"

Literal question

And finally, how effective do you think these services are in bringing positive changes to clients?
Faith Based Treatment Centre

LEVEL OF POSITIVE CHANGE OF NDLEA COUNSELLING CENTRE IN YOUR AREA (F7.7NDLEAPositive)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1748
Invalid: 1040

Pre question

LEVEL OF POSITIVE CHANGE OF NDLEA COUNSELLING CENTRE IN YOUR AREA (F7.7NDLEAPositive)

File: KEY INFORMANT DATA

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

I will ask the next few questions about the effectiveness of the available treatment services in your area. For effectiveness we would look at the accessibility, coverage, availability of treatment slots, treatment regimens offered, meeting diverse needs of the clients, etc. I will ask about each one by one. In response, you may give your answers as "least effective, "somewhat" or "very effective"

Literal question

And finally, how effective do you think these services are in bringing positive changes to clients?
NDLEA Treatment Centre

NEED FOR MORE TREATMENT (F8MoreTreatment)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Valid cases: 2650
Invalid: 138

Pre question

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area

The next few questions concern how easy you think it is for different sections of the drug using population to obtain help for their drug related problems

Literal question

On a scale of 1 to 5 where one represents "no need" and five represents "urgent need", how much need for MORE treatment services would you say there is in your area?

Interviewer instructions

(CHECK ONE NUMBER ONLY)

LEVEL OF EASE FOR WOMEN TREATMENT (F9EaseWomen)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Valid cases: 2647
Invalid: 141

Pre question

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area

The next few questions concern how easy you think it is for different sections of the drug using population to obtain help for their drug related problems

Literal question

LEVEL OF EASE FOR WOMEN TREATMENT (F9EaseWomen)

File: KEY INFORMANT DATA

Using the same scale as above, how easy or difficult would you say it is for WOMEN in this area to get treatment for a drug problem?

LEVEL OF EASE FOR ADOLESCENT TREATMENT (F10EaseAdolescent)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Valid cases: 2607
Invalid: 181

Pre question

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

The next few questions concern how easy you think it is for different sections of the drug using population to obtain help for their drug related problems

Literal question

And finally, using the same scale as above, how easy or difficult would you say it is for ADOLESCENTS in this area to get treatment for a drug problem?

NEEDS FOR ORGANISING DRUGS (F11MostPressingDrug_Policy)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: character
Width: 100

Valid cases: 1394
Invalid: 0

Pre question

In this section, we would like to discuss firstly the availability of different drug treatment and rehabilitation services in your area. Then I will ask you about the perceived effectiveness of these services and finally on your opinion on the needs for different services for problem drug users in this area.

The next few questions concern how easy you think it is for different sections of the drug using population to obtain help for their drug related problems

Literal question

Could you describe in your own words what you feel are the most pressing needs for organized activities related to reducing drug use in your area within the following? (Please give comments under which ever you think is relevant for you)

Drug Policy

NEEDS FOR ORGANISATING PRIMARY PREVENTION (EG. SENSITIVATION, AWARENESS, EDUCATION ETC) (MostPressingprimaryPrevention)

File: KEY INFORMANT DATA

Overview

NEEDS FOR ORGANISATING PRIMARY PREVENTION (EG. SENSITIVATION, AWARENESS, EDUCATION ETC) (MostPressingprimaryPrevention)

File: KEY INFORMANT DATA

Type: Discrete
Format: character
Width: 100

Valid cases: 1492
Invalid: 0

Literal question

Could you describe in your own words what you feel are the most pressing needs for organized activities related to reducing drug use in your area within the following? (Please give comments under which ever you think is relevant for you)

Primary prevention

NEEDS FOR ORGANIZING TREATMENT AND REHABILITATION (E.G CONSELLING PSYCHOTHERAPHY) (MostPressingTreatmentandRehabili)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: character
Width: 100

Valid cases: 1392
Invalid: 0

Literal question

Could you describe in your own words what you feel are the most pressing needs for organized activities related to reducing drug use in your area within the following? (Please give comments under which ever you think is relevant for you)

Treatment and rehabilitation

NEEDS FOR ORGANIZING THE PREVENTION OF HARMFUL CONSEQUENCES (HIV, HEPATITIS INFECTIONS ETC) (MostPressingPreventionofharmfulc)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: character
Width: 100

Valid cases: 678
Invalid: 0

Literal question

Could you describe in your own words what you feel are the most pressing needs for organized activities related to reducing drug use in your area within the following? (Please give comments under which ever you think is relevant for you)

Prevention of harmful consequences (HIV, Hepatitis infections etc.) of drug use

NEEDS FOR ORGANIZING MONITORING AND RESEARCH (MostPressingMonitoringandResearc)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: character
Width: 100

Valid cases: 826
Invalid: 0

NEEDS FOR ORGANIZING MONITORING AND RESEARCH (MostPressingMonitoringandResearc)

File: KEY INFORMANT DATA

Literal question

Could you describe in your own words what you feel are the most pressing needs for organized activities related to reducing drug use in your area within the following? (Please give comments under which ever you think is relevant for you)

Monitoring and research

NEEDS FOR ORGANIZING OTHER PRIVATE BODIES (MostPressingOther)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: character
Width: 100

Valid cases: 209
Invalid: 0

Literal question

Could you describe in your own words what you feel are the most pressing needs for organized activities related to reducing drug use in your area within the following? (Please give comments under which ever you think is relevant for you)

Other

ADDITIONAL COMMENTS ABOUT THE DRUG PROBLEMS IN YOUR AREA (F12CommentsOpinion)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: character
Width: 100

Valid cases: 692
Invalid: 0

Literal question

AND FINALLY

Do you have any additional comments about the drug problem in your area?

RELIABILITY OF THE INFORMATION (Reliability)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 2592
Invalid: 196

Literal question

In your opinion how reliable was the information given by the respondent?

TIME INTERVIEW TERMINATED (TimeEnded)

File: KEY INFORMANT DATA

TIME INTERVIEW TERMINATED (TimeEnded)

File: KEY INFORMANT DATA

Overview

Type: Discrete
Format: character
Width: 11

Valid cases: 2374
Invalid: 0

Literal question

RECORD TIME INTERVIEW TERMINATED:

Related Materials

Questionnaires

NATIONAL SURVEY ON DRUG USE AND HEALTH 2016 QUESTIONNAIRE

Title	NATIONAL SURVEY ON DRUG USE AND HEALTH 2016 QUESTIONNAIRE
subtitle	NDUS SURVEY HOUSEHOLD QUESTIONNAIRE
Author(s)	National Bureau of Statistics (NBS) , United Nations Office on Drugs and Crime (UNODC)
Date	2016-01-01
Country	Nigeria
Language	English
Contributor(s)	Centre for Research and Information on Substance Abuse (CRISA) , European Union (EU)
Publisher(s)	National Bureau of Statistics (NBS) , United Nations Office on Drugs and Crime (UNODC)
Description	This document contains the National Survey on Drug Use and Health 2016 Household Questionnaire.
Table of contents	PART A: Identification Information 1 SECTION A: Demographic and financial support 2 SECTION B: Drug Use History 4 SECTION C: Injecting Drug Use 6 SECTION D: Contact with Drug User 11 SECTION E: Treatment history 13 SECTION F: Service Utilization 16 SECTION G: Prison History 17 SECTION H: Sex Lifestyle 19 SECTION I: Severity of Dependence score for main drug 22
Filename	Questionnaire for Drug use Survey in Nigeria-24032015.pdf

PROBLEM DRUG USE ASSESSMENT IN NIGERIA, 2017 DRUG USERS' QUESTIONNAIRE

Title	PROBLEM DRUG USE ASSESSMENT IN NIGERIA, 2017 DRUG USERS' QUESTIONNAIRE
subtitle	NDUS SURVEY DRUG USERS' QUESTIONNAIRE
Author(s)	Centre for Research and Information on Substance Abuse (CRISA) , United Nations Office on Drugs and Crime (UNODC)
Date	2017-01-01
Country	Nigeria
Language	English
Contributor(s)	European Union (EU)
Publisher(s)	Centre for Research and Information on Substance Abuse (CRISA) , United Nations Office on Drugs and Crime (UNODC)
Description	This document contains the Problem Drug Use Assessment in Nigeria, Drug Users' Questionnaire.

	PART A: Identification Information 1
	SECTION 1: Household Composition and Demographic Characteristics 2
	SECTION 2: Demographic Information of the Respondent 5
	SECTION 3: General Health Information 6
	SECTION 4: Size of Personal Network 7
	SECTION 5: Prescription Drug Misuse 8
	SECTION 6: Tobacco Use 8
	SECTION 7: Alcohol Use 9
Table of contents	SECTION 8: Knowledge and Awareness of Various Substances 10
	SECTION 9: Information about substance use by people personally known 11
	and in the household
	SECTION 10: Self-reported substance use 13
	SECTION 11: Information about Drug Dependence and Drug Use Disorder 14
	SECTION 12: Arrest and Treatment history 16
	SECTION 13: Brief Assessment of Harms from Others' Drug Use 16
	SECTION 14: Interviewer's Comments/Evaluation 17
	SECTION 15: Interviewer's Check(To be completed by the supervisor) 17
Filename	FINAL DU Assess typeset.pdf

PROBLEM DRUG USE ASSESSMENT IN NIGERIA 2017, KEY INFORMANT QUESTIONNAIRE

Title	PROBLEM DRUG USE ASSESSMENT IN NIGERIA 2017, KEY INFORMANT QUESTIONNAIRE
subtitle	NDUS SURVEY KEY INFORMANT QUESTIONNAIRE
Author(s)	National Bureau of Statistics (NBS) , United Nations Office on Drugs and Crime (UNODC)
Date	2017-01-01
Country	Nigeria
Language	English
Contributor(s)	European Union (EU)
Publisher(s)	Centre for Research and Information on Substance Abuse (CRISA) , United Nations Office on Drugs and Crime (UNODC)
Description	This document contains the Problem Drug Use Assessment in Nigeria, 2017 Key Informant Questionnaire.
	Identification Information 1
	Section A: Background Information 2
	Section B: Pattern of Drug Use 3
Table of contents	Section C: Changing Patterns and Trends 6
	Section D: Socio Demographics and Drug Use 10
	Section E: Primary Information 16
	Section F: Need for Services 19
Filename	KI Questionnaire Nigeria_SASS.pdf

Reports

DRUG USE IN NIGERIA SURVEY, 2018 REPORT

Title	DRUG USE IN NIGERIA SURVEY, 2018 REPORT
subtitle	NDUS SURVEY 2018 REPORT
Author(s)	National Bureau of Statistics (NBS) , United Nations Office on Drugs and Crime (UNODC)
Date	2019-01-01
Country	Nigeria
Language	English
Contributor(s)	Centre for Research and Information on Substance Abuse (CRISA) , European Union (EU)
Publisher(s)	National Bureau of Statistics (NBS) , United Nations Office on Drugs and Crime (UNODC)
Description	This document contains the 2018 Report for Drug Use in Nigeria Survey which was conducted between 2016 and 2017.

CONTENTS

	Preface 3
	Acknowledgements 7
	Abbreviations and Acronyms 8
	Executive Summary 9
	KEY FINDINGS 12
	THE WAY FORWARD 14
	1. Extent of drug use in Nigeria 16
	Poly-drug use 16
	Extent of drug use by geopolitical zones 18
	2. Patterns of drug use 25
	Gender and drug use 25
	Age and drug use 26
	Cannabis 26
	Opioids: heroin and pharmaceutical opioids 26
	Stimulants: amphetamines, cocaine and ecstasy 27
	Non-medical use of other pharmaceutical or over-the-counter drugs 28
	Solvents or inhalants 29
	Tobacco and alcohol use 29
	Knowledge and awareness about drug use and HIV and AIDS among the general population 29
	3. High-risk drug use 31
	People who inject drugs (PWID) 31
	Sexual behaviours 34
	Self-reported blood-borne infections and tuberculosis among high-risk drug users 35
	4. Health consequences of drug use 36
	Drug dependence and severity of dependence among drug users 36
	Personal health and drug use among the adult population 38
	Provision of structured treatment and other services for drug users 38
Table of contents	Provision of drug treatment services and interventions 40
	Barriers to access support and services 41
	5. Social consequences of drug use: harms to others 42
	Drug use and the criminal justice system 43
	6. Policy implications and the way forward 44
	Drug use survey findings to inform the new National Drug Control Master Plan 2020-2024 44
	Affordable and accessible scientific evidence-based drug treatment to be made available for people with drug use disorders 44
	Scaling up a comprehensive package of services for prevention, treatment and care of HIV among people who use drugs in the community and in prison settings 45
	Addressing stigma related to drug use 45
	Evidence-based drug use prevention programmes 45
	Ensure availability of pain medication for medical and scientific purposes while preventing their diversion and misuse, as well as their illicit production or availability in the illicit market 45
	Monitoring and evaluation of drug use patterns, emerging trends, and responses to the drug problem 46
	NDLEA to implement an intelligence-led policing model targeting mid- to high level traffickers 46
	DRUG USE IN NIGERIA 2018
	7. Nigeria - in context 47
	Drug supply 47
	Drug use 49
	Availability, access and control of narcotic drugs, psychotropic substances and precursor chemicals for medical and scientific purposes 50
	Legislative and policy frameworks 50
	National Drug Control Master Plan 2015-2109 51
	Institutional Framework 51
	8. Annex 53
	Ethical Clearance 53
	Methodology
Filename	Drug_Use_Survey_Nigeria_2019_BOOK.pdf

Other materials**NATIONAL SURVEY ON DRUG USE AND HEALTH 2016, INSTRUCTION MANUAL**

Title	NATIONAL SURVEY ON DRUG USE AND HEALTH 2016, INSTRUCTION MANUAL
-------	---

subtitle	NDUS SURVEY INSTRUCTION MANUAL
Author(s)	National Bureau of Statistics (NBS) , United Nations Office on Drugs and Crime (UNODC)
Date	2016-07-01
Country	Nigeria
Language	English
Contributor(s)	European Union (EU)
Publisher(s)	National Bureau of Statistics (NBS) , United Nations Office on Drugs and Crime (UNODC)
Description	This document contains the Instructions for Field Staff for Drug Use and Health Survey Manual Chapter 1 Introduction 1 Objectives 2 Justification 2 Benefits 2 Methodology 2 Sample Design 4 Survey Instruments/Equipments 5 Training for Field work 5 Field Work Arrangements for Data Collection 6 Monitoring of Field Work 6 Coordination of Field work 6 Data Processing, Analysis and Report Writing 6 Timeline for Drug Use Pilot Survey 7
Table of contents	Chapter 2 Field Staff 8 Concept and Definition 12 Chapter 3 How to fill the Questionnaire 22 Personal Identification 22 Household Composition and Demographic Characteristics 23 General Information about health from selected household members(15-64 yrs) 32 Size of personnel Network 34 Prescription of Drug Misuse 35 Tobacco Use 36 Alcohol Use 36 Knowledge and awareness of various Substance 37 Brief Assessment of Harms from Others 47 Interviewer's Check(To be completed by the supervisor) 47
Filename	Manual of Instructions to Field Staff for Drug Use and Health Survey_010716-draft.pdf

NATIONAL SURVEY ON PROBLEM DRUG USE IN NIGERIA AND KEY INFORMANT SURVEY 2016, MANUAL AND DRAFT METHODOLOGY FOR FIELD WORK

Title	NATIONAL SURVEY ON PROBLEM DRUG USE IN NIGERIA AND KEY INFORMANT SURVEY 2016, MANUAL AND DRAFT METHODOLOGY FOR FIELD WORK
subtitle	NDUS SURVEY MANUAL AND DRAFT METHODOLOGY FOR FIELD WORK
Author(s)	Center for Research and Information on Substance Abuse , United Nations Office on Drugs and Crime (UNODC)
Date	2016-11-29
Country	Nigeria
Language	English
Contributor(s)	European Union (EU)
Publisher(s)	Center for Research and Information on Substance Abuse , United Nations Office on Drugs and Crime (UNODC)
Description	This document contains the manual and draft methodology for field work Center for Research and Information on Substance Abuse

	Introduction 1
	SECTION A
	The Project: Assessing Problem drug Use in the Community 2
	Methodology for the assessment of problem drug use in the Community 3
	Project Time table 9
Table of contents	SECTION B
	Field Workers and Supervisors 10
	SECTION C
	Collecting Data with the Instruments 14
	General Tips to Interviewers 21
	Key Informant Questionnaire 22
Filename	Manual for Community Assessment.pdf

PROBLEM DRUG USE ASSESSEMENT IN NIGERIA, 2017 DATA CODE BOOK

Title	PROBLEM DRUG USE ASSESSEMENT IN NIGERIA, 2017 DATA CODE BOOK
subtitle	NDUS SURVEY DATA CODE BOOK
Author(s)	Center for Research and Information on Substance Abuse (CRISA) , United Nations Office on Drugs and Crime (UNODC)
Date	2017-01-01
Country	Nigeria
Language	English
Contributor(s)	European Union (EU)
Publisher(s)	Center for Research and Information on Substance Abuse (CRISA) , United Nations Office on Drugs and Crime (UNODC)
Description	This document contains the Problem Drug Assessment in Nigeria Data code book
	Logic behind Labelling 1
	Identification Information 2
	Section A: Demographic and Financial Support 4
	Section B: Drug Use 5
	Section C: Injecting Drug Use 8
Table of contents	Section D: Contacts with Drugs Users 14
	Section E: Treatment History 15
	Section F: Service Utilization 17
	Section G: Prison History 18
	Section H: Sex Lifestyle 19
	Section I: Severity of dependence for main drug 25
Filename	PROBLEM DRUG USE ASSESSMENT IN NIGERIA CODE BOOK.pdf

PROBLEM DRUG USE ASSESSMENT IN NIGERIA 2017 KEY INFORMANT DATA CODE BOOK

Title	PROBLEM DRUG USE ASSESSMENT IN NIGERIA 2017 KEY INFORMANT DATA CODE BOOK
subtitle	NDUS SURVEY KEY NFORMANT DATA CODE BOOK
Author(s)	Center for Research and Information on Substance Abuse (CRISA) , United Nations Office on Drugs and Crime (UNODC)
Date	2017-01-01
Country	Nigeria
Language	English
Contributor(s)	European Union (EU)
Publisher(s)	Center for Research and Information on Substance Abuse (CRISA)
Description	This document contains the Problem Drug Assessment in Nigeria Key Informant Data code book
	Identification Information 2
	Section A: Background Information 3
	Section B: Patterns of Drug Use 4
Table of contents	Section C: Changing Patterns and Trends 9
	Section D: Socio-Demographics and Drug Use 11
	Section E: Primary Information 34
	Section F: Needs for Services 38

Filename CODE BOOK KEY INFORMANTS.pdf

NATIONAL HEALTH AND DRUG SURVEY, 2016 DATA DICTIONARY

Title NATIONAL HEALTH AND DRUG SURVEY, 2016 DATA DICTIONARY
 subtitle NDUS SURVEY DATA DICTIONARY
 Author(s) Center for Research and Information on Substance Abuse (CRISA) , United Nations Office on Drugs and Crime (UNODC)
 Date 2016-01-01
 Country Nigeria
 Language English
 Contributor(s) European Union (EU)
 Publisher(s) Center for Research and Information on Substance Abuse (CRISA) , United Nations Office on Drugs and Crime (UNODC)
 Description This document contains the National Health and Drug Use data dictionary.
 Table of contents National Health and Drug Survey Data Dictionary - Code Page 1-117
 Filename CodeBook for DrugSurvey.pdf

NATIONAL SURVEY ON PROBLEM DRUG USE IN NIGERIA AND KEY INFORMANT SURVEY 2017, PROJECT EXPENSES REPORT AND DEBRIEFING NOTES

Title NATIONAL SURVEY ON PROBLEM DRUG USE IN NIGERIA AND KEY INFORMANT SURVEY 2017, PROJECT EXPENSES REPORT AND DEBRIEFING NOTES
 subtitle NDUS SURVEY PROJECT EXPENSES REPORT AND DEBRIEFING NOTES
 Author(s) Center for Research and Information on Substance Abuse (CRISA) , United Nations Office on Drugs and Crime (UNODC)
 Date 2017-10-01
 Country Nigeria
 Language English
 Contributor(s) European Union (EU)
 Publisher(s) Center for Research and Information on Substance Abuse (CRISA) , United Nations Office on Drugs and Crime (UNODC)
 Description This document contains the project expenses report as well as the debriefing notes
 Table of contents Introduction 2
 Training for Data Collection 3
 Field Work and Debriefing Report 3
 Appendix 1: Summary Tables 9
 Filename Final Field Report .pdf

ASSESSMENT OF DRUG USERS' IN THE COMMUNITY AND KEY INFORMANT SURVEY 2017, INTERVIEWERS TRAINING PROGRAM

Title ASSESSMENT OF DRUG USERS' IN THE COMMUNITY AND KEY INFORMANT SURVEY 2017, INTERVIEWERS TRAINING PROGRAM
 subtitle NDUS INTERVIEWERS TRAINING PROGRAM
 Author(s) Center for Research and Information on Substance Abuse (CRISA) , United Nations Office on Drugs and Crime (UNODC)
 Country Nigeria
 Language English
 Contributor(s) European Union (EU)
 Publisher(s) Center for Research and Information on Substance Abuse (CRISA) , United Nations Office on Drugs and Crime (UNODC)
 Description This document contains the minutes of the Interviewers training program held in Kaduna and Uyo

Table of contents	Training of Interviewers (Kaduna) 1 Uyo Training 4
Filename	Interviewer Training Kaduna Uyo.pdf

NATIONAL SURVEY ON DRUG USE AND HEALTH 2017 STUDY DOCUMENT

Title	NATIONAL SURVEY ON DRUG USE AND HEALTH 2017 STUDY DOCUMENT	
subtitle	NDUS 2017 STUDY DOCUMENT	
Author(s)	National Bureau of Statistics (NBS) , Center for Research and Information on Substance Abuse (CRISA) , United Nations Office on Drugs and Crime (UNODC)	
Date	2021-01-29	
Country	Nigeria	
Language	English	
Contributor(s)	European Union (EU)	
Publisher(s)	National Bureau of Statistics (NBS) , Center for Research and Information on Substance Abuse (CRISA) , United Nations Office on Drugs and Crime (UNODC)	
Description	This contains the Study document for National Survey on Drug Use and Health, 2017	
	Overview.....	4
	Scope & Coverage.....	5
	Producers & Sponsors.....	5
	Sampling.....	6
	Data Collection.....	7
	Data Processing & Appraisal.....	9
	Accessibility.....	9
	Rights & Disclaimer.....	10
	Files Description.....	11
	DRUG USERS' DATA.....	11
Table of contents	NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA.....	11
	KEY INFORMANT DATA.....	11
	Variables List.....	13
	DRUG USERS' DATA.....	13
	NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA.....	40
	KEY INFORMANT DATA.....	72
	Variables Description.....	100
	DRUG USERS' DATA.....	101
	NATIONAL DRUG USE AND HEALTH HOUSEHOLD DATA.....	297
	KEY INFORMANT DATA.....	600
Filename	NDUS_2017_STUDYDOC.pdf	

Ethical Clearance

Title	Ethical Clearance
Author(s)	United Nations Office on Drugs and Crime (UNODC)
Date	2/2/2021

Country Nigeria
Language English
Filename ethicalclearance.zip

Drug Use Community Based Survey ethical clearance

Title Drug Use Community Based Survey ethical clearance
Author(s) United Nations Office on Drugs and Crime (UNODC)
Date 2/2/2021
Country Nigeria
Language English
Publisher(s) National Bureau of Statistics
Filename Drug Use Community Based Survey ethical clearance_1.pdf
