

Table C.1 Household age distribution

Single-year age distribution of the de facto household population by sex (weighted), Nigeria 2003

| Age | Male | | Female | | Age | Male | | Female | |
|-----|--------|------------|--------|------------|------------------------|--------|------------|--------|------------|
| | Number | Percentage | Number | Percentage | | Number | Percentage | Number | Percentage |
| 0 | 703 | 4.0 | 678 | 3.8 | 37 | 101 | 0.6 | 121 | 0.7 |
| 1 | 553 | 3.2 | 516 | 2.9 | 38 | 107 | 0.6 | 186 | 1.0 |
| 2 | 568 | 3.3 | 592 | 3.3 | 39 | 68 | 0.4 | 88 | 0.5 |
| 3 | 626 | 3.6 | 583 | 3.3 | 40 | 400 | 2.3 | 391 | 2.2 |
| 4 | 523 | 3.0 | 498 | 2.8 | 41 | 61 | 0.4 | 62 | 0.4 |
| 5 | 486 | 2.8 | 487 | 2.7 | 42 | 134 | 0.8 | 143 | 0.8 |
| 6 | 554 | 3.2 | 553 | 3.1 | 43 | 80 | 0.5 | 84 | 0.5 |
| 7 | 594 | 3.4 | 536 | 3.0 | 44 | 49 | 0.3 | 56 | 0.3 |
| 8 | 593 | 3.4 | 520 | 2.9 | 45 | 294 | 1.7 | 240 | 1.4 |
| 9 | 433 | 2.5 | 431 | 2.4 | 46 | 71 | 0.4 | 72 | 0.4 |
| 10 | 546 | 3.1 | 544 | 3.1 | 47 | 89 | 0.5 | 63 | 0.4 |
| 11 | 334 | 1.9 | 369 | 2.1 | 48 | 109 | 0.6 | 133 | 0.8 |
| 12 | 480 | 2.8 | 523 | 3.0 | 49 | 50 | 0.3 | 76 | 0.4 |
| 13 | 453 | 2.6 | 428 | 2.4 | 50 | 310 | 1.8 | 208 | 1.2 |
| 14 | 331 | 1.9 | 312 | 1.8 | 51 | 23 | 0.1 | 103 | 0.6 |
| 15 | 433 | 2.5 | 414 | 2.3 | 52 | 99 | 0.6 | 170 | 1.0 |
| 16 | 287 | 1.6 | 305 | 1.7 | 53 | 62 | 0.4 | 92 | 0.5 |
| 17 | 335 | 1.9 | 342 | 1.9 | 54 | 56 | 0.3 | 80 | 0.5 |
| 18 | 421 | 2.4 | 476 | 2.7 | 55 | 144 | 0.8 | 192 | 1.1 |
| 19 | 260 | 1.5 | 295 | 1.7 | 56 | 59 | 0.3 | 68 | 0.4 |
| 20 | 526 | 3.0 | 634 | 3.6 | 57 | 45 | 0.3 | 45 | 0.3 |
| 21 | 198 | 1.1 | 210 | 1.2 | 58 | 83 | 0.5 | 68 | 0.4 |
| 22 | 320 | 1.8 | 334 | 1.9 | 59 | 41 | 0.2 | 30 | 0.2 |
| 23 | 242 | 1.4 | 247 | 1.4 | 60 | 229 | 1.3 | 218 | 1.2 |
| 24 | 188 | 1.1 | 183 | 1.0 | 61 | 24 | 0.1 | 021 | 0.1 |
| 25 | 453 | 2.6 | 588 | 3.3 | 62 | 78 | 0.4 | 41 | 0.2 |
| 26 | 176 | 1.0 | 240 | 1.4 | 63 | 40 | 0.2 | 34 | 0.2 |
| 27 | 211 | 1.2 | 211 | 1.2 | 64 | 40 | 0.2 | 26 | 0.1 |
| 28 | 237 | 1.4 | 294 | 1.7 | 65 | 163 | 0.9 | 113 | 0.6 |
| 29 | 118 | 0.7 | 149 | 0.8 | 66 | 18 | 0.1 | 13 | 0.1 |
| 30 | 497 | 2.8 | 513 | 2.9 | 67 | 36 | 0.2 | 17 | 0.1 |
| 31 | 102 | 0.6 | 110 | 0.6 | 68 | 48 | 0.3 | 39 | 0.2 |
| 32 | 174 | 1.0 | 171 | 1.0 | 69 | 13 | 0.1 | 16 | 0.1 |
| 33 | 128 | 0.7 | 139 | 0.8 | 70+ | 482 | 2.8 | 396 | 2.2 |
| 34 | 128 | 0.7 | 99 | 0.6 | Don't know/ missing | 20 | 0.1 | 10 | 0.1 |
| 35 | 408 | 2.3 | 359 | 2.0 | | | | | |
| 36 | 111 | 0.6 | 114 | 0.6 | | | | | |
| | | | | | Total | 17,459 | 100.0 | 17,714 | 100.0 |

Table C.2.1 Age distribution of eligible and interviewed women

De facto household population of women age 10-54, interviewed women age 15-49, and percentage of eligible women who were interviewed (weighted), by five-year age groups, Nigeria 2003

| Age group | Household population of women age 10-54 | Interviewed women age 15-49 | | Percentage of eligible women interviewed |
|-----------|---|-----------------------------|---------|--|
| | | Number | Percent | |
| 10-14 | 2,176 | na | na | na |
| 15-19 | 1,832 | 1,730 | 22.4 | 94.4 |
| 20-24 | 1,609 | 1,540 | 19.9 | 95.7 |
| 25-29 | 1,481 | 1,416 | 18.3 | 95.6 |
| 30-34 | 1,031 | 979 | 12.6 | 94.9 |
| 25-39 | 867 | 825 | 10.7 | 95.1 |
| 40-44 | 736 | 701 | 9.1 | 95.2 |
| 45-49 | 584 | 549 | 7.1 | 94.0 |
| 50-54 | 653 | na | na | na |
| 15-49 | 8,141 | 7,740 | 100.0 | 95.1 |

Note: The de facto population includes all residents and nonresidents who stayed in the household the night before the interview. Weights for both household population of women and interviewed women are household weights. Age is based on the household schedule.
na = Not applicable

Table C.2.2 Age distribution of eligible and interviewed men

De facto household population of men aged 10-64, interviewed men aged 15-59 and percent of eligible men who were interviewed (weighted), Nigeria 2003

| Age group | Household population of men age 10-64 | Interviewed men age 15-59 | | Percentage of eligible men interviewed |
|-----------|---------------------------------------|---------------------------|---------|--|
| | | Number | Percent | |
| 10-14 | 741 | na | na | na |
| 15-19 | 517 | 457 | 19.4 | 88.5 |
| 20-24 | 474 | 431 | 18.3 | 91.0 |
| 25-29 | 346 | 326 | 13.8 | 94.2 |
| 30-34 | 305 | 291 | 12.3 | 95.5 |
| 25-39 | 239 | 221 | 9.4 | 92.7 |
| 40-44 | 233 | 210 | 8.9 | 89.9 |
| 45-49 | 188 | 173 | 7.3 | 92.1 |
| 50-54 | 164 | 135 | 5.7 | 82.4 |
| 55-59 | 125 | 117 | 4.9 | 93.0 |
| 60-64 | 134 | na | na | na |
| 15-59 | 2,591 | 2,362 | 100.0 | 91.2 |

Note: The de facto population includes all residents and nonresidents who stayed in the household the night before the interview. Weights for both household population of men and interviewed men are household weights. Age is based on the household schedule.
na = Not applicable

Table C.3 Completeness of reporting

Percentage of observations missing information for selected demographic and health questions (weighted), Nigeria 2003

| Subject | Reference group | Percentage with missing information | Number of cases |
|--------------------------------------|--|-------------------------------------|-----------------|
| Birth date | Births in the 15 years preceding the survey | | |
| Month only | | 8.19 | 16,330 |
| Month and year | | 0.26 | 16,330 |
| Age at death | Deceased children born in the 15 years preceding the survey | 0.97 | 3,359 |
| Age/date at first union ¹ | Ever-married women age 15-49 | 0.77 | 5,694 |
| Respondent's education | All women age 15-49 | 0.14 | 7,620 |
| Diarrhoea in last 2 weeks | Living children age 0-59 months | 2.18 | 5,345 |
| Anthropometry | Living children age 0-59 months (from the household questionnaire) | | |
| Height | | 6.54 | 5,842 |
| Weight | | 6.15 | 5,842 |
| Height or weight | | 6.54 | 5,842 |

¹ Both year and age missing

Table C.4 Births by calendar years

Number of births, percentage with complete birth date, sex ratio at birth, and calendar year ratio, by calendar year and survival status of children (weighted), Nigeria 2003

| Year | Number of births | | | Percentage with complete birth date ¹ | | | Sex ratio at birth ² | | | Calendar year ratio ³ | | |
|-----------|------------------|-------|--------|--|-------|-------|---------------------------------|-------|-------|----------------------------------|-------|-------|
| | Living | Dead | Total | Living | Dead | Total | Living | Dead | Total | Living | Dead | Total |
| 2003 | 604 | 37 | 641 | 99.6 | 100.0 | 99.6 | 119.2 | 89.2 | 117.2 | na | na | na |
| 2002 | 1,257 | 148 | 1,405 | 97.4 | 89.1 | 96.5 | 93.0 | 127.3 | 96.1 | na | na | na |
| 2001 | 1,011 | 144 | 1,155 | 97.5 | 86.1 | 96.1 | 104.1 | 143.2 | 108.3 | 85.7 | 77.8 | 84.6 |
| 2000 | 1,101 | 222 | 1,323 | 95.1 | 85.3 | 93.5 | 107.1 | 96.4 | 105.2 | 110.2 | 123.6 | 112.3 |
| 1999 | 987 | 215 | 1,202 | 94.2 | 89.2 | 93.3 | 103.2 | 125.3 | 106.8 | 98.5 | 93.6 | 97.6 |
| 1998 | 904 | 238 | 1,142 | 95.8 | 90.3 | 94.6 | 111.6 | 113.6 | 112.0 | 98.5 | 95.2 | 97.8 |
| 1997 | 848 | 285 | 1,133 | 93.9 | 77.4 | 89.8 | 88.2 | 88.5 | 88.3 | 92.4 | 117.5 | 97.6 |
| 1996 | 933 | 247 | 1,180 | 90.7 | 87.2 | 89.9 | 99.3 | 118.3 | 103.0 | 108.8 | 82.9 | 102.1 |
| 1995 | 866 | 310 | 1,177 | 90.1 | 81.5 | 87.8 | 108.0 | 106.1 | 107.5 | 99.3 | 128.7 | 105.7 |
| 1994 | 811 | 236 | 1,047 | 92.3 | 76.9 | 88.8 | 103.3 | 110.7 | 104.9 | 97.7 | 86.5 | 94.9 |
| 1999-2003 | 4,960 | 767 | 5,726 | 96.6 | 88.0 | 95.4 | 103.3 | 117.4 | 105.1 | na | na | na |
| 1994-1998 | 4,362 | 1,316 | 5,678 | 92.5 | 82.5 | 90.2 | 101.8 | 106.2 | 102.8 | na | na | na |
| 1989-1993 | 3,353 | 1,152 | 4,505 | 91.4 | 80.5 | 88.6 | 101.0 | 100.5 | 100.8 | na | na | na |
| 1984-1988 | 2,600 | 972 | 3,573 | 90.7 | 79.9 | 87.7 | 102.5 | 125.5 | 108.3 | na | na | na |
| < 1984 | 2,871 | 1,225 | 4,096 | 89.4 | 81.9 | 87.1 | 110.5 | 138.6 | 118.1 | na | na | na |
| All | 18,147 | 5,431 | 23,578 | 92.7 | 82.2 | 90.3 | 103.5 | 116.4 | 106.3 | na | na | na |

na = Not applicable

¹ Both year and month of birth given

² $(B_m/B_f)*100$, where B_m and B_f are the numbers of male and female births, respectively

³ $[2B_x/(B_{x-1}+B_{x+1})]*100$, where B_x is the number births in calendar year x

Table C.5 Reporting of age at death in days

Distribution of reported deaths under one month of age by age at death in days and the percentage of neonatal deaths reported to occur at ages 0-6 days, for five-year periods preceding the survey (weighted), Nigeria 2003

| Age at death (days) | Number of years preceding the survey | | | | Total 0-19 |
|-------------------------------------|--------------------------------------|------|-------|-------|------------|
| | 0-4 | 5-9 | 10-14 | 15-19 | |
| <1 | 49 | 71 | 45 | 36 | 200 |
| 1 | 78 | 82 | 51 | 34 | 245 |
| 2 | 21 | 26 | 17 | 13 | 77 |
| 3 | 26 | 26 | 19 | 14 | 85 |
| 4 | 15 | 11 | 9 | 10 | 45 |
| 5 | 10 | 13 | 23 | 18 | 63 |
| 6 | 16 | 12 | 9 | 4 | 41 |
| 7 | 6 | 13 | 16 | 10 | 45 |
| 8 | 6 | 8 | 4 | 1 | 19 |
| 9 | 5 | 8 | 6 | 7 | 26 |
| 10 | 2 | 3 | 4 | 8 | 17 |
| 11 | 2 | 7 | 1 | 0 | 10 |
| 12 | 8 | 6 | 4 | 1 | 18 |
| 13 | 0 | 0 | 2 | 0 | 2 |
| 14 | 19 | 9 | 12 | 12 | 51 |
| 15 | 5 | 10 | 0 | 4 | 19 |
| 16 | 0 | 7 | 1 | 1 | 10 |
| 17 | 0 | 0 | 1 | 2 | 3 |
| 18 | 7 | 1 | 1 | 0 | 9 |
| 20 | 2 | 4 | 6 | 1 | 12 |
| 21 | 12 | 10 | 6 | 5 | 33 |
| 22 | 0 | 0 | 1 | 0 | 1 |
| 23 | 0 | 0 | 0 | 1 | 1 |
| 24 | 1 | 1 | 1 | 0 | 3 |
| 25 | 0 | 0 | 2 | 0 | 2 |
| 26 | 0 | 1 | 1 | 0 | 2 |
| 27 | 0 | 2 | 0 | 0 | 2 |
| 28 | 0 | 2 | 0 | 0 | 3 |
| 29 | 1 | 4 | 0 | 0 | 4 |
| 30 | 0 | 6 | 2 | 2 | 10 |
| 31+ | 4 | 10 | 5 | 2 | 22 |
| Total 0-30 | 289 | 342 | 245 | 182 | 1,057 |
| Percent early neonatal ¹ | 74.1 | 70.4 | 70.9 | 70.4 | 71.5 |

¹ 0-6 days/0-30 days

Table C.6 Reporting of age at death in months

Distribution of reported deaths under two years of age by age at death in months and the percentage of infant deaths reported to occur at age under one month, for five-year periods preceding the survey, Nigeria 2003

| Age at death (months) | Number of years preceding the survey | | | | Total 0-19 |
|-------------------------------|--------------------------------------|------|-------|-------|------------|
| | 0-4 | 5-9 | 10-14 | 15-19 | |
| <1 ^a | 289 | 342 | 245 | 182 | 1,057 |
| 1 | 29 | 38 | 31 | 12 | 109 |
| 2 | 24 | 41 | 16 | 19 | 101 |
| 3 | 31 | 36 | 26 | 36 | 129 |
| 4 | 12 | 30 | 22 | 15 | 80 |
| 5 | 34 | 35 | 16 | 11 | 96 |
| 6 | 15 | 15 | 36 | 13 | 79 |
| 7 | 28 | 36 | 29 | 25 | 117 |
| 8 | 28 | 31 | 16 | 24 | 99 |
| 9 | 28 | 27 | 22 | 14 | 90 |
| 10 | 25 | 21 | 22 | 16 | 83 |
| 11 | 14 | 37 | 12 | 18 | 81 |
| 12 | 26 | 37 | 28 | 35 | 126 |
| 13 | 18 | 13 | 21 | 21 | 73 |
| 14 | 14 | 22 | 14 | 8 | 58 |
| 15 | 7 | 16 | 12 | 13 | 48 |
| 16 | 15 | 8 | 8 | 2 | 33 |
| 17 | 8 | 15 | 24 | 7 | 54 |
| 18 | 22 | 19 | 24 | 23 | 87 |
| 19 | 3 | 20 | 11 | 1 | 35 |
| 20 | 4 | 9 | 7 | 6 | 26 |
| 21 | 5 | 3 | 1 | 1 | 11 |
| 22 | 1 | 13 | 1 | 3 | 18 |
| 23 | 5 | 13 | 7 | 5 | 30 |
| 24+ | 9 | 9 | 16 | 9 | 43 |
| Missing | 0 | 0 | 0 | 1 | 1 |
| 1 year | 49 | 75 | 47 | 56 | 227 |
| Total 0-11 | 555 | 689 | 493 | 385 | 2,121 |
| Percent neonatal ¹ | 52.1 | 49.6 | 49.6 | 47.4 | 49.8 |

^a Includes deaths under one month reported in days

¹ Under one month/under one year